

**13**  
**PROJECTS**  
**INSIDE!**

**Secrets to a Silky Smooth Finish**  
**AMAZING NEW TECHNIQUE: LEARN TO WEAVE WOOD!**

March 1999 #107

# Popular Woodworking

The Skill-Building Project Magazine for Practical Woodworkers

## 1999 TOOL REPORT

The straight dope you  
need to shop smart!

What You  
**MUST**  
**KNOW**  
About Motors

**THREE-PANEL**  
**FOLDING SCREEN**  
Holds 17 photos!

www.popwood.com

\$3.99 US, \$4.99 CAN



Display until March 22, 1999

**FREE FULL-SIZE PROJECT PLANS INSIDE!**



# GRIZZLY INDUSTRIAL, INC.

PURVEYORS OF FINE MACHINERY

**10" HEAVY-DUTY  
1 1/2 H.P. TABLE SAW  
WITH CAST IRON WINGS!**



**G1022ZF  
ONLY  
\$599<sup>00</sup>**

**\$60<sup>Shipping</sup>  
ANYWHERE IN  
LOWER 48 STATES**

**10" TILTING ARBOR  
SUPER HEAVY-DUTY  
3 H.P. TABLE SAW**



**G1023  
ONLY  
\$695<sup>00</sup>**

**\$60<sup>Shipping</sup>  
ANYWHERE IN  
LOWER 48 STATES**

**10" TILTING ARBOR  
DELUXE HEAVY-DUTY  
3 H.P. TABLE SAW**



**G1023Z  
LOW PRICE!  
\$1095<sup>00</sup>**

**5 H.P.  
VERSION  
G1023ZX  
ONLY  
\$1195<sup>00</sup>**

**\$60<sup>Shipping</sup>  
ANYWHERE IN  
LOWER 48 STATES**

**HOLLOW CHISEL  
MORTISER**



**G3183  
ONLY  
\$225<sup>00</sup>**



**1 1/2 H.P. SHAPER**

**G1035  
ONLY  
\$425<sup>00</sup>**

**\$40<sup>Shipping</sup>  
ANYWHERE IN  
LOWER 48 STATES**



SHOWN WITH OPTIONAL  
WING & MOBILE BASE

**3 H.P. SHAPER**

**G1026  
ONLY  
\$850<sup>00</sup>**

**\$60<sup>Shipping</sup>  
ANYWHERE IN  
LOWER 48 STATES**



**2 H.P. DUST  
COLLECTION SYSTEM**

**FREE  
DUST COLLECTION  
SEPARATOR**



**G1029  
SALE \$249<sup>95</sup>**

**\$40<sup>Shipping</sup>  
ANYWHERE IN  
LOWER 48 STATES**



**6" x 47" HEAVY-DUTY  
JOINTER**



**G1182Z  
ONLY \$395<sup>00</sup>**

**\$40<sup>Shipping</sup>  
ANYWHERE IN  
LOWER 48 STATES**



**8" x 65" SUPER  
HEAVY-DUTY JOINTER**

**G1018  
ONLY \$695<sup>00</sup>**

**\$60<sup>Shipping</sup>  
ANYWHERE IN  
LOWER 48 STATES**



**CALL TODAY FOR YOUR FREE 1999 WOODWORKING CATALOG**

78R

MEDIA CODE

199699658



**ORDER  
ON-LINE ANYTIME!**  
grizzlyindustrial.com



**3 GREAT LOCATIONS:**

**Bellingham, WA  
Memphis, TN  
Williamsport, PA**



Since 1983, Grizzly Industrial, Inc. has served millions of woodworkers. We make ordering easy from start to finish. Try us, you'll be glad you did!

- FULL WARRANTIES ● LARGEST STOCK OF PARTS
- EXCELLENT CUSTOMER SERVICE ● EASY ORDERING & FAST SHIPPING
- 3 GREAT LOCATIONS ● ON-LINE ORDERING!

**CHECK OUT  
OUR LOW PRICED  
SHIPPING**



### POWER FEEDERS

- G4173** 1/8 H.P. **ONLY \$259<sup>95</sup>**  
**G4176** 1/4 H.P. **ONLY \$399<sup>95</sup>**  
\$20 SHIPPING TO ANYWHERE IN THE LOWER 48  
**G4179** 1/2 H.P. **ONLY \$599<sup>95</sup>**  
\$40 SHIPPING TO ANYWHERE IN THE LOWER 48  
**G4181** 1 H.P. **ONLY \$699<sup>95</sup>**  
\$40 SHIPPING TO ANYWHERE IN THE LOWER 48

**\$60** Shipping  
ANYWHERE IN  
LOWER 48 STATES



### THE BEST 16" BANDSAW ON THE MARKET!



**G1073**  
**ONLY**  
**\$595<sup>00</sup>**



### 12 SPEED HEAVY-DUTY DRILL PRESS



**A PRICE  
BREAKTHROUGH!**

**G7944**  
**ONLY \$199<sup>95</sup>**

**\$40** Shipping  
ANYWHERE IN  
LOWER 48 STATES

### OSCILLATING SPINDLE SANDER



**G1071**  
**ONLY**  
**\$495<sup>00</sup>**

**\$60** Shipping  
ANYWHERE IN  
LOWER 48 STATES

### 15" PLANER W/STAND



**G1021**  
**ONLY**  
**\$765<sup>00</sup>**

**\$60** Shipping  
ANYWHERE IN  
LOWER 48 STATES

### 20" PLANER



**FREE  
KNIVES  
G1661  
A \$89.95  
VALUE!**

**G1033**  
**ONLY**  
**\$1295<sup>00</sup>**

**\$100** Shipping  
ANYWHERE IN  
LOWER 48 STATES

### 14" x 40" SWIVEL-HEAD WOOD LATHE



**\$40** Shipping  
ANYWHERE IN  
LOWER 48 STATES

**Z-SERIES**  
**G1067Z**  
**\$449<sup>00</sup>**

### HEAVY-DUTY AIR FILTER



**G5955** **\$179<sup>95</sup>**

**Z-SERIES**

### COMBINATION SANDER 6" X 48" BELT - 9" DISC



**G1014Z**  
**ONLY**  
**\$169<sup>95</sup>**

**\$40** Shipping  
ANYWHERE IN  
LOWER 48 STATES

**ORDER 24 HOURS A DAY!**



**1-800-523-4777**

**CUSTOMER SERVICE: (717)326-3806 FAX: (800)438-5901**

Circle #128 on Resource Directory Coupon




# Popular Woodworking

America's **BEST** Project Magazine!  
www.popwood.com

19



## 1999 TOOL REPORT



28



50

## FEATURES & PROJECTS

### 1999 Tool Report 19

We give you the must-know, get-your-hands-all-dirty-in-the-store information you need to shop for jigsaws, compound miter saws, brad nailers and mid-sized table saws.

### What You Absolutely Must Know About Motors 28

Before you buy any tool with a motor in it, read this article to discover the difference between what the box says the motor will do and what it will actually do for you in the shop.

### Secrets to a Silky Smooth Finish 34

Learning to sand your finishes will improve your woodworking more than almost anything else. In the final installment of our finishing series, we show you how to get maximum results with minimum effort.

### Roadhouse Pipe Box 40


**A PopWood Project File**

This 18th century reproduction holds traditional clay pipes for wayfarers or a bouquet of dried flowers for brightening a room.

### Shoji-Paper Lamp 49

**A PopWood Project File**

The soft glow of this Japanese lamp will brighten a dark corner and light the path to enlightenment when it comes to assembling many small parts.



34



40



49



## Mission-Style Server 50

### A PopWood Project File

When a massive sideboard is just too much for your dining room, try your hand at this scaled-down server from Andrew Schultz.

## Waste Baskets 52

### A PopWood Project File

Learn the trick to cutting compound miters on your table saw while making these two stylish waste baskets.

## Photo Screen 56

Show off pictures of your loved ones with this Art-Deco three-panel screen. Construction is easy, but it will test your miter-cutting skills.

## Scrollsaw Silverware Basket 60

Scrollsaw master John Nelson shows you how to build a silverware basket using an amazing new technique: weaving layers of solid wood.

## Tavern Table 62

Expatriate Blair Howard shows you the tricks to building this staple from the English pubs in his homeland.

## Turning on a Dime 66

It's the perfect primer on turning small projects on your lathe — especially if you've bought a new mini-lathe and are tired of turning pens.



## COLUMNS

**Out On a Limb** 6  
"The Forgotten Woodworking Skill"

**Letters** 8  
Mail from readers

**Tool Test** 16

**Projects From the Past** 54  
Flower Boxes

**Tricks of the Trade** 76

**Wood Types** 78  
Purpleheart

**Caption the Cartoon** 79

**Tales From the Wood** 82

**Classifieds** 86

**Out of the Woodwork** 88  
"The Dovetail Dilemma"

## Popular Woodworking Crew

PopWood@FWPubs.com

**Steve Shanesy**  
Editor & Publisher

Specialties: Projects, techniques, article and project selection  
(513) 531-2690 ext. 238  
SteveS@FWPubs.com



**David Thiel**  
Senior Editor

Specialties: Projects, new products and tools, tricks of the trade  
(513) 531-2690 ext. 255  
DavidT@FWPubs.com



**Christopher Schwarz**  
Managing Editor

Specialties: Article submissions, letters, reader contests, projects, author liaison.  
(513) 531-2690 ext. 407  
ChrisS@FWPubs.com



**Jim Stuard**  
Associate Editor

Specialties: Projects, carving, turning, project illustrations  
(513) 531-2690 ext. 348  
JimS@FWPubs.com



## On the Cover



Cover photo: Al Parrish, Parrish Photography

Senior Editor David Thiel checks out one of the table saws for our 1999 Tool Report. Rather than recommend the one or two models we think are great, our annual Tool Report gives you something more valuable: the knowledge you need to pick out the perfect tool for your needs. This year we examine the essential (and not-so-essential) features found on mid-sized table saws, jigsaws, compound miter saws and brad nailers.



## For All Your Woodcarving & Sign Carving Needs

Terrco provides a full line of machine carving and sign carving equipment. Beginning models are the T-110 single spindle bench carver and our CM614 single spindle sign carver.

Intermediate models include the K-Star, a two-spindle heavy duty bench model, and the Northstar, a heavy duty floor model available in one to eight spindles.

Our advanced model is our Master Carver series, which is an extremely heavy duty floor model with from eight to forty spindles.

Write or call for more information.

### Terrco, Inc.

222 1st Ave. NW  
Watertown, SD 57201  
USA  
(605) 882-3888  
Fax (605) 882-0778



Model T-110 Dupli-Carver



Model CM614 Sign Carver



Multi-Spindle Carving Machine

Circle #117 on Resource Directory Coupon

## Popular Woodworking®

March 1999, Vol. 19, No. 1  
www.popwood.com

Editor & Publisher **Steve Shanesy**

Senior Editor **David Thiel**

Managing Editor **Christopher Schwarz**

Associate Editor **Jim Stuard**

Art Director **Amy Schneider**

### Editorial Advisory Board:

<b>Bill Austin</b>	Makita USA, Inc.
<b>Jon Behrle</b>	Woodcraft Supply Corp.
<b>Mike Birch</b>	Black & Decker
<b>Scott Box</b>	Delta International
<b>Jim Brewer</b>	Freud Inc.
<b>Chris Cable</b>	Fein Power Tool
<b>Chris Carlson</b>	S-B Power Tool
<b>R.J. DeCristoforo</b>	Author & craftsman
<b>Jeff Dils</b>	Ryobi
<b>Steve Erbach</b>	Grizzly Imports Inc.
<b>Art Finkel</b>	AE Furniture Mfg. Co. Inc.
<b>Edward Janda</b>	Panasonic
<b>Todd Langston</b>	Porter-Cable Corp.
<b>Cliff Rickmers</b>	Jet Equipment & Tools Inc.
<b>Dale Zimmerman</b>	Franklin International

General Manager **Jeffrey M. Lapin**

Editorial Director **David Fryxell**

Magazine Art Director **Nancy Stetler**

### CIRCULATION

**David Lee, Director**

**Mark Fleetwood, Single Copy Sales Mgr.**  
**Terry Webster-Isgro, Direct Sales Mgr.**

### PRODUCTION

**Barbara Schmitz, Director of Manufacturing**  
**Martha Wallace, Magazine Production Dir.**  
**Vicki Whitford, Coordinator**

**Ruth Preston, Art Production Manager**

### ADVERTISING

**National Sales Representative**

**Bill Warren, Five Mile River Assoc. LLC**  
RR1 Box 1400, Stockton Springs, ME 04981  
Tel. (207) 469-1981; Fax (207) 469-3050

**Advertising Sales**

**Joe Wood - Tel. (513) 336-9760**  
Fax (513) 336-9761

**Classified Advertising Sales**

**Joan Wright - Tel. (513) 459-9298**

**Advertising Production Coordinator**

**Debbie Thomas - Tel. (513) 531-2690, ext. 219**

**SUBSCRIPTION SERVICES** Subscription inquiries, orders and address changes can be made at [www.popwood.com](http://www.popwood.com) (click on **Subscriber Services**). Or by mail: **Popular Woodworking, P.O. Box 5369, Harlan, IA 51593** or call (515) 280-1721. Include your address with all inquiries. Allow 6 to 8 weeks for delivery of a new subscription.

*Popular Woodworking* (ISSN 0884-8823, USPS 752-250) is published six times a year in January, March, May, July, September and November by F&W Publications, Inc. Editorial and advertising offices are located at 1507 Dana Ave., Cincinnati, OH 45207; tel.: (513) 531-2222. Unsolicited manuscripts, photographs and artwork should include ample postage on a self-addressed, stamped envelope (SASE); otherwise they will not be returned. Subscription rates: A year's subscription (6 issues) is \$19.97; outside of U.S.A. add \$7/year.

Copyright ©1999 by *Popular Woodworking*. Periodicals postage paid at Cincinnati, Ohio, and additional mailing offices. Postmaster: Send all address changes to *Popular Woodworking*, P.O. Box 5369, Harlan, IA 51593 Canada GST Reg. # R122594716

Produced and printed in the U.S.A.

### ATTENTION RETAILERS:

To carry *Popular Woodworking* in your store, call (513) 531-2690, ext. 327, or write: Dealer Program, F&W Publications, Inc., 1507 Dana Ave., Cincinnati, OH 45207. **Woodworker's Book Club:** 1507 Dana Ave., Cincinnati, OH 45207; (513) 531-8250

## ARROW® The All New T50PBN STAPLE + NAIL GUN



## It Packs A One-Two Punch It Staples! It Nails!

Meet the 21st Century ARROW T50 PBN

- **All Steel Construction** with long lasting chrome finish.
- **Easy Squeeze** double leverage mechanism for professional performance with no loss of driving power.
- **Cushioned Non-Slip Hi-Viz Handle.** Comfortable to use. Easy to locate.
- **Visual Refill Window** tells you when to reload.

ARROW tools and supplies are available at home centers, lumberyards and hardware stores.

Packs a Double Wallop

- **The new T50PBN shoots 6 different size staples:** 1/4", 5/16", 3/8", 1/2", 9/16", and 17/32" Celltite staples. You can handle any job from upholstering a chair to insulating basements and attics.
- **It also drives a 5/8" nail** so you can decorate a door panel, build a picture frame, or create doll houses and toys for the kids.
- **ARROW T50PBN. Solid. Reliable.** Perfect for the handyman, the professional, and the hobbyist. You work hard for your money, spend it wisely.




ARROW FASTENER COMPANY, INC., 271 MAYHILL STREET, SADDLE BROOK, N.J. 07663  
ARROW FASTENER (U.K.) LTD., 14 BARCLAY ROAD, CROYDON, SURREY CR0 1JN  
JARDEL DISTRIBUTORS, INC., 6505 METROPOLITAN BLVD. EAST, MONTREAL, QUEBEC H1P 1X9  
website: [www.arrow-fastener.com](http://www.arrow-fastener.com)

© 1998 ARROW FASTENER CO., INC.

Circle #121 on Resource Directory Coupon





# CANCEL CABLE.

Who needs 57 channels? We're talking the Ryobi BT3000 precision woodcutting system here. Sliding rails and movable tables. Self-aligning rip fence. 15-amp motor. Tons of optional accessories. Toss the TV? Nah. Build an entertainment center.

**RYOBI**

©1998 Ryobi America Corporation, 1424 Pearman Dairy Road, Anderson, SC 29625 1-800-525-2579 [www.ryobi.com](http://www.ryobi.com)

Circle #137 on Resource Directory Coupon



# DESIGN: The *Forgotten* Woodworking Skill



**A**S WOODWORKERS, we ask a lot of ourselves. And you know, if we had known what we were getting into before we began, we might never have started at all.

Think about it. Armed with only a thin shield of questionable advice, we embark on the craft by spending serious money (enough to buy a used car) on machinery. Then, not really knowing how dangerous an activity woodworking is, we start cutting wood with little, if any, reliable instruction or supervision.

Eventually, we get comfortable using a couple machines, learn some joints and get a project built. Say it's a simple little table. We put a finish on and oops, our nice little table looks awful. All we thought we had to do was rag on a little stain, then slap on some poly finish, just like we see on TV! So now we realize we have to learn to finish wood. So we learn finishing by a lot of trial and painful error.

But now we're cruisin'. We've been down the woodworking road several times and we know the turns, potholes and danger zones. We're feelin' pretty good about our woodworking. Now we're ready to design our own project.

After some futile attempts at drawing, we quickly reconfirm that we never could sketch anything but crude stick figures. Mastering woodworking, even finishing, hasn't helped our drawing ability. So out comes the graph paper and ruler. Soon we're headed back to the shop with a finished drawing and double-checked parts list in hand.

Our hard-won experience pays off. Accurately cut parts lead to an easy assembly. The finish looks great. We step back to admire our work. We yell to our spouse to share our triumph.

It looks pretty good. But somehow, it doesn't look as good in the round as it did in our mind. It looks pretty good. It just doesn't look great. It doesn't even look

real good. It's not bad, it's just, well, a bit off. The legs might be a bit too chunky, or not tapered enough. The top is too thick, too thin or hangs over too much, or not enough. The single drawer front looks good, fits good, but the pull is too big, too small or not quite positioned right. Hey, we're not designers, we're woodworkers. So now what do we do?

We can always rely on books, mag-



azines and purchased plans and never build from original designs again. But that is unrealistic.

How do we improve our designs without going back to school? A few are just lucky this way and have a good sense of proportion and scale. For the rest of us not so blessed there is help. Mostly, we need to follow the simple practice of 18th century woodworkers: Copy the great work of others.

The reason the names Chippendale, Hepplewhite and Sheraton became so famous has more to do with their publication of pattern books than their exquisite design and workmanship. Every serious cabinetmaker copied from the books, borrowed stylistic forms, followed proscribed proportions.

We can also study all kinds of wood-

work in museums, antique shops, books on old and new furniture. The trick is to carefully study the details. Examine the arrangement of parts, note the placement of hardware. While browsing through books, use an architect's scale to find approximate dimensions from photographs. Because many books on antiques give overall dimensions, you can use these to determine dimensions of parts.

Other ways to help your project's design is to use that architect's scale to draw the project. This shows the balance of the piece, the relationships parts have to one another. Smaller projects can be drawn full scale. If it's an important project, make a full-size model from cardboard and tape.

Consult books on design, become familiar with the application of the Golden Section, a simple system of establishing ratios and proportions that has been used since the ancient Greeks (read Jim Tolpin's book "Measure Twice Cut Once" for an introduction to this stuff).

Achieving great designs is not an easy task. Consider that virtually all manufactured objects go through numerous design prototypes before a final design is put into production. It's rare, if not impossible, to expect perfection on the first effort. So the objective should be to get as close as possible.

Satisfying designs might be harder to achieve than learning woodworking or finishing. Like finishing, it takes real initiative to learn to do it well. But just like finishing, design is one of the three equal components of a successful woodworking project: good design, good workmanship, good finish.

Woodworkers ask a lot of themselves. Design, build, finish, and yes, some engineering. I bet Michelangelo would have made one fine woodworker! **PW**

*Steve Shanley*



# WANTED

**REWARD**

Wanted for sawing, planing, drilling, molding and jointing in all 50 states. JET's band of woodworking tools was last seen in the company of the legendary contractor's style tablesaw. Anyone with information leading to the

purchase of these tools is advised to follow the stampede to your local JET dealer to round up the tools you've always wanted. JET is offering rewards of up to \$100 for the purchase of these notorious tools.

**REBATES**  
up to **\$100**

October 1, 1998 through February 28, 1999

**JET**  
EQUIPMENT & TOOLS



JSL-12BS  
SHOPLINE™  
Bandsaw

**\$20**  
REBATE



JWP-15HO  
Planer

**\$100**  
REBATE



JWTS-10  
Contractor's  
Style Tablesaw  
\$549 MSRP

**-\$50** mfr. rebate

**\$499**  
after mfr. rebate



JWBS-14 Bandsaw  
Open or Closed Stand

**\$25**  
REBATE



JJ-6CSX  
Closed Stand Jointer

**\$20**  
REBATE



JPM-13  
Planer/Molder

**\$50**  
REBATE



DC-650 Dust Collector

**\$15**  
REBATE

DC-1200 Dust Collector

**\$20**  
REBATE



JTAS-10  
Left or Right  
XACTA SAW™

**\$100**  
REBATE



JSL-10TS  
SHOPLINE™  
Tablesaw

**\$20**  
REBATE



JDP-17MF  
Drill Press

**\$20**  
REBATE

For the name of your local JET dealer, call (800) 274-6848 or go to [www.jettools.com](http://www.jettools.com).  
Amounts shown are manufacturer's rebates. Rebates also apply to 40th Anniversary Limited Edition tools.



# LETTERS

We welcome your comments about *PW* or anything related to woodworking. We'd also like to see color pictures of what

you're building. Send your input to: Letters, Popular Woodworking, 1507 Dana Ave., Cincinnati, OH 45207. Our e-mail address is: [PopWood@FWPubs.com](mailto:PopWood@FWPubs.com)

Letters may be edited for publication.

—Steve Shanesy, editor, *PW*

## Don't Be So Precise


When I read the "Out on a Limb" column in the November 1998 issue, I laughed out loud. I could not believe that Steve Shanesy would write such a commentary chastising his co-workers. The reason that his tape measure was damaged was because he failed to take proper care of it. Had he returned it to his tool box, it probably would still be as good as new.

As for the young apprentices who had to endure his "two-point test," both people would have been better served if they had been asked to make a small project instead of his senseless tape measure check. This is the exact attitude that deters young people from this hobby. I would bet that not many of your readers have a 12-foot tape with  $\frac{1}{32}$ " divisions on the first 12". Woodworking does not have to be this precise if you

know how to use basic hand tools. Some advice to those beginners: take the money saved by purchasing a regular tape and put it towards a good quality plane or chisel set.

By looking at Mr. Shanesy's tape, I would guess that he does little woodworking because tools don't wear if they are not used. One question for Mr. Shanesy. Are you a woodworker or machinist? Me? I do have a folding rule as well as a 25-foot tape and an assortment of precise steel rulers for those times when precision measurements are necessary.

Joe Gatesman  
Columbus, Ohio



## I Don't Buy Your 'Rules'

Ever since I read your editorial "The Only Rule to Observe" in the November 1998 issue (#105) I just get more ticked off at your kind.

You automatically assume that because a person uses a folding rule, he can't possibly be accurate. However, you "self-appointed" experts would probably never believe that a machinist can use a pair of spring calipers and make a part to within one-thousandth of an inch ( $\frac{1}{1000}$ " to you people who lack mechanical skills). The tool you use on the job depends on what needs to be done. While a tape has its virtues, it is also the first tool to be stolen. I like to use both a folding rule and sometimes others, such as a 35-foot tape. I find the larger tape is sometimes easier to handle, it is easier to find when set down and it extends to a longer length without bending (try getting a 12' x  $\frac{1}{2}$ " tape to extend 6 feet without bending). I also carry in my pocket the famous 12' x  $\frac{1}{2}$ " rule. But because you are harping on unnecessary accuracy, there is nothing more accurate than a machinist's steel rule, some of which can measure to .010" with nothing more than your eye.

Robert Reemsnyder  
Fayetteville, Tennessee

## Small Tape Measures Rule!

Just a quick note to let you know that I couldn't agree with you more about tape measures. I have a couple of 25- and 30-footers that stay in my carpentry belt. But in my shop apron I have two of the Stanley Leverlock 12' tapes. (I need two because I lose them even in my own shop.) As far as I am concerned, this is the greatest rule!

Alex Savakinas  
Attleboro, Massachusetts

*Editor's note: Whoa! Talk about touching a nerve. It was like a steel tape measure landing on a bare 220-volt live wire. I guess this is one reason to favor the folding wood rule — reduced chance of electrocution.*

*Most of the flak I received about my column took me to task for something I wasn't trying to say, which is that a steel tape is sufficient for all woodworking measuring jobs. Of course it isn't. I use steel machinist rules, especially for layout jobs, and I rely on a dial caliper for precision measurements on critical, smaller objects. The point I wanted to make, and must not have made clearly enough, is the superiority of the steel tape over the folding wood rule as the measuring device for general use. It is the one to keep on your bench or in your shop apron. And for those who don't think woodworking requires precision to within  $\frac{1}{32}$ ", I suggest you try slipping a tenon into a mortise that's  $\frac{1}{32}$ " too small, just to name one of dozens of other examples I could cite. But hey, if you want to cut parts or joints a couple times in order to get them to fit, go ahead. Personally, I'd rather get it right the first time and move on to the next project.*

—Steve Shanesy

## Safety Note

**Safety is your responsibility.** Manufacturers place safety devices on their equipment for a reason. In many photos you see in *Popular Woodworking*, these have been removed to provide clarity. In some cases we'll use an awkward body position so you can better see what's being demonstrated. Don't copy us. Think about each procedure you're going to perform beforehand. Think ahead. **Safety First!**



# Enter Popular Woodworking's \$33,000.00 FORD PICKUP & POWER TOOL PARADISE GIVEAWAY!\*

**PLUS...Subscribe Today for BIG Savings on America's  
BEST Project Magazine!**

\*No purchase necessary. To enter without subscribing to *Popular Woodworking*, see Official Rules below.

## Just imagine...

Filling your mailbox with issue after issue of shop-tested, "more-bang-for-your-buck" projects...

your workshop with a FULL arsenal of brand-new, world class, power equipment...

and your driveway with a new **Ford F-150 XLT Pickup!**

Imagine no more! Because now that dream can be yours with *Popular Woodworking's* \$33,000.00 Ford Pickup & Power Tool Paradise Giveaway! You'll zip through your best-ever projects like never before with super-accurate power tools like your...

**Delta 10" Tilting Arbor Saw ■ Delta 14" Band Saw ■ Delta 15" Planer ■ Delta 18" Variable Speed Scroll Saw ■ Delta 10" Compound Miter Saw ■ Delta 6" Precision Jointer ■ Delta Belt/Disc Sander ■ Porter Cable Profile Sander ■ Porter Cable Router ■ Porter Cable Jig Saw ■ Porter Cable Random-Orbit Sander ■ Porter Cable Sheet Finishing Sander ■ Porter Cable Belt Sander ■ Craftsman 22-Gallon Vertical Compressor ■ Craftsman 10" Bench Grinder ■ Craftsman 17" Drill Press ■ Craftsman 15" Wood Lathe ■ Craftsman 16 Gallon Wet/Dry Vac ■ Craftsman Pneumatic Stapler ■ Craftsman Pneumatic Nailer ■ Grizzly Dust Collector ■ Grizzly Combination Sander ■ Grizzly 15" Planer ■ Grizzly 47" Heavy-Duty Jointer ■ Grizzly 10" Tablesaw ■ JET 10" Direct Drive Tablesaw ■ JET Dust Collector ■ JET 12" Bandsaw**

**SUBSCRIBE TODAY, AND YOU'LL AUTOMATICALLY  
BE ENTERED TO WIN THIS \$33,000.00 PRIZE BONANZA.**

**Just fill in the attached postage-paid card and mail it today!**



**JUST A  
FEW OF  
THE GREAT  
TOOLS YOU  
CAN WIN!**

### POPULAR WOODWORKING'S \$33,000.00 FORD PICKUP & POWER TOOL PARADISE SWEEPSTAKES OFFICIAL RULES

**1.** No purchase necessary. Void where prohibited.  
**2.** To enter, follow the directions published. All entries must be received by the specified date published on attached card to be eligible. Sweepstakes ends September 29, 2000. Entries with orders for *Popular Woodworking* must be on original forms (no reproductions). No responsibility is assumed for lost, late, misdirected or nondelivered mail.

**3.** To enter without ordering *Popular Woodworking*, DO NOT USE THE ADJACENT CARD. Print your name and address on a 3" x 5" postcard and mail to POPULAR WOODWORKING'S \$33,000.00 Ford Pickup and Power Tool Paradise Giveaway, P.O. Box 5460, Harlan, IA 51593-4960.  
**4.** The grand prize winner will be selected on or about October 30, 2000 in a random drawing from all eligible entries received.

**5.** Giveaway open only to residents of the 50 United States and the District of Columbia who are 18 years of age or older. Employees of F&W Publications and Marden-Kane, Inc. and their immediate families are not eligible.  
**6.** For complete sweepstakes rules, send a stamped, self-addressed envelope to POPULAR WOODWORKING'S SWEEPSTAKES GIVEAWAY RULES, ATTN: MF, 1507 Dana Avenue, Cincinnati, OH 45207. Residents of VT and WA omit return postage.



**WOODLINE ARIZONA, Inc.**  
 P.O. Box 1530 • Payson, AZ 85547  
 Great Router Bits and Shaper Cutters

**WOODLINE ARIZONA BITS & CUTTERS FEATURE:**  
 • EUROPEAN CARBIDE • ANTI-KICKBACK DESIGN • SUPER-SLICK FINISH  
 • All Major Credit Cards Accepted  
 • Shipping is only \$3.75 per order  
 • Most items in stock  
 • Same-day shipping!!  
 • Order 24 hours-7 days a week **1-800-472-6950**

**FREE NEW catalog with over 100 NEW BITS & CUTTERS!**

Roundover Bits	Chamfer Bits	Core Box Bits	Straight Bits
With Bearing	1/4" Shank • Degree	1/4" Shank • Diameter	WL-1007 1/2" *8.
WL-1040 1/16" *9.	WL-1180 15° *10.	WL-1370 1/8" *10.	WL-1008 9/16" *8.
WL-1041 1/8" *9.	WL-1181 25° *10.	WL-1371 1/4" *8.	WL-1009 5/8" *7.
WL-1042 3/16" *9.	WL-1182 45° *12.	WL-1371-1 3/8" *9.	WL-1010 23/32" *8.
WL-1043 1/4" *9.	WL-1183 45° *14.	WL-1372 1/2" *10.	(for undersized 3/4" plywood)
WL-1044 5/16" *10.	(for up to 3/4" material)	WL-1373 3/4" *12.	WL-1011 3/4" *9.
WL-1045 3/8" *11.	1/2" Shank		WL-1012 1" *10.
WL-1046 1/2" *11.	WL-1184 45° *10.		1/2" Shank
1/2" Shank	WL-1185 11-1/2° *12.		WL-1020 15/64" *5.
WL-1049 1/8" *9.	WL-1186 15° *12.		(for undersized 1/4" plywood)
WL-1042-5 3/16" *9.	WL-1187 22-1/2° *12.		WL-1021 1/4" *5.
WL-1050 1/4" *9.	WL-1188 30° *14.		WL-1019 5/16" *5.
WL-1044-5 5/16" *10.	WL-1189 45° *15.		WL-1022 3/8" *5.
WL-1051 3/8" *12.	WL-1190 45° *22.		WL-1023 7/16" *5.
WL-1052 1/2" *13.	(for up to 1-1/4" material)		WL-1024 15/32" *5.
WL-1053 5/8" *16.			(for undersized 1/2" plywood)
WL-1054 3/4" *18.			WL-1025 1/2" *6.
WL-1055 7/8" *25.			WL-1027 5/8" *8.
WL-1056 1" *27.			WL-1028 23/32" *8.
WL-1057 1-1/8" *30.			(for undersized 3/4" plywood)
WL-1058 1-1/4" *30.			WL-1029 3/4" *9.
			WL-1031 1" *10.

**Roundnose/Core Box**  
 1/2" Shank • Diameter  
 WL-1375 1/4" \*8.  
 WL-1375-1 3/8" \*11.  
 WL-1376 1/2" \*12.  
 WL-1377 3/4" \*14.  
 WL-1378 1" \*18.

**Bowl & Tray Cutter**  
 1/4" Shank • Diameter  
 WL-1380 7/16" \*13.  
 WL-1381 3/4" \*15.  
 1/2" Shank  
 WL-1385 3/4" \*15.  
 WL-1386 1-1/4" \*18.

**Dado & Planer Bit**  
 1/4" Shank • Diameter  
 WL-1390 3/4" \*12.  
 1/2" Shank  
 WL-1391 3/4" \*12.  
 WL-1392 1" \*14.  
 WL-1393 1-1/4" \*15.  
 WL-1394 1-1/2" \*18.  
 WL-1394-1 2" \*28.

**Pattern Cutting Bit**  
 1/4" Shank • Diameter  
 WL-1400 1/2" \*12.  
 WL-1401 5/8" \*12.  
 WL-1402 3/4" \*12.  
 1/2" Shank  
 WL-1405 3/4" \*15.  
 WL-1406 1-1/8" \*18.

**Double Roman Ogee**  
 1/4" Shank • Radius  
 WL-1240 5/32" \*18.  
 WL-1241 1/4" \*20.  
 1/2" Shank  
 WL-1245 5/32" \*18.  
 WL-1246 1/4" \*20.

**Classical Ogee Bits**  
 1/4" Shank • Radius  
 WL-1250 5/32" \*18.  
 WL-1251 1/4" \*20.  
 1/2" Shank  
 WL-1252 5/32" \*18.  
 WL-1253 1/4" \*20.

**Straight Bits**  
 1/4" Shank • Diameter  
 WL-1001 1/8" \*10.  
 WL-1002 3/16" \*5.  
 WL-1002-5.5 5.5mm \*5.  
 (for undersized 1/4" plywood)  
 WL-1003 1/4" \*5.  
 WL-1004 5/16" \*5.  
 WL-1005 3/8" \*5.  
 WL-1006 15/32" \*5.  
 (for undersized 1/2" plywood)

**Horizontal Panel Raiser with Undercutter** • 1/2" Shank  
 WL-1346 Ogee \*49.  
 WL-1347 Traditional \*49.  
 WL-1348 Convex (Cove) \*49.  
 WL-1359 12" Facet with Quarter Round \*49.  
 WL-1363 Wave \*49.

**1-pc Rail & Stile Cutter Sets**  
 Just raise the cutter to make the matching cut. No changing or reversing.  
 1/2" Shank  
 Ogee Profile \*49.  
 Roundover \*49.  
 Cove & Bead \*49.  
 Wedge \*49.  
 Dbl Roundover \*49.

**2-pc Rail & Stile Cutter Sets**  
 1/2" Shank Set  
 WL-1360 Ogee Profile \*59.  
 WL-1361 Roundover \*59.  
 WL-1362 Cove & Bead \*59.

**Reversible Glue Joint**  
 WL-1430 1-3/4" Diam \*35.  
 For the Shaper WL-1706 \*35.

**Drawer Corner Lock**  
 Makes drawer side separation virtually impossible • 1/2" Shank  
 WL-1435 For 1/2" material \*30.

**Corner Lock Mitres**  
 For up to 5/8" material  
 WL-1420-2 1/4" sh \*25.  
 For 1/2" to 3/4" material  
 WL-1420-1 1/2" sh \*30.  
 For material 3/4" to 1-1/4"  
 WL-1420 1/2" sh \*38.

**For the Shaper \*40.**  
**Lock Mitre** WL-1581  
**SHAPER CUTTERS**  
**3/4" BORE**  
**Corner Round**  
 WL-1509 1/8" \*22.  
 WL-1510 1/4" \*24.  
 WL-1511 3/8" \*26.  
 WL-1512 1/2" \*26.  
 WL-1513 3/4" \*30.  
 WL-1514 1" \*32.  
 WL-1515 1-1/4" \*38.

**Bead**  
 WL-1520 1/4" \*24.  
 WL-1521 3/8" \*26.  
 WL-1522 1/2" \*26.  
 WL-1523 3/4" \*28.  
 WL-1524 1" \*30.

**Flute**  
 WL-1530 1/4" \*24.  
 WL-1531 3/8" \*26.  
 WL-1532 1/2" \*26.  
 WL-1533 3/4" \*28.  
 WL-1534 1" \*30.

**Rabbeting/Straight**  
 WL-1540 1/4" \*24.  
 WL-1541 3/8" \*26.  
 WL-1542 1/2" \*26.  
 WL-1543 3/4" \*28.  
 WL-1544 1" \*30.  
 WL-1545 1-1/2" \*32.  
 WL-1546 2" \*48.

**Finger Joiner Router Bit** WL-1429 \*39.  
 For the Shaper WL-1580 \*89.

Circle #119 on Resource Directory Coupon

# Wood Carving with the Yankee

...the ultimate Video on the subject!

Carving Bench • Tools • Sharpening • Wood  
The Subject & How to Pick it • Finishing Tips  
Carving— See it done, then do it yourself!  
We'll also show you how to unlock your  
creativity and utilize your imagination!  
Bonus Plans— Build & carve the 'Kiddie Stool'!

Full 2 hr. Video— long enough to give  
you the basics and show you the tricks!

Send check/money order for \$39.95 + \$4.50  
S/H, payable to Campbell Viking (CT residents  
add 6% Sales Tax). Include Full Name, Address  
and Phone No. If using Visa or Master Card,  
please include your Card No. & Exp. Date.

Or Call Toll Free: 1-800-750-3224

**CAMPBELL VIKING, DEPT. PW**  
 4 Russell Road, North Haven, CT. 06473

Circle #142 on Resource Directory Coupon


**Osborne**  
 Wood Products, Inc.  
 Stock & Custom Wood Turnings

Table Legs

Bed Posts

Finials

Balusters



Husky

We offer a variety of matching sets for tables,  
end tables and coffee tables

On the Internet: [www.osbornewood.com](http://www.osbornewood.com)

call for a catalog • 1-800-849-8876

8116 Highway 123 North • Toccoa, GA 30577

Circle #113 on Resource Directory Coupon



## LETTERS

Continued from page 8

### Scrollsaw Advice From a Master

I received the November 1998 issue today and there are some projects I like really well. One of them is the Angel-Face Ornament. When I saw this I thought about our four grandchildren. After reading the instructions I felt I should write to you about scrollsawing. You should never use spray adhesive when stacking pieces. Also, never cut the outside first, always do the inside cuts first. If you use adhesive, you sometimes might use a little too much and then break them when taking the pieces apart. This goes also for Baltic Birch.

This Angel ornament is a fretwork project. You take the three to five pieces and glue the pattern on the top one. Never use glue on the wood — only on the back of the pattern. Then you can use an air-powered brad nailer, carpet tape or you can put tape around the pieces. (The best way is to use the brad nailer.)

Mike Moorlach  
Brandon, South Dakota

*Editor's note: Moorlach produces some of the most amazing scrollsaw work we've seen. Mike, we stand corrected. Thanks.*



### More Christmas Plans, Please

I have to say I am very disappointed in the November 1998 issue. I thought it would be full of plans for toys and gifts for Christmas. I also was expecting a number of projects that could have been made to sell at Christmas bazaars.

Only two projects appeal to me: the antiqued table hutch and the Arts and Crafts magazine stand. I know it must be hard to come up with good projects, but after all, the projects are the reason we woodworkers purchase and read your magazine.

Don Ransom  
Portland, Oregon

*Editor's note: We always try to keep our readers happy, but we don't always succeed. The November issue wasn't all Christmas projects, but we did feature plans for five ornaments, two stocking hangers and a Santa pachinko chimney. We'll try harder next year.*

Continued on page 14

# Preferred By Professionals 3 To 1

The least expensive item in your workshop just might be the most important. With all the time and money you've invested in your project, why trust anything else?



## Titebond

Trusted By Professionals For Over 45 Years.



Technical Service 1-800-347-GLUE

[www.franklini.com](http://www.franklini.com)



# WE COULDN'T HAVE BETTER OURSELVES.



**Regarding our patent-pending cutterhead snipe control lock that stabilizes the cutterhead during operation:** "Compared to the other machines in the test, the Delta produced the cleanest surface and the least amount of snipe. The other planers in the test also gave us excellent surface finishing, but the Delta stood out as just a bit better."

*Woodworker's Journal, January/February 1998*



**Regarding our quick-change 2-knife system with two high-speed steel, double-edged, reversible knives:** "... quick-change knives that we found easy and accurate to install. We found that with the quick-change systems we aligned the knives within .001!" And, we could install both knives in about five minutes." "Editors' Choice Top Tool™"

*Better Homes & Gardens® Wood,® November 1996*



**Regarding the fact that you can take precision with you, wherever you go:** "The Delta got great marks for quality of cut and portability, and for its innovative cutterhead assembly lock." "Editors' Choice"

*American Woodworker,™ December 1996*

**THE  
POWER  
OF THE  
PROS**


**DELTA**  
WOODWORKING MACHINERY  
A Pentair Company

**All of which leaves us with very little to say except this:** If our planer fails to perform up to your expectations within 30 days of purchase, you can return it for a full refund. That's our Superior Performance Guarantee. And now, for a limited time, we'll even throw in an extra set of knives – a \$30 value. Call toll free for the name of your nearest Delta dealer. Delta International Machinery Corp., 800-438-2486. In Canada, 519-836-2840.

[www.deltawoodworking.com](http://www.deltawoodworking.com)



# SAID IT




Model  
22-560

Proud sponsor of  
*The New Yankee Workshop*  
with Norm Abram  
and *The American Woodshop*  
with Scott Phillips.

Circle #124 on Resource Directory Coupon







## AMAZING SCROLLSAW FRETWORK PATTERNS

Easy to advanced designs

Clocks  
Photo  
frames  
Jewelry  
boxes  
Candle  
holders  
Furniture



Silhouettes  
on  
Christmas  
religion  
farming  
western  
transportation  
nature  
& more.

Clock  
movements  
Plywood

**FREE catalog**

Saw blades  
Books

1-800-470-9090

**Wildwood Designs**

P.O. Box 676-PW  
Richland Center  
WI 53581



Circle #144 on Resource Directory Coupon

## LETTERS

Continued from page 11

### A Garden Arbor Fit for a Supermodel

Well my "Garden Arbor Bench" (July 1998 #103) is finished! I chose to work with SBS cedar, so the cost to complete, including the finish, came close to \$260. This was my first "for real" carpentry project. I have done plenty of rough carpentry, such as framing, but this is the first time I have tackled a project that can't be covered up with drywall or siding. Being a real amateur, I have a limited supply of tools. They include a hammer, hand saw, Skil saw, electric drill, level, framing square, pipe clamp and a borrowed belt sander. With these tools I successfully built the Arbor Bench and, according to the neighbors, it's beautiful.

Some additional tips for other first-time builders: although the article and dimensional drawings call for  $1\frac{1}{2}" \times 1\frac{1}{2}"$  grid pieces, the nominal 2 x 2s at the lumber store are really  $1\frac{3}{8}"$  at best and cutting the notch on the  $1\frac{1}{2}"$  line results in a  $\frac{1}{8}"$  or better gap. So next time I'll remember that  $1\frac{1}{2}"$  really means  $1\frac{3}{8}"$  and to cut inside the line to keep a tight fit. Also, to improve the design, I would have given the roof trusses an overhang and a 45-degree angle on both the front and back. The flush end at the rear of the truss really needs an overhang to give it a finished look.

With the diagram and the pictures that accompany the article this project can be done over a couple of weekends. I am delighted with the result and look forward to the next project I take on with the help of your publication.

**Richard Groomwald**  
Apple Valley, Minnesota

*Editor's note: The arbor bench looks great, Richard. We also wanted to point out a couple corrections to the Schedule of Materials for those of you who are tackling this project. Parts "F" and "H" should be  $1\frac{1}{2}"$  thick. And part "I" should be  $16\frac{1}{2}"$  long, not  $6\frac{1}{2}"$ .*

### Keep the Poly Glue Next to the Ice Cream

Thank you for the article concerning various glues and glue manufacturers. I recently had some problem with the "Excel" brand polyurethane wood glue. The problem was that the glue in the container soon "cured," and I could not get more glue out of the container.

I called the AmBel Corporation (the distributors of Excel). AmBel was most cooperative and suggested that I keep the glue in the freezer. I did this and since then have had no problem. I take it out of the freezer when needed. It flows immediately. I apply what is needed and then replace it in the freezer. This process has certainly improved my enjoyment of using this amazing glue product. Thank you for your continued fine publishing and editing. **PW**

**Ordean Grant**  
Alma, Wisconsin

*Editor's note: In our shop we store it upside down so any glue that cures will be at the bottom of the bottle. Franklin International has just begun packaging its poly glue in a bottle that stores upside down. See our "Tool Test" column for more details. —Christopher Schwarz,*



## Like Having A Lumberyard Right In Your Shop!



**NOW!**  
Plane, Mold,  
Sand and  
Saw with  
Infinitely  
Variable  
Power-Feed!

**30-Day  
Free  
Trial!**

Put this versatile power-feed tool to work in your own shop. See how fast it pays for itself! Quickly converts low-cost rough lumber into valuable finished stock, quarter-round, casing, base mold, tongue & groove... all popular patterns... even custom designs!

**NEW! Variable Feed Rate** - Now, just a twist of the dial adjusts your planer from 70 to over 1,000 cuts-per-inch! Produces a glass-smooth finish on tricky grain patterns no other planer can handle. Easy terms. **FREE FACTS!**

Phone **TOLL-FREE**

**1-800-821-6651 ext. TP04**

In Canada call 1-800-661-1915  
**WOODMASTER TOOLS, INC., DEPT. TP04**  
1431 N. TOPPING, KANSAS CITY, MO 64120  
[www.woodmastertools.com](http://www.woodmastertools.com)

Circle #120 on Resource Directory Coupon

**14 Popular Woodworking**





# Make perfect Raised Panel Doors

with your 1/4" or 1/2" Router, or your 1/2" or 3/4" Shaper.

It's simple, inexpensive, and easy with professional production quality MLCS carbide tipped door sets! Our reversible combination bit makes a matching rail and stile frame. The panel raising bit with ball bearing guide makes a perfect raised panel every time!


Includes Instructions and Professional Tips!

## Raised Panel Door Sets \*Ball bearing included

SET #	BIT STYLE	LRG. DIA.	SET PRICE
#1301	1/4" Shank Router	*2"	\$69.95
#1302	1/2" Shank Router	*3-1/2"	\$79.95
#1303	1/2" & 3/4" Shaper	4-5/8"	\$99.95

## Raised Panel Door Instructional Video

#1438 Special Sale Price .....\$9.95



\*Raised Panel Router Bit




\*Reversible Combination Rail & Stile Bit  
Works with stock from 11/16" to 7/8".




## 1/4" Shank Carbide Tipped Router Bits


Professional Production Quality Guaranteed!




**1 OGEE RAISED PANEL**  
#1423 2" Large Diameter .....\$29.95



**2 TONGUE AND GROOVE**  
#1333 Straight.....\$29.00  
#1335 Wedge .....\$29.00



**3 BULL NOSE**  
#1330 1/2" Dia. of Circle.....\$16.00  
#1331 3/4" Dia. of Circle.....\$21.00



**4 LOCK MITRE BIT**  
#1433  
2" Dia., Stock thickness: 1/2"-3/4".....\$37.50

**5 RABBETING KIT**  
4 depth of cuts: 3/8", 7/16", 5/16", 1/4".  
Set: 1/4" shank rabbeting bit, 4 bearings  
(3/8", 1/2", 5/8", 3/4") & hex key.  
#1425 1-1/4" Large Diameter.....\$25.00

**6 BRASS PILOTED**  
Rout into tight spaces and sharp corners.  
These bits have Brass Pilots, measuring only  
5/32" in dia., instead of usual 1/2" bearing.  
#1428 1/8" R Round Over.....\$16.00  
#1429 1/4" R Round Over.....\$17.00  
#1430 3/8" R Round Over.....\$19.00

**7 SOLID CARBIDE UPCUT  
AND DOWNCUT SET**  
2 flute flat bottom cutters. Upcut spiral  
ideal for mortise and tenon joints. Downcut  
will plunge cut and plane edges.  
#1437 1/4" dia., 3/4" cutting length  
Special Set Price .....\$19.95



## Round Over/Beading Bit Set

1/4" shank, Carbide Tipped, 4 Round Over Bits with 1/2" OD bearing: (1/8", 1/4", 3/8", 1/2"), plus 3/8" OD bearing & allen wrench.



ITEM #1434  
\$72 Individually.....Sale \$39.95


## Biscuit Joining Set

5/32" Slot Cutter-1/4" Shank and 250 #20 Biscuits

Instruction sheet included.



ITEM #1385  
REG. \$35.00.....Sale \$29.95



## The Award Winning MERLE ADJUSTABLE CORNER CLAMP\*

- Adjustable, uniform clamping pressure on all corners • Great for wide cabinet frames (for center or edges)
- Forces a frame into perfect square
- Almost NO capacity limitation, ships with 23 ft. reel of steel banding!
- Aluminum & Steel construction

ITEM #1420  
REG. \$39.95 .....Sale \$24.95



## The Can-Do Clamp

- Join picture and cabinet frames
  - Clamps to 2 3/4" wide
  - Easy mounting • Use as bench vise
- Sturdy aluminum clamp is great for framing, drilling, doweling, and more.
- High clamping pressure
  - Movable jaws • Two swivel points

ITEM #1367 REG. \$29.95 .....Sale \$24.95



## 16 Piece Forstner Bit Set

High Quality Steel - ground for heavy use

This set comes with the following sizes: 1/4", 3/8", 1/2", 5/8", 3/4", 7/8", 1", 1-1/8", 1-1/4", 1-3/8", 1-1/2", 1-5/8", 1-3/4", 1-7/8", 2", 2-1/8".

ITEM #1418 REG. \$141.20 .....Sale \$43.95



## Solid Brass Router Inlay Kit

Makes perfect fitting recesses and inlays!

Easy to use inlay kit follows a 1/4" thick pattern template of almost any shape to produce the recess. Fits Porter Cable, Black & Decker or any router with an adaptor for Porter Cable bushings. Kit includes 1/8" solid carbide downcut spiral bit, brass bushing, brass template guide, brass retainer nut & instructions.

ITEM #1426 REG. \$35.95 .....Sale \$21.95



Call us for your **FREE CATALOG**

Expert technical help before and after sale

©1998

# MLCS

Router Bits & Professional Woodworking Products

ORDER TOLL FREE **1-800-533-9298**

24 HOURS A DAY!

Circle #112 on Resource Directory Coupon

**Shipping is FREE!**

\*IN CONTIGUOUS USA FOR ALL ITEMS



Order By Credit Card or Send Check To:  
MLCS, P.O. Box 4053 PV, Rydal, PA 19046

[www.mlcswoodworking.com](http://www.mlcswoodworking.com)



# TOOL TEST

**W**e get to test a lot of tools at *Popular Woodworking*, and while we don't often test tools until they fall apart, we do give them an honest, real-world workout. Each issue we share the results of our tool tests with you and offer insights to help with your shopping decisions. The ratings shown reflect the opinion of the *Popular Woodworking* editorial staff.

Here's a quick reference on our rating system. **PERFORMANCE:** A rating of "five" indicates we think this tool is a leader in its category — for now. (You won't likely see ratings of "one" or "two" in these reviews because we wouldn't publicize an inferior tool.) **VALUE:** "Five" is a great tool for the money; "one" isn't the mark of a value. However, a low "value" rating shouldn't prevent you from buying that tool. Some tools might be worth a little more because they're one-of-a-kind or just a really great tool.

If you have a question about a specific tool — whether it has been reviewed or not — contact me at (513) 531-2690, ext. 255, or by e-mail at DavidT@FWPubs.com.

And by the way, many of our past tool reviews appear on our website at [www.popwood.com](http://www.popwood.com). Check it out.

— David Thiel, senior editor



**Performance:** ●●●●○  
**Value:** ●●●●○

## Craftsman Redi-Drill: Five Tools In One

When Craftsman showed this unorthodox cordless drill to woodworking magazine editors in 1998, there were actually a couple of chuckles in the room. But if you've ever been on a ladder and need both a  $\frac{3}{16}$ " drill bit and a Phillips bit, you know that carrying two drills isn't convenient. And Murphy's Law says you will certainly drop a bit if you try to change them out in one drill. So Craftsman put the option of five bits on one drill. Open the  $\frac{3}{8}$ " keyless chuck, rotate the bit you need into place on the barrel, slide the actuator home and tighten the chuck. You're ready to go.

Features include the magnetic-tipped actuator to hold the bit in place, a magnified sight window to see which bit is selected, a 12v motor with variable speeds of 0-600 rpms with a torque-adjusting clutch, and a two-position drilling setting to keep the clutch from slipping. Also, a soft-start feature protects screw heads from stripping. The drill comes with two batteries, a one-hour charger, three screwdriver bits, two drill bits and a plastic case.

At \$160 it's competitively priced with other 12v cordless drills that don't offer the clever versatility. It's a little heavy, and feels pretty massive in your hand, but then so does a Swiss army knife, and I still own one.

For more information, circle #193 on the Resource Directory Coupon.



**Performance:** ●●●●●  
**Value:** ●●●●○

## Bosch Compact Drill/Drivers Right Size ... Right Price

Bosch has offered reliable cordless drill/drivers for years now, but they've recently added two excellent drills to their line that deserve a place on your bench. Both are more compact and lightweight than previous models but keep the performance and endurance of Bosch's larger models.

The 9.6v 3105K (\$115) offers a variable-speed ratio of 0-300/0-980 rpms, weighs only 3.1 pounds and delivers 175 inch-pounds of torque. The 12v 3305K (\$135) offers a variable-speed ratio of 0-400/0-1200 rpms, weighs only 3.4 pounds and delivers 200 inch-pounds of torque. Both models have a  $\frac{3}{8}$ " single-sleeve keyless chuck, two 1.4 amp-hour batteries, a one-hour charger and plastic case.

The weight, balance and performance of these tools make them perfect for use on all woodshop construction and assembly projects. If it's sitting on your workbench you'll use it all the time, and you'll wish there were two of them so you wouldn't have to change bits. Hmmm. Perhaps the 12v and 9.6v make a great benchtop pair.

For more information, circle #194 on the Resource Directory Coupon.



## Finishing Dyes For Use in Water, Alcohol or as a Top-Coat Tint

From the Homestead workshop of finishing expert Jeff Jewitt comes a dye-stain that has a wide range of uses and is simple to use.

TransTint™ concentrated dyes are lightfast metalized dyes in a solvent that allows them to be mixed in water (for non-flammable and environment-friendly use) or in alcohol and other organic solvents for a fast-drying, non-grain-raising stain. TransTint dyes also can be added directly to water- or solvent-based finishes for use as a tinting agent. We found the dyes easy to use and very forgiving for streaking and blotching. Intermixing colors offers an even wider choice of finishes.

Available in 14 intermixable colors (seven wood tones and seven primary color accent tones) each 2 oz. bottle (\$15) yields 2 quarts of dye solution. TransTints are available from Woodcraft Supply 800-225-1153.

For more information, circle #195 on the Resource Directory Coupon.




Performance: ●●●●○  
Value: ●●●●○

## Buck's Mini-Multi Tool

It's a well-known fact that woodworkers and toys — er tools — share a somewhat emotional bond that sometimes defies logic. Well, this tool was made for us. Multi-tools have been around for a few years, and Buck's version has been one of the better and more popular designs. The MiniBuck™ takes the performance and fun and shrinks it down to keychain size.

Packed into the 2½"-long 1.5-ounce tool are needlenose pliers, scissors (that work), a knife, a bottle opener/slotted screwdriver, a Phillips screwdriver, nail file and nice tweezers. The tools stay in the open position while in use, and Buck's smooth handle design keeps the tools on the inside of the handle (so you can easily grip the handle). At \$39 it might be a little pricey — and not as useful as a full-size multi-tool — but it's really cool.

For more information, circle #196 on the Resource Directory Coupon.



Performance: ●●●●○  
Value: ●●●●○

## Accuset Micro Pinner: Size Does Matter

There are times when the convenience of air fasteners just doesn't make up for the fact that you've got a lot of large nail holes to putty on your project. With Accuset's new Micro Pinner (A100MP), that hole is smaller than a freckle. Great for many smaller and delicate projects, the A100MP fires 23-gauge headless pins in ½", 5/8", ¾" and 1" lengths. Weighing in at 2.4 lbs., this lightweight and small pinner will also get into hard-to-reach spots for precision fastening.

At \$135, the A100MP includes a plastic case, quick-disconnect fitting, lubricant, safety glasses and a fastener rebate coupon so that you can select the size fasteners you prefer. It also includes a two-year warranty for non-commercial use and one year for commercial applications. PW

For more information, circle #197 on the Resource Directory Coupon.



Performance: ●●●●●  
Value: ●●●●○

## TOOL SCOOP

### DeWalt/Pro-Tech Spar in Court

The Black & Decker Corp. (the parent company of DeWalt Tools) recently announced it had won a \$1.7 million trademark infringement suit against Pro-Tech Power Inc. The court statement reads, "the overwhelming evidence leads the court to conclude that Pro-Tech intentionally and deliberately copied the yellow and black color scheme of the DeWalt line." The court halted all further sales of Pro-Tech yellow and black power tools, effective November 1998. Jim Lancaster, general manager for Pro-Tech Power Inc. said, "We are disappointed in the court's response. We have a temporary stay on the injunction, and we will be appealing the decision."

### A New Life for Unloved Tools

Looking for a used tool deal? ReTool™, the first retail chain to specialize in buying, selling and trading pre-owned tools, is headed for your neighborhood. Quality used woodworking tools are sold at half their original price; reconditioned tools are sold at very competitive rates. With stores in Detroit and Minneapolis already open, ReTool, (a national franchise of Grow Biz International Inc.), has plans for 45 stores by the end of 1999 and ultimately has plans for 500 stores nationwide. Other franchises owned by Grow Biz include Play It Again Sports® and Once Upon A Child®. If you would like information about franchise opportunities with ReTool, call 800-269-4075.

### Packaged To Move

Repackaging an existing product isn't always exciting news, but this redesign deserves some attention. Franklin International, makers of Titebond glues, has reworked the cap on all of their 4 oz., 8 oz., 16 oz. and quart bottles of glues. The new applicator tip is a pull-open, push-close design that reduces dripping, keeps the tip clear between uses and provides better shelf-life for the product. Also, Franklin has addressed a problem with all polyurethane glues — reduced shelf life due to air contamination. Their new polyurethane bottle stores upside down on a flat cap to keep any "thickening" glue away from the applicator. Thanks Franklin! PW



#### GET MORE

The new MultiMaster is three tools in one: detail sander, scraper and flush-cut saw.

#### Detail Sander

The MultiMaster's patented oscillating motion and special triangle sanding pad permit aggressive sanding along delicate edges and in tight corners.



#### Flush Cut Saw Blade

Smoothly undercuts door jambs for floor coverings. Plunge cuts into wall board. Cuts wood, plaster and PVC. But because it oscillates, it won't cut you.



#### Rigid Scraper

Easily removes old putty, caulking and flooring adhesives. Great for scraping paint and varnish or lifting linoleum.



#### Oscillation

Only the MultiMaster oscillates at a rate of 21,000 strokes per minute in a 3.2 degree arc.



# GET MORE

Detail sander, power scraper  
and oscillating saw all in one tool.

# DO MORE

Scrape. Sand. Saw.

# SPEND LESS

The new MultiMaster. Best pricing ever.

Until now, a Fein detail sander plus scraper and flush-cut saw would have cost you over \$300. Now, while supplies last, the MultiMaster package includes all of these accessories, and the price

is under \$200\*. It's the best Fein value ever. Want a MultiMaster now? Simply call for immediate delivery from a participating Fein dealer near you. To learn more about the MultiMaster, ask for our free brochure and poster.

**CALL 1-800-441-9878**

\*Participating Fein dealers only.

#### OPTIONAL ACCESSORIES

Get even more. The optional Professional Kit includes a carbide rasp, a grout-cutting saw blade, and a segment knife.

#### Carbide Rasp

Quickly grinds paint, mastic, stone and concrete. Won't load up.



#### Grout-Cutting Saw

Blade cuts grout to remove damaged tile without breaking surrounding tiles or creating excessive dust.



#### Segment Knife

Easily slices rigid materials like floor tiles, linoleum, carpet, plastic and leather.



The Fein MultiMaster is a true multi-purpose tool that saves hours of time. With the MultiMaster, finishing is just the beginning.



Finishing  
is just  
the  
beginning.



Circle #127 on Resource Directory Coupon



# 1999 TOOL REPORT

**I** RECENTLY OVERHEARD a conversation in the tool section of a home supply store. A customer wanted to buy a jigsaw and asked the salesman what he would recommend. The salesman turned the question back on the customer and asked him what he was looking for in a jigsaw. The customer replied, "I don't know, maybe one of those yellow ones."

I bit my tongue and walked away.

It wasn't that the tool he bought was a bad one, it was that his choice was being made without any attention to what he needed. Tools are expensive, and their purchase is something that should be done with thought and research. That's why we devote space each March to educate our readers about a few tool categories and provide an overview of what features are important (or superfluous) and give you a checklist for shopping.


This issue we've focused on what we call mid-size table saws (contractor saws in the retail terminology), jigsaws, compound miter saws and pneumatic brad nailers. The charts give a quick reference to important information about the tools and the prices listed are retail or "street" values. Where appropriate we've included a high

and low price according to the range of prices we've found by combing the Internet, stores and catalogs. If only one price is given it indicates the tool is available only through one source (such as a Craftsman tools from Sears) or is brand new.

We haven't ranked the tools by performance or preference because what we think is the best tool for us, may not be the best tool for you. Each woodworker has different needs and uses for tools. While we might prefer a tool because of its outstanding performance, the price for that performance might be more than you can afford — or need. We've also indicated if a tool is new to the market, or if it offers an unusual feature. Most importantly, we've told you what are the critical features of a tool so you'll know what to pay attention to and what to ignore.

If you have a question about a particular tool beyond what we've discussed here, or if it's a tool we didn't cover, feel free to contact me and I'll be happy to answer your questions. I'm at 513-531-2690 ext. 255, or you can e-mail me at [DavidT@FWPubs.com](mailto:DavidT@FWPubs.com). **PW**

—David Thiel, PW staff





# Mid-Size Table Saws

**I**F MONEY were no object, you'd likely choose a full-size cabinet saw to put in your shop. However, if money is tight you're probably looking for the best benchtop table saw for the money. Between these extremes there is a happy medium — the mid-size saw (commonly called a contractor's saw). First let's look at what differentiates the three saws.

**Benchtop saws** are usually sold without a stand, run off a universal motor, and the beveling mechanism for the blade is not geared and frequently swings free during adjustment. These features make for a very portable, affordable saw able to provide good torque for short periods of time. (See "What You Absolutely Must Know About Motors" for an in-depth look at what drives our tools.)

**Mid-size saws** are sold with an open-frame stand and are powered by an induction motor suspended at the rear of the machine with the weight of the motor providing the tension for the saw belt. In addition, in mid-size saws the interior mechanism is suspended from the top on cast trunnions, with the beveling mechanism operated by a worm gear and rack that's often mounted on the front trunnion. These features make for a more stable machine that can run for longer periods of time and offers more precise beveling. These saws are often sold with better rip fences that are more precise and longer.

**Cabinet saws** offer an enclosed stand design for improved dust collection and increased stability. They operate off larger induction motors and the internal workings are mounted to the cabinet rather than suspended from the top. This reduces vibration and allows the motor to be fixed in place with a set amount of belt tension to the blade.

Getting back to the happy medium, many mid-size table saws available today offer cabinet saw features and benefits for about half the price. While not as inexpensive as a benchtop saw, they're worth serious consideration.

## Features

Some features to look for when shopping for a mid-size table saw include horsepower (more specifically, amps and motor quality), type of extension wings, (stamped steel, open-design cast-iron wings or solid cast-iron wings), type of fence,

blade guard should be easy to use so this doesn't happen


fence operates smoothly and locks solidly in place without any play

easily accessible switch

adjustment handles easily reached and operate smoothly

easy connection of dust collection equipment will make your shop more user friendly and safer

## PARTS TO RECOGNIZE



the direction of blade tilt, and the ease of dust collection.

Other features include how convenient the controls and safety features are to operate and the general fit and finish of a machine. But let's start with a more concrete shopping point — price.

## Price

Mid-size saws range in price between \$450 and \$799. We didn't include every table saw (or variation of table saw depending on accessories) in our chart. We have tried to include a mid-size model (or two) from each manufacturer. The major price



## MID-SIZE TABLE SAWS

Manufacturer/ Model	Street Price	Max. Cut Height/Rip width	Table Size	Wing Design	HP/Amps	Dust Port	Weight	Comments
Grizzly G1022Z	\$449	3 7/8" / 24"	40 5/8" x 27 7/8"	Cast/open	1 1/2 / 16	Opt	270	Micro-adjustable fence
Tradesman 8000T	\$530/449	3 1/4" / 24"	40 1/2" x 27"	Cast/open	1 1/2 / 14	N	262	Comes with four casters
Ridgid TS2412 (N)	\$469	3 3/8" / 24"	44" x 27"	Stamped	1 1/2 / 13	Opt	217	T-square fence
Craftsman 22831 (N)	\$499	3 3/8" / 24"	44" x 27"	Stamped	1 1/2 / 13	Opt	205	Align-A-Rip 2412
Jet WTS-10JF	\$590/499	3 7/8" / 30"	40" x 27"	Stamped	1 1/2 / 15	Y	260	T-Square fence
Star S3205	\$575	3" / 36"	40" x 27"	Cast/solid	2 / 24	Y	350	Freud LU82 blade
Delta 36-444	\$599/579	3 7/8" / 30"	40" x 27"	Stamped	1 1/2 / 12.8	Y	223	UniRip T-Square fence
Craftsman 22841 (N)	\$599	3 3/8" / 24"	44" x 27"	Cast/open	1 1/2 / 13	Opt	242	Align-A-Rip 2424
Grizzly G1022ZF	\$599	3" / 25"	40 5/8" x 27 7/8"	Cast/open	1 1/2 / 18	Y	285	Shop Fox fence
Ridgid TS2424 (N)	\$649	3 3/8" / 24"	44" x 27"	Cast/open	1 1/2 / 13	Opt	217	Mobile base
Bridgewood TSC-10C	\$685	3 1/4" / 26"	40" x 27"	Cast/open	1 1/2 / 16	Y	242	Vega fence
Grizzly G1022ZFX	\$699	3" / 25"	40 1/2" x 27 7/8"	Cast/open	2 / 20	Y	290	Shop Fox fence
Jet JWS-10CW-PF	\$769/729	3 7/8" / 30"	30" x 27"	Cast/solid	1 1/2 / 18	Y	324	X-Acta fence w/table
Powermatic 64A (N)*	\$799/749	3 7/8" / 30"	40" x 27"	Cast/solid	1 1/2 / 18	Y	320	Left Tilt / T-Square fence
Craftsman 22851 (N)	\$799	3 3/8" / 30"	44" x 27"	Cast/solid	1 1/2 / 13	Y	332	Align-A-Rip XRC
Delta 36-460	\$780	3 7/8" / 29"	40" x 27"	Stamped	1 1/2 / 12.8	Opt	267	Biesemeyer fence
Delta 36-465 (N)	\$780	3 7/8" / 29"	40" x 27"	Stamped	2 / 12.8	N	202	30" Unifence

\*This tool was chosen by the Popular Woodworking staff as one of the Best New Tools of 1998 in the January 1999 issue. (N)=new tool

jump from one end of the spectrum to the other is frequently a result of adding cast iron extension wings and/or the addition of a precision T-square style rip fence. You know how much you're willing to spend. If what you want seems out of your price reach, I'd consider losing the benefit of cast extension wings before I'd lose the benefit of an upgraded rip fence.

### Horsepower

The average mid-size table saw will most likely have a 1 1/2 hp motor; some offer a 2 hp. A typical cabinet saw will have a 3 hp or 5 hp motor. Don't sell the smaller motor short. You can do a lot of cutting with a quality 1 1/2 hp motor, but if you still think it's not enough, consider a thin-kerf blade before trading up to a cabinet saw.

Also, you should be aware that all motors aren't created equally. Check out "What You Absolutely Must Know About Motors" for a closer look at how to evaluate a motor.

### Fences

The rip fence on your saw can make or break the precision of your work. If the fence can't be set parallel and perpendicular to the table, it will hurt your work. If the fence moves or flexes when locked in place, your cut will be inaccurate and it can even prove dangerous. Precision fence designs vary in that some lock only on a front rail, while others lock to both front and back rails. If you will be adding

## Store Testing

After you've narrowed your selection to one or two models, take a look at them in the flesh (or steel). Unfortunately about 90 percent of the time you won't have a chance to turn the machine on in the store. This doesn't mean you can't get a feel for the value. Answer these questions and you'll be well on your way:

- ◆ Does the blade adjust flush to the table or below?
- ◆ Are the controls easy to reach?
- ◆ Do the blade elevation and beveling controls move easily, or do you bang your wrist every time you adjust the blade height? Are they of a size so motion isn't wasted?
- ◆ How does the blade guard operate? Can you see the blade with the guard in place? Does it remove and replace easily so that you will use it?
- ◆ How does the fence operate? Does it lock in place smoothly and positively? Once locked can you push on the far end of the fence and cause it to flex? Can you read the measurement gauge? Does the fence move smoothly, or hang up at any spot?
- ◆ How convenient is the connection for dust collection, or do you need to buy an accessory part to hook up to a vacuum?
- ◆ Is there a place to store tools such as the blade wrench and push stick?
- ◆ Finally, does the saw feel good to you? You are the one who must feel comfortable and confident in your ability to use this tool safely.

an outfeed table to the back of the saw, a rear-mounting fence will prove inconvenient. The fence itself will vary greatly from manufacturer to manufacturer, and you'll have to determine what you prefer. Read the "Store Testing" section for some tips on recognizing a good fence while you're in the store.

### Controls and Safety Features

While most people think of the blade guard and a push stick as the safety features on a saw, the ease of using the controls can be very important to safety as well. If the controls are awkwardly located so your attention is drawn away from the blade it can be dangerous. Also, while the blade guard is an obvious and important safety feature, many woodworkers complain that the guard is in


the way and remove it. By choosing a saw with a better guard design you are much more likely to use it.

### Fit and Finish

Much more than just a pretty face, fit and finish on a machine are indicators of the care and attention to detail used to manufacture the tool. That said, some of our favorite table saws don't always live up to our expectations in fit and finish. Look at the fit of the miter gauge, check for sharp edges that can mar wood. Less than perfect paint may be a cost saving measure, but it shouldn't scratch easily and it should preferably look like an even smooth coat. Bottom line, fit and finish may be more important to your emotions than to the function of the machine. Weigh it in perspective.



# Jigsaws



**W**HILE JIGSAWS have improved over the years, the last two years have seen significant changes, including more cordless models and a number of improved toolless blade-changing designs. Always a useful tool, the jigsaw is becoming more affordable, more reliable and easier to use. But with so many models available, it becomes even harder to make a buying decision.

## Price

You can spend between \$39 and \$500 for a jigsaw. How you're going to use your jigsaw will determine which one is right for you. A \$39 saw will last for a few hard weekends adding a deck to your house, but for a tool that will survive daily use in a production woodshop for a couple of years, expect to spend around \$150. A tool from either price category is like-

ly to perform well for the recreational user. But if you're using the jigsaw often, a little extra money will buy you features and endurance that will make the job more pleasant and the finished result better.

## Performance-enhancing features

Performance in a jigsaw is measured by the ease of making a cut, and on the finished appearance of the cut. Variable speeds will offer a better finished cut in different materials, while saws offering up to four different orbital cut settings will improve the ease of the cut. Some of the newest technology available from Bosch offers electronic feedback control to keep the rpms at a constant rate in extra hard or thick material.


Another performance feature is the guide that's positioned behind the blade. Not every jigsaw offers this feature,

and on those that do, the design can vary widely. On Porter-Cable's newest jigsaw the guide not only supports the rear edge of the blade, but it also wraps around the sides of the blade and is positioned just above the foot plate. The design and location of this guide reduces blade deflection, which means a straighter cut.

## Convenience

Toolless and cordless mean convenience in today's jigsaw market.

Changing the blade in a jigsaw is a toolless experience with half-a-dozen manufacturer's upper-end models. Porter-Cable's new design utilizes a pinch-activated clamp. You open the clamp by squeezing two tabs. Then you insert the blade. Release the clamp and the blade is locked in place. Even simpler, Bosch has a system in which the blade is just pushed into



The new Porter-Cable 9543 jigsaw has a beefed up blade guide.



Bosch's new 1589EVS and 1588EVS jigsaws have the easiest blade removal system we've ever seen. Pull a lever and the blade hops out onto your bench.



# JIGSAWS

Manufacturer/ Model	Street Price High/Low	Toolless Blade Change	Dust Collection	Cuts Per Minute	Amps	Chip Blower	Weight (lb.)	Comments
Skil 4235	\$35/30	N	N	0-3,200	3.2	Y	3.1	5/8" stroke
Ryobi JS45	\$39	N	N	0-3,000	2.5	Y	3.1	Scrolling feature
Skil 4340	\$39	N	Y	800-3,200	4	Y	4	Variable speed
Black & Decker JS250	\$50/40	N	Y	800-3,200	3.5	Y	4	Variable speed
Skil 4445	\$47/45	N	Y	800-3,200	4	Y	4	Orbital, variable speed
Skil 4470	\$60/55	N	N	800-3,200	4	Y	4.1	Scrolling, orbital features
Black & Decker JS320	\$58	Y	Y	2,450 & 3,200	3.7	Y	4	Scrolling feature
Black & Decker JS350	\$64/60	Y	Y	800-3,200	3.7	Y	4	Scrolling feature
Ryobi JS045	\$69	N	N	0-3,000	3	Y	3.5	Orbital, variable speed
Makita 4323	\$75	N	Y	500-3,100	3.7	Y	4.0	Low noise/vibration
Craftsman 17228	\$78	N	Y	0-3,000	4	Y	5.2	Orbital, variable speed
Makita 4324	\$85	N	Y	500-3,100	3.7	Y	4.2	Orbital, variable speed
Freud FJ65	\$95	N	Y	0-3,000	3.2	N	3.4	Orbital, variable speed
Ryobi JS048	\$95	N	N	0-3,000	4	Y	3.4	Orbital, variable speed
DeWalt DW318	\$124/99	N	N	0-3,100	4.5	N	6.2	Orbital, variable speed
Freud FJ85	\$135/99	N	Y	0-3,000	4.8	N	5.4	Orbital, variable speed
Makita 4304*	\$179/130	Y	Opt	500-3,000	5.5	Y	5.3	Orbital, variable speed
Porter-Cable 97549	\$149/133	N	Y	500-3,200	4.8	Y	6.5	Orbital, variable speed
Craftsman 27251	\$138	N	N	0-3,100	4.5	N	6.2	Orbital, variable speed
Bosch 1587AVS*	\$160/139	Y	N	500-3,100	5	Y	5.5	Orbital, variable speed
Milwaukee 6266-6*	\$169/143	Y	Y	450-3,100	5.7	Y	5.3	Orbital, variable speed
Makita 4304T* (N)	\$179/145	Y	Opt	500-3,000	5.5	Y	5.3	Orbital, variable speed
Milwaukee 6256-6	\$159/145	N	Y	3,100	3.8	N	5.8	Variable speed
Hitachi CJ65V2K*	\$185/150	N	N	700-3,200	5.2	Y	5.3	Orbital, variable speed
Porter-Cable 9543 (N)	\$179/158	Y	Y	500-3,100	6	Y	5.8	Orbital, variable speed
DeWalt DW321*	\$169/159	Y	Y	500-3,100	5.8	Y	6.4	Orbital, variable speed
Metabo STEP550	\$169	N	Y	1,000-3,000	4.8	Y	5.9	Orbital, variable speed
Bosch 1589EVS* (N)	\$179	Y	Y	500-3,000	6.3	Y	5.1	Orbital, March 1999
Metabo STEP600	\$199	N	Y	1,000-3,000	5.2	Y	5.9	Orbital, variable speed
Metabo STEP700	\$259/200	N	Y	1,000-3,000	6.0	Y	6.4	Orbital, barrel grip only
Makita 4330DWA	\$235	N	Opt	2,800	12 volt	N	6	Cordless/orbital/April '99)
Porter-Cable 548	\$245	N	N	0-4,500	3.5	N	6.5	Worm gear drive
Makita 4332DWA	\$250	N	Opt	2,400	14.4 volt	N	6	Cordless/orbital (April '99)
Metabo EP140	\$299	N	N	700-2,500	1.4	N	3.9	Orbital, 9.6 Volt cordless
Milwaukee 6267-21	\$319/285	Y	Y	1,700	12 volt	N	6.75	Cordless, 12 volt orbital
Festo PS2E+	\$292	N	Y	1,200-3,100	4	Y	4.9	Orbital, barrel grip only
Fein ASTE638	\$500	N	Y	1,050-2,600	3.9	Y	4.8	Orbital, barrel grip only

\* Also available in a barrel grip model, which sometimes has a different model number

place and locks tight. To release the blade, flip a lever on the front of the unit and the blade is ejected from the clamp!

For the ultimate convenience of no cord you'll need to again take a look at what you're using the tool for. Price wise, cordless jigsaws are not a DIY tool. If you have to work without power, or do a job without having to run extension cords, cordless is very convenient. It's also fun, but run time is pretty limited and the power developed is below that of a corded tool.

## Power

Ranging from 1.4 to 6.3 amps, power is all over the scale in jigsaws. Unless you are spending a lot of time cutting 2" maple and solid-surface material, maximum

power is usually not a great concern. Except for a couple of "bargain" tools, the tool's power will be adequate for most tasks. One thing to look for, if you get the chance to turn the machine on, is the vibration during use. The sign of a fine machine is smooth performance.

## Other Features

With the increasing importance of health concerns in the shop, dust collection has become a major feature. Not all tools offer dust collection hook-up. It may be offered as an after-market accessory, or as an alternative to a beveling foot plate.

Not all saws have adjustable foot plates, and of those that do, some require a tool to adjust, while others are toolless.


## Store Testing

In-store testing on jigsaws isn't very complicated. The features are obvious from the chart and literature about the tools. You're in the store more to find out how it feels in your hand.

- ◆ Do you prefer a barrel grip or top-handle design? For some woodworkers a top-handle design seems to provide awkward balance to the tool. While a personal choice, it's one you shouldn't make lightly.
- ◆ How easily does the blade insert and remove? If it's a toolless model, does the mechanism work well for you? If it requires a tool, where is it stored? On the tool?
- ◆ Is the switch located well for your needs?
- ◆ Does it have a dust collection attachment?
- ◆ Is a case important to you?
- ◆ Is the cord long enough?
- ◆ When you place the saw on a work surface, can you adequately see the blade to follow the cut?




# Brad Nailers



**G**IVE ME A BRAD NAILER and I'll make you any piece of furniture you want. At least that's what I told my wife. I got the nailer, the rest is yet to come. Why do woodworkers need air tools? Well, "need" may be a strong word, but they can be very useful and it opens up a new world of tool options including air sanders (both detail and random orbit), air finishing such as spraying lacquer, not to mention blowing up tires, air mattresses and basketballs.

Even better, it's getting a lot less expensive to scratch your air-power itch. Over the Christmas holiday two air fastener companies offered bundled starter kits with a brad nailer, compressor and all the hoses and couplings to get started for \$250. It used to cost \$200 to buy the nail gun and another \$350 for the compressor. The starter kit compressors won't get you into finishing or air sanding tools, but it is a nice introduction.

So now that it's affordable, how does it fit your woodworking? Granted you're not going to start making Chippendale highboys with nail holes all over them, but there are a lot of joints that benefit from a small fastener. Drawer boxes are a good place for brads, and if you've ever held moulding in place while trying to



**LEFT •** With some brad nailers you can clear a jam by popping the front open with a lever.



**RIGHT •** With others you need a hex wrench to open it. Some contend these types jam less and that jams can be cleared from the interior of the nailer.

clamp it, you'll appreciate the benefit of a single brad nail to hold everything in place while the glue dries.

There are many types of air fasteners. Nailers accept  $\frac{1}{2}$ " headless brads or roofing nails up to  $2\frac{1}{2}$ ". Air staplers are great for tacking things that will be hidden (like the edges of upholstery), and provide more hold than a brad. But if you must choose one tool, choose a brad nailer. Brad nailers offer a range of 18 gauge headed and headless brads and nails ranging from  $\frac{1}{2}$ " to 2" long.

## Features

You can find brad nailers priced from \$60 to \$300. Surprisingly, the lower end of that scale could be just what you need. There are dozens of inexpensive nailers that are great for the home woodworker. You *can* spend too much on a brad nailer, especially if you don't use it every day.

When using the chart to help in your decision, ask yourself what length fastener you need (all brads are 18 gauge unless otherwise noted). If you are doing



# BRAD NAILERS

Manufacturer/ Model	Street Price High/Low	Fastener Range	Bump Firing*	Requires Oil	Depth Control	Weight	Comments
Grizzly G1852	\$60	3/8" - 1 3/16"	Y	Y	N	2.6	
Airy 0232SRE	\$65	3/8" - 1 1/4"	N	Y	Y	2.6	
Craftsman 18452 (N)	\$70	5/8" - 1 1/4"	N	Y	N	1.5	Light weight composite
Grizzly G1861	\$70	5/8" - 1 9/16"	Y	Y	N	3.3	
Grizzly G6045	\$70	3/8" - 1 3/16"	Y	N	N	2.6	
Woodtek 882-371	\$80	5/8"	N	Y	N	2.3	Nailer/stapler
Craftsman 18409	\$85	3/8" - 1 1/4"	N	N	N	2.2	
Hitachi NT32AE	\$90/85	5/8" - 1 1/4"	Y	Y	N	2.6	
Porter-Cable BN125	\$99/85	5/8" - 1 1/4"	Y	Y	N	2.3	
Penn State ANK-SUP	\$89	13/32" - 1 9/16"	N	Y	Y	2	
Accuset A125BN (N)	\$100/90	5/8" - 1 1/4"	N	Y	N	2.3	
Campbell Hausfeld NB0030	\$100/90	3/8" - 1 1/4"	N	Y	N	2.6	
Airy EZ-1	\$139/95	5/8" - 1 1/4"	N	Y	N	2.6	Stapler/nailer
Airy 0241NK	\$107/98	13/32" - 1 9/16"	N	Y	Y	3	
Grizzly G6047	\$100	5/8" - 2"	Y	N	N	3	
Airy 0249SP	\$105	3/8" - 2"	N	Y	Y	3	
DeVilbiss SHBN4	\$119	1/4" - 1 1/4"	Y	N	N	2.7	
Accuset A200BN (N)	\$140/120	5/8" - 2"	N	Y	Y	3.4	
Woodtek 832-371	\$120	5/8" - 1 1/2"	N	Y	N	2.3	
Craftsman 18424	\$125	5/8" - 2"	N	Y	N	2.6	
Porter-Cable BN200	\$155/125	3/4" - 2"	Y	N	N	2.5	16 gauge fasteners
Campbell Hausfeld NB0040	\$129	5/8" - 2"	N	Y	N	2.8	
Hitachi NT50AE	\$129	5/8" - 2"	Y	Y	Y	2.5	
Stanley-Bostitch BT-35B	\$160/129	5/8" - 1 3/8"	N	Y	N	2.4	
Grizzly G7578 (N)	\$130	3/4" - 2"	Y/N	N	N	3.2	Switchable bump fire, 16 gauge
Penn State ANK-2	\$130	5/8" - 2"	N	Y	N	3.7	
Woodtek 914-547	\$138	1/2" - 1 1/8"	N	Y	N	3	Nailer/stapler
Woodtek 832-378	\$147	3/4" - 2"	N	Y	N	3.5	
Makita AF503	\$149	5/8" - 2"	Y	Y	N	3.7	
Stanley-Bostitch BT-50B	\$209/175	1 3/16" - 2"	N	Y	N	2.6	
Senco SLP20	\$287/180	5/8" - 1 5/8"	N	N	N	2.3	
Duo-Fast DBN-4052	\$209	5/8" - 1 9/16"	N	N	N	2	
Hitachi NT50AD	\$285/225	1" - 2"	Y	Y	Y	2.5	
Senco LS1	\$279	1 1/2" - 1"	N	N	N	2.7	Headless nails
Makita AF502	\$299	5/8" - 2"	Y	Y	Y	2.5	

\*"Bump firing" is a feature that allows a nailer to be fired rapidly without releasing the trigger. The trigger is depressed, and as the tool is pushed against the work piece and the nose safety is depressed, the tool fires. Each time the nose safety is depressed the tool will fire again.

more decorative or small box construction, a smaller fastener length (5/8" or 7/8") is required. However, if you will be doing larger furniture construction, the longer fasteners (1 1/4" or 2") are better. Some of the models offer a happy medium in fastener length.

The feature known as "bumping" is important to some people. It's sort of a rapid-fire option. You hold down the trigger and every time you press the gun to the wood it fires a brad.

## What's the Difference?

The type of trigger safety, either a double trigger or a nose safety, is a personal choice. The double trigger is just what it sounds like. Two triggers must be pulled to fire the tool. The nose safety requires the nose of the tool be pushed against the

## Store Testing

Picking up one fastener model or another may not give you much to base a decision on right away. Obviously how the tool feels in your hand will be important, but there are a few features that may not be obvious right away.



- ◆ Do you prefer the type of safety trigger offered on the tool? If it's a nose safety, does it have a plastic nose guard?
- ◆ How do the fasteners load into the tool? Does the mechanism move easily and is the motion convenient?
- ◆ Is there a convenient way to tell if the fastener magazine is almost empty?
- ◆ Is the tool an oilless design, or does it require oiling? If it requires oil, does the exhaust port direct the air away from the work surface to avoid oil staining?
- ◆ Is the fastener depth adjustable? How easily?
- ◆ Does the tool come with the necessary accessories? Oil, fasteners, hose, quick disconnect hook-ups, safety glasses, a case?
- ◆ Will the tool accept only one brand of fastener?
- ◆ How easy is it to clear a jammed fastener? Does it require a tool?
- ◆ How does the weight of the tool feel? If you're likely to be using the tool over your head, or using it for extended lengths of time, the lighter the better.

work surface before the tool will fire. Both work well, though some woodworkers think the nose safety can mar

the surface of the work, hence plastic or rubber guard protectors are often added to the nose of the nailer.



# Compound Miter Saws



**M**ITER SAWS are a hot item in today's woodworking market. In fact the high-end sliding compound miter saws are now the "thing" to own. That's surprising because they cost about \$500, which is near the cost of some of the table saws discussed in this section. But when you consider that many of these saws are taking the place of the traditional radial arm saw (which is a pretty good thing in our opinion), it's worth a little extra. In fact sliding compound miter saws are a lot more accurate and convenient than a radial arm saw. However

they won't accept a stack dado (which is too bad) and they won't allow a rip cut (which is a good thing in our opinion, because of the safety concern).

While the power miter saw category extends from 8" to 12" blades, we think 12" is overkill for woodworking shops. Because of this, we've restricted our look at miter saws to 10" and smaller models. We've also restricted our report to exclude standard miter saws because for another \$50 you can make the step up to the compound tool.

## Features

An important place to start when considering a miter saw is how much saw you really need. You may want a sliding model, but more likely than not you only need a compound miter saw. Check the maximum cut statistics in the chart and compare them to what work you need done, or any work you plan on doing.

An overlooked feature is the blade. A good blade can cost up to \$100. If you'll be using the saw for finished woodworking, make sure it comes with at least a 40-



# COMPOUND/SLIDING COMPOUND MITERSAWS

Manufacturer/ Model	Street Price	Blade Diameter	Maximum Crosscut T x W	Miter Range (L/R)	Bevel Range (L/R)	Amps	Weight	Comments
<b>Compound Miter Saws</b>								
Pro-Tech 7207	\$159	10"	2 <sup>5</sup> / <sub>8</sub> " x 5 <sup>3</sup> / <sub>4</sub> "	50/50	47/-2	13	32	
Delta 36-075	\$205/169	10"	2 <sup>3</sup> / <sub>8</sub> " x 5 <sup>3</sup> / <sub>4</sub> "	47/47	48/-3	13	28	
Hitachi C10FC	\$209/188	10"	2 <sup>5</sup> / <sub>8</sub> " x 5 <sup>3</sup> / <sub>4</sub> "	45/60	45/0	15	32	
Pro-Tech 7208	\$189	10"	2 <sup>3</sup> / <sub>4</sub> " x 5"	45/45	45/0	15	45	
Tradesman 8328	\$190	10"	2 <sup>5</sup> / <sub>8</sub> " x 5 <sup>3</sup> / <sub>4</sub> "	45/45	45/0	13	34	
Delta 36-220	\$239/195	10"	2 <sup>3</sup> / <sub>4</sub> " x 5 <sup>1</sup> / <sub>8</sub> "	47/47	45/0	15	60	With stand
Powermatic 409 (N)	\$210/199	10"	2 <sup>9</sup> / <sub>32</sub> " x 5 <sup>9</sup> / <sub>16</sub> "	47/47	45/0	15	34	
Ridgid MS1050 (N)	\$230/199	10"	2 <sup>5</sup> / <sub>8</sub> " x 5 <sup>3</sup> / <sub>4</sub> "	45/45	45/0	15	35	
Ryobi TS230	\$209	10"	3 <sup>9</sup> / <sub>16</sub> " x 5 <sup>9</sup> / <sub>16</sub> "	45/45	45/0	13	31.5	
Makita LS1040	\$269/225	10"	2 <sup>3</sup> / <sub>4</sub> " x 5 <sup>1</sup> / <sub>8</sub> "	45/52	45/0	15	24.2	
Craftsman 23536	\$260	10"	2 <sup>5</sup> / <sub>8</sub> " x 5 <sup>3</sup> / <sub>4</sub> "	45/45	45/0	15	41.5	
Hitachi C10FCD (N)	\$299	10"	2 <sup>13</sup> / <sub>16</sub> " x 5 <sup>5</sup> / <sub>8</sub> "	45/45	45/-45	13	33	
Makita LS1045 (N)	\$299	10"	2 <sup>3</sup> / <sub>4</sub> " x 5 <sup>1</sup> / <sub>8</sub> "	45/52	45/0	15	24.5	
Milwaukee 6494	\$329/309	10"	2 <sup>1</sup> / <sub>2</sub> " x 5 <sup>9</sup> / <sub>16</sub> "	51/59	50/-3	15	37.5	
<b>Sliding Compound Miter Saws</b>								
Freud TR215	\$369/245	8 <sup>1</sup> / <sub>2</sub> "	2 <sup>3</sup> / <sub>8</sub> " x 12"	45/45	45/0	9.7	37	
Ryobi TSS200	\$409/369	8 <sup>1</sup> / <sub>2</sub> "	2 <sup>5</sup> / <sub>8</sub> " x 12"	45/60	45/0	10	43	
Tradesman 8336	\$370	8 <sup>1</sup> / <sub>2</sub> "	2 <sup>9</sup> / <sub>16</sub> " x 12"	45/45	45/0	10	39	
Hitachi C8FB2	\$479/429	8 <sup>1</sup> / <sub>2</sub> "	2 <sup>9</sup> / <sub>16</sub> " x 12"	45/45	33.9/0	9.5	38.6	
Craftsman 21294 (N)	\$449	8 <sup>1</sup> / <sub>2</sub> "	2 <sup>5</sup> / <sub>8</sub> " x 12"	45/60	45/0	10	55	
Delta Sawbuck 33-055	\$659/629	8"	2 <sup>3</sup> / <sub>4</sub> " x 16"	47/47	47/-2	15	96	With stand
Makita LS1011	\$449/400	10"	2 <sup>15</sup> / <sub>16</sub> " x 12"	45/57	45/0	12	34.8	
Delta Sidekick 36-240	\$449/413	10"	3 <sup>5</sup> / <sub>8</sub> " x 11 <sup>1</sup> / <sub>2</sub> "	45/57	45/0	13	51	
Bosch 3915	\$579/499	10"	3 <sup>1</sup> / <sub>2</sub> " x 12"	52/62	47/-2	13	47	
Elektra Beckum KGS 300 (N)	\$499	10"	2 <sup>5</sup> / <sub>8</sub> " x 12"	45/57	45/0	15	50	induction motor (1999)
Makita LS1013*	\$619/500	10"	3 <sup>5</sup> / <sub>8</sub> " x 12"	47/52	45/-45	13	46.5	PW Tool of the Year
Milwaukee 6496-6	\$600/569	10"	3 <sup>7</sup> / <sub>16</sub> " x 12 <sup>3</sup> / <sub>8</sub> "	51/59	48/-3	15	52	
Elektra Beckum KGS 330 (N)	\$579	10"	2 <sup>5</sup> / <sub>8</sub> " x 12"	45/57	45/0	15	50	Available early 1999
Hitachi C10FS	\$739/579	10"	3 <sup>1</sup> / <sub>2</sub> " x 12 <sup>1</sup> / <sub>4</sub> "	45/57	45/-45	10	44	

## Store Testing

When you're checking out a chop saw in the store, running it is unlikely to be an option. So determining what makes one saw better than another will be a touchy thing. Literally.

- ◆ First, check the location and convenience of the switch. Does it have a switch safety? It should!
- ◆ How easily does the blade lower and return to its top position? It shouldn't be too hard to push down, but it should return smartly out of the way.
- ◆ Does the guard allow you to see the cut while still providing adequate protection?
- ◆ Grasp the blade (of an unplugged saw) and feel the amount of side-to-side play. If it moves a lot, you may be in for a lot more kerf than you want. This is called runout.
- ◆ How smoothly does the miter table move? Does it stop smoothly at the preset stops? Does it lock in place at the stops easily? Does it lock in place between the stops easily?
- ◆ Does the back fence provide adequate support? Does it provide tight enough clearance to help avoid tearout at the back of the cut? Are the fences adjustable?
- ◆ If it is a sliding saw, how smoothly does that mechanism perform? How easy is it to lock in place? Dual-rail designs are generally more stable.
- ◆ Is the saw set up for convenient dust collection?
- ◆ How stable is the saw (particularly sliding saws) when making a cut? Does it need to be clamped to a table, and if so, is this easily accomplished?

tooth or better combination blade. If it comes with a rough cut blade, it can be expensive to replace it with a finer finish blade.

Weight is a factor as well. If you will leave the saw in one place, a heavier saw may be more stable. If you'll be moving it around, watch your back. **PW**

## Contacting Manufacturers

**Accuset/Senco** 800-543-4596  
or circle 160 on the Resource Card

**Airy** 800-999-9195  
or circle 161 on the Resource Card

**Black & Decker** 800-762-6672  
or circle 162 on the Resource Card

**Bosch** 800-301-8255  
or circle 163 on the Resource Card

**Bridgewood** 800-235-2100  
or circle 164 on the Resource Card

**Campbell-Hausfeld** 513-367-4811  
or circle 165 on the Resource Card

**Craftsman** -  
Contact your Sears store or circle 166 on the Resource Card

**Delta** 800-438-2486  
or circle 167 on the Resource Card

**DeVilbiss** 800-888-2468  
or circle 168 on the Resource Card

**DeWalt** 800-433-9258  
or circle 169 on the Resource Card

**Duo-Fast** 888-386-3278  
or circle 170 on the Resource Card

**Elektra-Beckum**  
or circle 171 on the Resource Card

**Fein** 800-441-9878  
or circle 172 on the Resource Card

**Festo** 805-565-4675  
or circle 173 on the Resource Card

**Freud** 800-334-4107  
or circle 174 on the Resource Card

**Grizzly Industrial** 800-541-5537  
or circle 175 on the Resource Card

**Hitachi** 800-829-4752  
or circle 176 on the Resource Card

**JET** 800-274-6848  
or circle 177 on the Resource Card

**Makita** 800-462-5482  
or circle 178 on the Resource Card

**Metabo** 800-638-2261  
or circle 179 on the Resource Card

**Milwaukee** 800-414-6527  
or circle 180 on the Resource Card

**Paslode** 800-323-1303  
or circle 181 on the Resource Card

**Penn State** 800-377-7297  
or circle 182 on the Resource Card

**Porter-Cable** 800-487-8665  
or circle 183 on the Resource Card

**Powermatic** 800-248-0144  
or circle 184 on the Resource Card

**Pro-Tech Power** 800-888-6603  
or circle 185 on the Resource Card

**Ridgid Power Tools** 800-325-1184  
or circle 186 on the Resource Card

**Ryobi** 800-525-2579  
or circle 187 on the Resource Card

**Skil** 800-301-8255  
or circle 188 on the Resource Card

**Stanley-Bostitch** 800-556-6696  
or circle 189 on the Resource Card

**Star Tool Corp.** 888-678-8777  
or circle 190 on the Resource Card

**Tradesman** 800-243-5114  
or circle 191 on the Resource Card

**Woodtek** 800-645-9292  
or circle 192 on the Resource Card



# WHAT YOU Absolutely Must KNOW ABOUT MOTORS

*Learn to shop smart so you get the right motor for the way you work.*


**I**F YOU'RE AN ELECTRICAL ENGINEER, you can stop reading this article right now. This story isn't for the gear heads — it's for the rest of you woodworkers who use power tools every day but are occasionally stupefied by amps, volts, watts and horsepower. I'll warn you, there's just the tiniest bit of math to learn here. But if you can multiply and divide two numbers, you will open up a whole new world of understanding when it comes to the subject of motors.

The first thing to understand is that there are two kinds of motors that power almost all of the machinery in a home workshop: induction motors and universal motors. Each type has its strengths and weaknesses. The reason that you need to know the difference between the two is that some tools (table saws, planers and jointers, for example) can be powered by either type of motor. So you need to educate yourself so you'll choose the right motor for the kind of work you do.

In general, induction motors power stationary machinery that must run for hours on end, such as big table saws, planers, band saws and jointers. Universal motors power mostly hand-held stuff: routers, jigsaws and sanders. However this is changing. These days you'll find more and more universal motors in benchtop table saws and portable planers.

I like to think of the two motors as the tortoise and the hare. Induction motors are the tortoise of the pair. They're rugged, quiet, large, heavy, turn more slowly and can be stalled under heavy use. They are great for the long haul. Universal motors, on the other hand, have a shorter life span, they're smaller, they make more noise, they operate at very high speeds, they offer the most horsepower per pound of any alternating current motor, and they are very difficult to stall. Universal motors provide large amounts of power in quick bursts with

*By Christopher Schwarz, managing editor, Popular Woodworking.*



## THE UNIVERSAL MOTOR



constant torque and at variable speeds.

It might help to think about how you use tools with universal motors. If you've got a chop saw, you need a burst of power for three or four seconds to make your cut. You need torque and you need it fast. Same goes for biscuit joiners and routers. Unless you are running parts for 100 doors on your router table, chances are that these tools are on for five minutes and then off for a while. Now think about how you use a jointer or a planer with a hefty induction motor. You might have 100 board feet of lumber to surface. Each board might have to go through that machine five times. Your machine might be running for hours on end.

So each type of motor has a type of job that it's really good at. And it all has to do with the way that the motor is built. Here's the inside story:

### Induction Motors

The reason they are called "induction" motors is the way they convert electricity into a spinning rotor. To understand how induction motors work, let's say you've got one of these puppies in your table saw and you're about to turn it on. As you flip the switch, power flows into what's called the "stator" and magnetizes it. The stator is a mass of copper windings that surround the rotor in the center, which is what spins the saw's blade through a series of belts and pulleys. Inside the stator are two or four "poles" that become magnetically charged because of the electricity running through the wires. When the electricity changes direction or cycles, as it does 60 times a second in the United States (hence the term 60 cycles), each pole changes its magnetic strength, from a positive to a negative value or from a negative to a positive value.

The induced poles in the rotor are then attracted and repulsed by these ever-changing electromagnets in the surrounding stator. The motor isn't running, but the rotor is excited. What this hulk of iron and copper now needs is a shot of power from another copper winding (called a "starting winding") that is out of phase physically and electrically with the main winding. And that's where the capacitor comes in. In most modern tools a capacitor (which is in series with the "starting winding") helps with the starting torque. Then, when the motor reaches 85 percent of its speed, the capacitor and the starting winding drop out of the circuit and the motor runs on its main winding.

Whew. So, this is the long way to explain why these are called induction motors. As you can see, the rotor spins because it is "induced" by the electromagnets in the stator. Induction motors are large and heavy because the induction process takes a lot of iron and copper (a 1/2 hp induction motor weighs about 25 pounds; a 1/2 hp universal motor weighs 2 1/2 pounds). Induction motors are reliable because they're simple, their parts are built for long life and they run at slow speeds (so they don't generate as much motor-damaging heat). In fact, a well-built induction motor won't heat up more than 40 degrees centigrade over room temperature. Induction motors are slow because the rotations per minute (rpms) are governed by how many poles are



**END CAP •**  
Holds the rotor in place inside the stator.



**ROTOR •** Spins freely inside the stator. Its magnets are attracted and repulsed by the magnets in the stator

**CAPACITOR •**  
Gives the rotor the boost it needs at startup.

**STATOR •** Current magnetizes the copper poles inside.



## THE INDUCTION MOTOR



## DIFFERENT KINDS OF POWER FOR YOUR HOME SHOP


You probably know that most of your house is wired for 110-120 volts. And you might know that certain appliances, such as your electric range, dryer and big air conditioners, are wired for 220-240 volts. And perhaps you've heard about three-phase power. What's the difference between these and which should you be using in your shop?

**110-120 VOLTS** This is the standard current that most of your hand power tools run off of. And except for special circuits that power 240 appliances, this is the voltage to all the outlets in your house. Remember that voltage entering a house can vary. So some people get 110 volts, some people get 120. Tools and appliances can handle a 12-volt variation, so don't worry.

**220-240 VOLTS** To get this heavy-duty circuit, the electrician takes two lines from the main panel and one neutral line. These heavy-duty circuits are good for a variety of reasons. First off, they need only half the amperage of 120-volt circuits, so you are less likely to trip a breaker or blow a fuse on a well-wired 240 circuit. Plus, 240 circuits are much less prone to voltage drops than 120 circuits.

This means you can have a table saw that's more than 20 feet from your service box. Operating a motor at low voltage causes the torque to drop and the motor to heat up (shortening the life of the motor). Many induction motors can easily be switched over for 240 power. In the box on the motor where the electric cord goes in there will be a diagram to show you how to reconnect the different leads. If you can afford the wiring change, do it. However, one myth about 240 power is that it is cheaper. Don't believe the myth. You buy power by the watt.

**THREE-PHASE POWER** Look out your window at the power lines outside your house. The three power lines strung on the poles are carrying three-phase power. What's three-phase power? Well, the power coming into your house is single-phase power. This means that there's one electric pulse changing direction 60 times a second. Three-phase power has three of those pulses changing direction at slightly different times. The fluctuations are timed so that when one phase is at its lowest power, another phase is at its highest. The result is a very steady stream of energy. Three-phase power is typically used in factories, not homes. You need a special motor to run three-phase power, but three-phase motors are less expensive, extremely reliable and more efficient than single-phase motors. Three-phase power is not available to most residences. But you can purchase a "phase converter." Some manufacturers don't recommend static phase converters but say that rotary phase converters are OK. Bottom line, for the home shop, it's cheaper to buy a single-phase motor for a saw than it is to convert your juice to three-phase power.



Here's the box on the motor for our Jet table saw. You simply move a couple leads and your saw is then ready to take 240 — as soon as you change the plug, that is.

inside the stator and the number of times per second that your electricity cycles — which is standard at 60 cycles. So now you can understand why you wouldn't want your router powered by an induction motor — you could barely lift it, and it probably would be too slow and not have enough torque.

## Universal Motors

Universal motors get their name from the fact that many of them can operate on both alternating current (from an outlet) or direct current. The way that universal motors work is a little more complicated than their induction cousins, but there are similarities.

Instead of a rotor, universal motors have what's called an armature that spins in the center. Instead of a stator, universal motors have what's called a field, usually consisting of two coils surrounding the armature. Universal motors also have some parts that induction motors don't. On one end of the armature is a part called the commutator. This part is round like the armature, but it is usually smaller in diameter and is made of small bars of copper. It's through these bars that the armature winding is energized. Universal motors also have what are called "brushes." Brushes are made from a carbon-graphite material and are usually held in place against the commutator by small springs. When you turn on a universal motor, current travels in what's called a "series circuit." One side of the electrical line goes through the field, then through the brushes, into the commutator, then the armature, and back to the other side of the line. Each of the bars in the commutator changes polarity as it contacts a brush, and this changes the polarity in the magnets in the armature. The magnetic forces in the armature react with the electromagnets in the field coils and the motor develops torque.

Universal motors make a lot of noise because they spin at a dizzying speed — sometimes seven times faster than an induction motor — and their fans suck a lot of air through the motor, which makes noise. Universal motors are less reliable for three reasons. The motor generates more heat, which can cause the components to break down. Second, the carbon brushes wear out. If they can be replaced then it's a quick fix. If they can't, you've got trouble. And third, the big fan that cools the motor brings in a lot of junk such as sawdust and foreign objects. This junk can damage the windings and their insulation.



## Learn to Shop

Now that you know the differences between induction and universal motors, you need to know how to compare motors when tool shopping. First consider how you will use the tool and whether it should be powered by an induction or universal motor. If you need your table saw to be portable or you're only turning it on for short times, a universal motor will do. But if your table saw is going to be on all the time, get an induction motor.

Things become more complicated when you start comparing one motor to another. Motors are measured differently by different manufacturers. Should you use horsepower? Amperage? Wattage? Motor efficiency? All of the above? The answer is that all these factors are related and all play a part in judging whether a motor has got a lot of guts or is just a loafer on the job.

First off, let's clear the air about horsepower, which is the way you measure induction motors and some universal motors. It's almost a meaningless number, unfortunately. That's because there are several ways to measure horsepower, and this makes comparing two 1-hp motors almost impossible.


Some manufacturers measure horsepower with the motor under no load. Some measure horsepower as the saw almost reaches the point where it is about to stall — called the point of "breakdown torque." Some lock the motor in a dead stall, turn on the power and see how many amps the motor pulls from the outlet and calculate the horsepower from that. This is one way to measure "developed horsepower."

Developed horsepower is probably the least accurate measure of the motor's day-to-day abilities. When you lock the motor in a dead stall and turn it on, the motor will pull a lot more amps than normal because it's trying desperately to pull itself out of this stall.

Instead, try to find a "continuous-duty" horsepower rating, which is found on most high-quality induction motors. If the motor's nameplate doesn't state its horsepower rating is for continuous duty, ask the sales person. If they don't know, have them find out, or call the manufacturer yourself.

Why is this so complicated? Keep in mind that there are a couple different formulas to calculate horsepower. One way is to multiply the rpms of the motor by the amount of torque (which is in foot-pounds). Divide that number by 5,250 and you have a horsepower rating. Keep in mind that a universal motor's really high rpms skew this equation. The other horsepower formula involves the electricity going into the motor.

For this calculation you need to know how amperage, voltage and wattage are related (this is that math that I promised you). Almost every basic electricity textbook explains these different terms by comparing the electric lines in your house to a water hose. Voltage is like water pressure. The more voltage you have, the more force with which the electricity moves through your wires. Amperage is like the amount of water in a hose. You can have the faucet on low or high. Wattage is harder to explain. It is, in electric terms, the amount of energy that a device consumes. You can calculate wattage by multiplying the amperage of a tool (usually found on the information plate on the motor) by the voltage (which for home shop people in the United States



Assembled armatures and commutators at Makita's plant in Georgia. We were impressed with the rigorous tests Makita performed on their universal motors.


## QUICK TIP: MOTOR CARE

The universal motors in most of your hand power tools will live longer if you follow this simple tip: blow clean air through the motor regularly.

Universal motors suck a lot of air through them because the motors turn at a high speed and they have large fans to

keep the motor from overheating. Think about your shop. Pretty dusty isn't it? That dust is being sucked through your router and is slamming into your armature like a meteor shower. This dust can also build up, cause the motor to run hotter and shorten the life span of the tool. If you regularly blow compressed air through the vents of the tool, you'll dislodge the dust and keep your motor healthy.

In addition to sawdust, the carbon-graphite material from the motor's brushes also builds up on the commutator. Blowing air through the tool also helps dislodge that stuff, too, and this also prolongs the life of your tool.





## INDUCTION VS. UNIVERSAL? YOU MAKE THE CALL

In the old days, table saws, planers and jointers had induction motors. Small tools had universal motors. Alas, that line has blurred in the last decade. Some manufacturers, such as Ryobi, DeWalt and others, put universal motors in their table saws. The universal motors are much smaller and are much less likely to stall in a cut, but they are much noisier and their life expectancy is shorter.

Universal motors have also become the mainstay in portable planers — a tool that would have been a lot harder to design with a huge induction motor driving it.

If you think you can run a table saw or planer for an extended period of time and it's powered by a universal motor, you'll be replacing the motor a lot sooner than you think. How can you determine if your tool has an induction or universal motor? Turn on the tool. A really noisy motor indicates it's probably a universal motor. If you're still not sure, look at the motor. Many universal motors have coin-opened hatches so you can easily change the brushes.

is 120 volts or 240 volts). Why would you want to calculate wattage? Because 746 watts equals one horsepower.

So with that formula you can attempt to calculate the actual horsepower (as opposed to the advertised horsepower). This is one of the most important aspects of this whole article. Remember it. Here's an example of how you can estimate how much horsepower a tool has compared to how much horsepower a tool says it has on the box: Does a 9-amp router live up to the 2 horsepower rating on its box? Let's see: 9 amps multiplied by 120 volts equals 1,080 watts of power. To get horsepower, we divide 1,080 watts by 746. The answer is 1.44 horsepower. Hmmm. You can probably guess that either this router will develop 2 hp right as it's ready to crash and burn, or that the manufacturer used that other horsepower equation, which uses rpms and torque, to calculate horsepower. And as pointed out earlier, universal motors in routers have very high rpms, which can skew that equation. (My apologies to the gear heads here because I left out some of the other complicated factors in calculating power, such as the power factor and line losses).

So if horsepower is a bogus measure, what does that leave us with? Amps. Amps tell you how much power a tool consumes, and that's the simplest way to compare similar motors, especially universal motors. Unfortunately, a lot of manufacturers tell us that the amperage on the nameplate is not always the amperage you get. Three different 7-amp motors can all draw a different amount of current.

Even worse, amperage doesn't tell you how much of that energy is wasted. Here we're talking about the elusive "motor efficiency." Motor efficiency is not something advertised on many universal motors, but you can sometimes find it on the nameplate of induction motors. It is a percentage, usually between 50 percent and 80 percent, that explains how



An employee at the Kosta Plant in Taiwan balances the armature on a universal motor. The plant assembles tools and tests motors for Delta Manufacturing.

much of the amperage going into the motor is converted into work coming out. When you shop for an induction motor, look for a motor with the highest efficiency, highest amps and best horsepower for the job.

If you can't tell a motor's efficiency, there are other ways to judge it in the store. One expert told us to peer through the vent fans in a tool with a universal motor to see if you can see the bars on the commutator. The smaller the bars, the better the motor. Smaller bars mean there are more coils in the armature winding, and that makes a smoother-running motor. If you can't see the commutator bars, there's still one final way to choose a motor: buy a trusted brand name.

Last year our editor toured several manufacturing plants in Taiwan. At one facility, his tour guide pointed to a pile of rusting commutators sitting outside. Those, the guide explained, would be cleaned up, repaired and put into motors for off-brand tools. Installing used parts isn't something that happens just in Taiwanese off-brands. And don't assume this is a typical practice of Taiwanese manufacturers because it isn't. Manufacturers of cheap motors anywhere can lower the cost of a tool by reducing the amount of iron and copper in a motor. This will lower the life span of the motor because all that metal acts as a heat sink to dissipate heat generated by the motor. They also can skimp on the brushes.

So do the math when you shop for motors. But even that can be misleading. One 14-amp chop saw can be \$100 more than a similar-looking 14-amp chop saw. What's the difference? Probably the motor. Should that deter you from buying the cheap saw? No. If the tool won't get heavy use, a less expensive tool will allow you to spend that money somewhere else. But it should make you think twice about what you're buying and what you can expect in the long run. **PW**

*Thanks to Robert Geary for his assistance with this article. Geary retired in 1992 as shop supervisor for Cinergy (Cincinnati's electric utility) after 40 years. He's considered by many local motor repairmen to be the expert on electric motors.*



TFE Red coating reduces  
drag and heat.

Micro-honed tips and  
superior blade designs  
give the smoothest cuts.

Edgelast<sup>SM</sup> carbide tips  
stay sharper longer.

SYSTI  
MATIC

## Bandit<sup>SM</sup> Sawblades: An Industry Original.

### The Original

SystiMatic was the first in the industry to design blades with TFE Red coating, originally developed to reduce friction on military fighter planes and commercial aircraft.

TFE Red is a thicker, permanent coating that lasts longer and dissipates heat better than other coatings. It acts as a lubricant for cool, smooth running blades.

### Long Lasting

Bandits Edgelast<sup>SM</sup> tips are harder and have more carbide in the tips for longer life. Bandits outsharpen other coated blades up to seven times without losing performance. This long life dramatically reduces your saw costs and makes Bandits ideal for commercial users.



### Advanced Blade Design

Bandits come in a variety of designs to give maximum performance on different machines and materials. Bandit's unique blade design creates

the exceptionally smooth cuts SystiMatic has been known for since 1956.

Cool running blades, tougher permanent coating, longer tool life, and optimum designs are exceptional features that make SystiMatic Bandits truly an industry original.

**SYSTI  
MATIC**

**SystiMatic/IKS Corporation**

12530 135th Avenue N.E.

Kirkland, Washington 98034

425-823-8200 Fax 425-821-0804

1-800-426-0000

Circle #139 on Resource Directory Coupon



# Secrets to a SILKY SMOOTH FINISH


*Ignore the oddballs  
who spend hours  
massaging a finish.  
Here's how to do the  
job quickly and easily.*

**L**EARNING to finish your finish, more often called “rubbing out,” will do more to improve the quality of your woodworking than anything else, period. (OK, that assumes you already know how to glue parts together so they don’t come apart.) It’s the secret to a silky, satiny, even mirror-like finish, and it will take away all your stress about dust, lint, hair, even assorted bugs settling into that wet coat you just carefully applied. In fact, you won’t even have to worry so much about applying your finish quite so carefully.

Best of all, it’s sooo easy.

Basically, in this final installment in our series on finishing, I’m talking about rubbing out your finish. But first I want to assure you that I won’t ask you to spend hours massaging your project with 0000 steel wool. And I’m not going to ask you to buy pumice, or rottenstone, or rubbing and polishing compounds. You’ll only need those products if you’re going for the ultimate high-polish mirror finish, which I do with about the same regularity as a visit from Halley’s Comet!

No, all I want you to do is hand sand your finish (not the bare wood, but the varnish, shellac, lacquer or polyurethane), with two or three different grit sandpapers. It’s so simple, you won’t want to tell anyone how you did it because the fantastic results look like it ought to require a lot more work.



**DON'T TRY THIS AT HOME** • To prove just how effective wetsanding is at giving your project a glass-like sheen, we sprinkled a handful of sawdust on some wet shellac. After rubbing it out, no one in the office could tell that the finish had ever been boogered up. See the story “Goobers Begone!” to see how we did this.

## What finishes rub best

The method I’ll describe here will work on any common film-forming finish. It is easiest and will produce the best results on lacquer and shellac, but you’ll still get incredible results with varnish (including polyurethane varnish) and water-based finishes.

Shellac and lacquer work best because the dried film, although hard, is still softer than water-based finishes and varnish (which is almost always sold as polyurethane). This property makes it sand faster, so it’s easier. Also, the scratches from the sanding are smoother, producing a clearer sheen. But in no way let this discourage you from applying these techniques to your varnish and water-based finishes.



## Sanding the first, or sealer coat

You start finishing your finish after your first coat or sealer coat has been applied and has had time to dry. Drying time will vary greatly depending on the finish you're using. Basically, it's dry enough when it doesn't "ball up" on the sandpaper. For this first sanding, use what's called a "self-lubricating" aluminum oxide sandpaper. It is self lubricating because it has a special powder applied to it that helps prevent sanding dust from sticking in the abrasive grit and clogging it up. One common brand of such sandpaper is 3M Tri-M-ite.

To sand, use moderate pressure to sand off the fuzzy-feeling "nibs," or all the little imperfections that make the first coat rough to the touch. In smoothing this first coat, you are preparing a surface for the application of the next coat. The objective is to begin producing an ideal surface. Think of glass as a perfect surface. If you brushed or sprayed a finish on it, it would lay out and form a perfectly smooth film.

In addition to sanding off the nibs, you also want to begin "leveling" your first coat of finish. This will include high spots from lapping brush strokes, or runs or sags on vertical surfaces. If you finish open-grained woods such as oak, ash, walnut or mahogany, leveling will also begin knocking down the "peaks" of finish created by the "valleys" of the open grain.

A word of caution is in order, particularly if you are working with a project that has any type of color applied, such as a stain or dye. If you sand too much, you will sand, or "cut," through the film and likely sand away the applied color. Edges are especially vulnerable and require a delicate touch.

Now that you have completed your first level of surface preparation, dust off the work and apply more finish material. If you are brushing varnish, polyurethane varnish or water base, one coat is probably enough. If you are brushing or spraying shellac or lacquer, apply at least three coats. Again, allow sufficient drying time between coats and before the next sanding step.

## Wetsanding: A brave new world

If wetsanding is new to you, you'll be amazed at how efficient it is when applied to your finish. For sandpaper, switch to 400-grit wet/dry sandpaper. This is a paper with a special adhesive that won't dissolve in the liquid, and the paper itself will hold up as well.

Wetsanding works because the liquid you use both lubricates between the surface and the sandpaper and, importantly, flushes away the material that is being removed by the sanding process.

When wetsanding, I like to use a half sheet of sandpaper that has been folded twice. Some finishers prefer to wetsand with a block that has a piece of 1/4" cork glued on the sole. Using a block can help make sure you sand flat continually and, some might argue it helps prevent "cutting through," but it can give the user a false sense of security.

The liquid I prefer for wetsanding is paint thinner. You can also use water that's had a few drops of liquid dish

## Goobers Begone!



**HOW TO FIX THE GOOBER** • First, let the finish dry completely and don't be tempted to try to fish out that errant hair, fly or dust speck. You'll only create a bigger problem. Next, lightly sand the finish in the dust-strewn area with 220-grit paper, dry. Try to get the surface as level as possible to the surrounding finish. Next, apply another coat of finish and let it dry completely. Proceed with wetsanding and *presto*, you'll wonder where the sawdust went.



**DRIED GOOBERS** • A close-up of the accumulated dust to show just how bad a problem it is.




**VOILA!** • Much much better than new. The massive sawdust defect is virtually eliminated. Need you ever worry about finishing in a "dust free" area again?




## Four Steps to a Super-Fine Finish

### STEP 1 Before Sanding



Here's a close-up of what the finish looks like after a first coat of lacquer on walnut, which is an open-grained wood. The finish will feel fuzzy and the grain will look hilly. The object is to remove these fuzzy nibs and level the finish so that the next coat of finish will lay flatter.

### STEP 2 Dry Sanding



Sanding the first, or sealer coat with 360-grit dry-lube sandpaper is the first step in rubbing out, or finishing your finish. This sanding is the first step in preparing the surface for the next coat of finish and begins leveling the surface. Use a full sheet of sandpaper folded twice under the flat of your hand (inset). Then add another coat of finish. At this stage, your finish will begin leveling, seriously reducing the open-grain look of a non-sanded finish.



detergent added. Paint thinner works best because it's more efficient at flushing away the sanded finish residue. We all know that water on wood and wood finishes has some inherent problems, especially if the end grain isn't completely sealed.

So is wetsanding a tedious, time-consuming chore? Clearly, it adds a couple more steps to the finish process, but if your goal is simply a nice, slicked-up finish, it really doesn't take all that much extra work. For example, the walnut sample board in the photos is about 18" x 36" and it took me no more than 10 to 12 minutes to wetsand it each time. In some respects, it may *save* you some time. If you've been led to believe the nutballs who insist you finish in a "dust free" environment, forget it. Let me save you some time because it may take you less time to wetsand than create a "clean" room. You'll also benefit from not being concerned about goobers falling in your not-quite-dry finish.

Now, depending on the type of finish and sheen you want, you can proceed with another round of applying clear finish and wetsanding a last time, or you can basically call your finish done, except for a final coat of wax. Of course, before you complete the job with a coat of

wax, clean all the messy sanding slurry off the work. For this chore, use either paint thinner or VMP naphtha on a clean rag.

On tight-grained woods such as cherry, maple, birch or a softwood like pine, you will have a smooth, flat, closed-pore finish with a medium sheen. With open-grained woods such as walnut or mahogany, the finish will be either an open or semi-open pore finish. The distinction is simply a matter of the degree of wood grain that's not filled up and leveled off.

To achieve a fully filled finish on open-grained wood that's not been grain-filled, you'll need to proceed with another coat of finish and another wetsanding. Follow the procedure as before. By the end of this stage your finish should be finished except for a coat of wax.

Should you want a higher level of sheen, wetsand one last time using 600-grit wet/dry sandpaper.

It would be at this stage that you would continue working with various levels of rubbing and polishing compounds if you wanted to create a high-polish finish. Frankly, it would take a pretty special project for me to go to that level of a finish.

In fact, I'd even make a strong recommendation that



### STEP 3 First Wetsanding



Wetsanding will open new worlds of better finishes for you. Use 400-grit wet/dry sandpaper and a lubricating liquid such as paint thinner or soapy water to allow the fine abrasive to work without becoming clogged (see inset).



### STEP 4 Second Wetsanding



A final wetsanding with 600-grit wet/dry sandpaper will produce a higher sheen if so desired. This sanding should go quickly because the objective is only to eliminate the coarser sanding scratches from the previous sanding, not leveling the surface further.

If you choose, you can take your finish to an even higher level of sheen by rubbing it out with polishing compounds and very fine steel wool. However, I recommend this only for your most important projects.

when you decide to wetsand a project, you might even skip certain parts of the project altogether. For example, it would be good to wetsand a table top but not the legs. Or the top of a desk but not the sides. In other words, only the most prominent and visible features. Generally speaking, it would be very difficult to wetsand the details on turned or carved work.

If you forego wetsanding part of a project, it may, however, be necessary to rub out the entire piece with 0000 steel wool or a synthetic steel wool product like 3M's Scotch Brite pads. This will impart a consistent level of sheen to the entire project.

You should also consider using only gloss finish on projects you intend to wetsand. Not only will the gloss finish material make the finish look clearer, but the final sheen will be derived from the wetsanding or rubbing. **PW**

*Editor's note: This is the final installment in our series on finishing. I appreciate you hanging in through all the stories. If you have specific questions about finishing, I encourage you to contact me here at the magazine by e-mail: [SteveS@FWPubs.com](mailto:SteveS@FWPubs.com), or by regular mail: Popular Woodworking, 1507 Dana Ave., Cincinnati, OH 45207.*



**SECRETS TO STEEL WOOL** • If you do decide to use steel wool in the final polishing of your project, here's the right way to use it. Unfold the pad completely and then fold it over on itself once. Then use the flat of your hand to press the steel wool against the wood.



# Win a Week at POPULAR WOODWORKING BOOT CAMP

*Send us your best woodworking story and you could win a week in Popular Woodworking's shop and a Jet contractor saw and dust collector.*



You'll work side-by-side with the editors of *Popular Woodworking*, who will share their more than 40 years experience in professional cabinet shops with you.

If you're like most woodworkers, you earned your skills the hard way: by working alone in your basement night after night. Sure, your father or shop teacher might have shown you some basics, but the reason you can cut a mortise-and-tenon joint is because you taught yourself how to cut that mortise-and-tenon joint.

There are wood schools you can attend, of course. But few woodworkers have the hundreds or thousands of dollars to invest in the training. Most of us would rather buy a new tool with that money.

That's why *Popular Woodworking* is rolling out its "Popular Woodworking Boot Camp" contest. One lucky woodworker and a friend will win an all-expenses-paid trip to our magazine's headquarters in Cincinnati, Ohio. Here you'll work with our editors in our huge cabinet shop and get the training that will take your woodworking to the next level — whether you're a rank amateur or a seasoned home-

shop veteran. You'll build a project that will be published in a future edition of *Popular Woodworking*, and you'll take home a Jet contractor saw and dust collector for your home shop.

All you have to do is send us your most inspiring home woodworking story. It can be entertaining or serious. Just as long as it's about woodworking in the home shop, and as long as your tale is true, we'll read it. Entries should be no longer than 650 words and should be received in our editorial offices no later

than Aug. 16, 1999. The winner will be chosen by the editorial staff based on the content of the story. All entries become the property of *Popular Woodworking*.

Send your entry to:

**POPULAR WOODWORKING BOOT CAMP CONTEST  
POPULAR WOODWORKING MAGAZINE  
1507 DANA AVE.  
CINCINNATI, OH 45207**

Or you can e-mail your entry to  
[PopWood@FWPubs.com](mailto:PopWood@FWPubs.com)

Please, one entry per person. Be sure to enclose your address and a daytime phone number with your entry. PW



Sponsored by

**J E T**  
EQUIPMENT & TOOLS



**Makita**

# On-Site Performers


**15 AMP Motor Cuts 4x Material\* in a Single Pass**

**Electric Brake for Quick Efficient Adjustments**

**Precise Rack and Pinion Bevel Adjustment**

**Portable for Easy Jobsite Cutting – Only 40 lbs.**

**Dead-on Cam Locking Rip Fence**



Large 4x Cutting Capacity\*

# 15 AMP

## 8 1/4" & 10" Table Saws

Models 2702/\*2703

For more information, call 1-800-4-MAKITA.




# Roadhouse Pipe Box

Back in the days of horse and buggy, travelers would stop at a roadhouse where they'd likely see a box like this on the wall. It held a selection of clay pipes for the use of patrons. A traveler who wanted a smoke would take a pipe from the box and break off a short piece of the stem as a sanitary measure. After use, the pipe was put back in the box for the next smoker. This accounts for the unusually long stems on clay pipes.

If you don't smoke, you could always use this box to hold dried flowers or other decorative items.

**STEP ONE:** Construction is simple. The front, divider and bottom are captured between the sides and attached with glue and nails. That assembly is then glued and nailed to the back. Begin by cutting out all the pieces according to the sizes in the Schedule of Materials. Glue and nail the divider perpendicular and flush to the bottom of the front.



**STEP TWO:** Now glue and nail the sides to the front, flush to the top of the front. Glue and nail the bottom in place.

**STEP THREE:** Cut a radius on the back according to the diagram, then drill a  $\frac{1}{2}$ " hole for hanging on the wall. Before attaching the back, paint the inside of the box. Mask the edges of the back where the sides meet and paint it also. After the paint dries, remove the tape from the back and glue and nail the back to the box assembly.


**STEP FOUR:** The drawer is tricky only in that it is so small. Before assembly, cut a  $\frac{1}{4}$ " x  $\frac{1}{8}$ " rabbet on one edge of all four drawer sides. This will capture the bottom.

Cut a  $\frac{1}{4}$ " x  $\frac{1}{4}$ " rabbet into three edges of the front. Nail the sides into this rabbet. Nail the back between the sides and nail the bottom into the rabbet on the bottom edges.


**STEP FIVE:** After fitting the drawer to the opening, sand and paint all the parts. Lay out the decorative design using the PullOut™ Plans and a compass. Use a contrasting paint to highlight the design. Attach a screw-in pull on the drawer front and you are ready for the next wayfarer that stops by. **PW**

—Jim Stuard, PW staff


## Diagrams



Plan



Elevation



Profile




## Are we on target?

To see more projects like this in future issues, circle "P6" on the postage-paid card in the Resource Directory.

## Schedule of Materials: Pipe Box

No.	Item	Dimensions T W L	Material
1	Back	$\frac{3}{8}$ " x $3\frac{1}{2}$ " x 12"	Pine
2	Sides	$\frac{3}{8}$ " x $2\frac{1}{2}$ " x $10\frac{3}{8}$ "	Pine
1	Front	$\frac{3}{8}$ " x $2\frac{3}{4}$ " x $8\frac{1}{4}$ "	Pine
1	Divider	$\frac{3}{8}$ " x $2\frac{1}{8}$ " x $2\frac{3}{4}$ "	Pine
1	Bottom	$\frac{3}{8}$ " x $2\frac{1}{2}$ " x $2\frac{3}{4}$ "	Pine
1	Drawer front	$\frac{3}{8}$ " x $1\frac{3}{4}$ " x $2\frac{3}{4}$ "	Pine
2	Drawer sides	$\frac{1}{4}$ " x $1\frac{3}{4}$ " x $2\frac{3}{8}$ "	Pine
1	Drawer back	$\frac{1}{4}$ " x $1\frac{3}{4}$ " x $2\frac{1}{4}$ "	Pine
1	Drawer bottom	$\frac{1}{4}$ " x $2\frac{1}{4}$ " x $2\frac{1}{2}$ "	Plywood



Detail of Front cutout



# Popular Woodworking

Carefully open  
staples to remove  
plans, then bend  
staples closed again.


## Supplemental drawings for projects in this issue

Project name	From page
Roadhouse Pipe Box	40
Mission Style Server	50
Scrollsaw Silverware Basket	60

These plans incorporate pages 41 to 48 of this magazine


## Roadhouse Pipe Box

Full-size diagram of design on front of box.



## Mission Style Server

Scale diagram of mortise and dado  
location on the ends.  
Scale: 3" = 1'-0"






## Silverware Basket


Full-size diagram of scrollsaw pattern.

Shown in halves. Make two copies and tape together.



## Scrollsaw Silverware Basket


Full-size diagram of center section.







# Mission Style Server

Full-size diagram of pattern on top of end.









# Shoji-Paper Lamp

Believe it or not, the idea for this lamp came to me while scrutinizing some flea-market lampshades made from used popsicle sticks. The concept, I decided, was sound. But I wanted to make some changes.

So instead of gorging myself on 100 Dreamsicles, I decided to use  $\frac{1}{4}$ " maple strips. And instead of creating a true oddity of Americana, I chose to look to the Far East to create a lamp that would be at home in a Japanese household.

**STEP ONE:** First you need to cut the 88 sticks that make up the sides. Rip some  $\frac{1}{4}$ "-thick maple into  $\frac{1}{4}$ "-wide strips. I found that a board that's  $\frac{1}{4}$ " thick, 6" wide and 4' long makes one lamp. Now crosscut the strips to  $6\frac{1}{8}$ " long.

**STEP TWO:** Now drill the 176 holes in the side pieces for the four dowels that hold the lamp together. I made a jig to hold a side piece in place on my drill press while I drilled the holes. The center of each  $\frac{1}{8}$ " hole is located  $\frac{3}{16}$ " in from each end. Now sand all the pieces.


**STEP THREE:** Build the base. First cut the base to size and cut two  $\frac{1}{4}$ "-deep by  $\frac{3}{4}$ "-wide grooves in the bottom of the base. These should be located  $\frac{7}{8}$ " from the edges. Glue the feet in place. Now mark on the base where the four dowels will be located. Here's how: Draw two lines between the opposite corners of the base. This creates an "X" at the center of the board. Measure out  $4\frac{1}{16}$ " from the center on each of these four lines. Drill a  $\frac{1}{8}$ " hole at each location.

**STEP FOUR:** Sand your four  $\frac{1}{8}$ " dowels a bit and put some wax on them. Slide the side pieces onto the dowels. When you've reached your final height, glue the four dowels into the base. Glue the top two side pieces to the dowels and cut them flush to the top.

**STEP FIVE:** Glue the shoji paper to the inside of the lamp. I cut out four pieces of paper and glued them to the inside using yellow glue sparingly. Add your light fixture and you're done. No finish is required. **PW**

— Christopher Schwarz, PW staff

## Diagrams




## Schedule of Materials: Shoji-Paper Lamp

No.	Item	Dimensions T W L	Material
88	Sides	$\frac{1}{4}$ " x $\frac{1}{4}$ " x $6\frac{1}{8}$ "	Maple
2	Feet	$\frac{3}{4}$ " x 1" x $8\frac{1}{2}$ "	Maple
1	Base	$\frac{1}{2}$ " x $8\frac{1}{2}$ " x $8\frac{1}{2}$ "	Maple
4	Dowels	$\frac{1}{8}$ " x 13"	

SHOJI PAPER available from Highland Hardware 800-241-6748. Item # 21.64.01 • \$11.95 for a  $11\frac{1}{8}$ " x 60-foot roll. LIGHT FIXTURE available from Lowe's or other home warehouses. I used an Angelo brand 6' cord set with candelabra base. Item # 70108 • \$3.98.



**Are we on target?**  
To see more projects like this in future issues, circle "P7" on the postage-paid card in the Resource Directory.



Detail of dowel assembly



# Mission-Style Server

When I first began building mission furniture for a customer's dining room, I aspired to build a great big sideboard like a turn-of-the-century Stickley piece. As I looked at my customer's dining room again and again, that sideboard became smaller and smaller until finally it ended up a server. The project is built of white oak, using through-tenons with beveled edges to soften the look. There's a little more scrollwork than most Stickley projects, and there's a large radius curve cut on the back piece of the serving table.

**STEP ONE:** Select the wood and match the grain patterns for the best look. Glue up any panels to needed width. Then mill the wood to the final dimensions.

**STEP TWO:** Before cutting the top pattern on the side pieces, mark then rout the  $\frac{3}{4}$ " x  $1\frac{1}{4}$ "

through-mortises in the sides as located in the PullOut™ Plans.

The top and lower shelf are held in place between the sides in  $\frac{3}{8}$ " deep x  $\frac{3}{8}$ " wide x  $14\frac{1}{2}$ " long dadoes. The lower drawer rail slides into  $\frac{3}{4}$ " x  $\frac{3}{4}$ " x  $\frac{3}{8}$ "-deep mortises in the sides. Mark and rout the dadoes at the locations shown in the PullOut™ Plans.

**STEP THREE:** The back fits into the sides in  $\frac{3}{8}$ " x  $\frac{3}{4}$ " stopped rabbets cut on the back edge of the sides. Start the rabbet 14" down from the top of each side, and stop the rabbet 1" down from the top.

**STEP FOUR:** To form the tenons on the shelf and top, cut a  $\frac{3}{8}$ " x  $\frac{3}{8}$ " rabbet on the ends of the lower shelf and top, making the cut from the bottom. Trim the ends of the tenons off 1" from each end to fit into the 14"-long mortises.

**STEP FIVE:** On each of the four rails, cut the through-tenons by removing  $\frac{1}{8}$ " of material,  $1\frac{1}{4}$ " in on two sides of each end. This will leave a  $\frac{1}{2}$ " x  $1\frac{1}{2}$ " x  $1\frac{1}{4}$ " tenon on the end of each rail. Cut the ends on the lower drawer rail to form  $\frac{3}{4}$ " x  $\frac{3}{4}$ " x  $\frac{3}{8}$ "-long tenons centered on the rail.

**STEP SIX:** The last bit of mortising is for the drawer divider stile. Cut  $\frac{3}{8}$ " x  $\frac{3}{4}$ " mortises in the center of the two drawer section rails. Then form a  $\frac{3}{8}$ " x  $\frac{3}{8}$ " x  $\frac{3}{4}$ " tenon on both ends of the divider stile.

**STEP SEVEN:** Now transfer the full-size pattern for the side detail from the PullOut Plans to a piece of  $\frac{1}{4}$ " or  $\frac{1}{2}$ " material to be used as a router pattern. Transfer the pattern to the sides, then cut the shapes using a band saw or jigsaw, staying  $\frac{1}{16}$ " from the traced line. The pattern can then be clamped in place and the shape routed smooth on each side using a pattern bit in the router.

**STEP EIGHT:** To cut the curve on the back, mark 1" down from the top on each side and make a mark. Then use a thin strip of wood ( $\frac{1}{4}$ " x 1" x 48" will do well) and hold the two ends on the end marks. Next bend the center of the stick out to the top edge of the back and mark the curve. Cut the curve with a jigsaw or band saw and sand.

**STEP NINE:** Lightly bevel all the edges using a small chamfer bit or by vigorously sanding. Then sand all the pieces through 220 grit.

**STEP TEN:** Before assembly, rout a shallow groove in the top about two inches from the back so that you can display your china.

Also, on the end of each through-rail, chamfer the ends on all four faces to soften the ends of the through-tenons. Only  $\frac{1}{2}$ " protrudes, so chamfer about  $\frac{1}{4}$ ".




## About the Author


Andrew Schultz, a frequent contributor to this magazine, is the author of "Classic Arts & Crafts Projects You Can Build," which will be published by Popular Woodworking Books in April 1999. The book will be available through the WoodWorker's Book Club. Call 800-937-0963 to join.




## Diagrams



Detail of tenon end




Plan



Elevation

## Schedule of Materials: Mission-Style Server

No.	Item	Dimensions T W L	Material
2	Sides	3/4" x 18" x 43"	White oak
1	Top	3/4" x 16 1/2" x 39 1/4"	White oak
1	Lower shelf	3/4" x 16 1/2" x 39 1/4"	White oak
4	Rails	3/4" x 1 1/2" x 41"	White oak
1	Lower drawer rail	3/4" x 1 1/2" x 39 1/4"	White oak
1	Back	3/4" x 14" x 39 1/4"	White oak
2	Feet	3/4" x 4" x 7 3/4"	White oak
1	Plate rail	3/4" x 1 1/4" x 38 1/2"	White oak
2	Plate rail brackets	3/4" x 1 1/4" x 1 1/2"	White oak
1	Drawer divider stile	3/4" x 1" x 6 3/4"	White oak
2	Drawer fronts	3/4" x 6" x 18 3/4"	White oak
1	Drawer divider	1" x 6" x 15 5/8"	Poplar
4	Drawer sides	1/2" x 5" x 15"	Poplar
2	Drawer front	1/2" x 5" x 17 1/4"	Poplar
2	Drawer back	1/2" x 4 1/2" x 17 1/4"	Poplar
2	Drawer bottoms	1/4" x 14 1/2" x 17 1/4"	Plywood



Profile



**Are we on target?**

To see more projects like this in future issues, circle "P10" on the postage-paid card in the Resource Directory.

**STEP ELEVEN:** Start assembly by gluing the drawer divider stile into the two front rails. Then glue and clamp the rails, top and shelf between the sides, checking for squareness. Apply a bead of glue to the top of the lower and upper rails and clamp the shelf and top to the rail tops. Biscuit the poplar drawer divider between the drawer divider stile and the unattached back piece.

**STEP TWELVE:** Before gluing and clamping the back panel in place, glue the drawer divider in place in the center of the drawer space, attaching the piece to the underside of the top and the drawer rails and divider. Then glue the back in place, using glue only in the center of the panel to allow for movement due to humidity changes.

**STEP THIRTEEN:** Make the drawers in

the manner you prefer. The dimensions provided in the Schedule of Materials allow for a box drawer that will then be glued or screwed to the drawer front. The drawer is assembled by cutting 1/4" rabbets on the ends of the front and back, and 1/4" x 1/4" rabbets on the ends of the sides. To support the bottom, cut a 1/4" x 1/4" groove 1/2" up from the bottom edge on the sides and on the front of the drawer box. The drawers are mounted in the drawer space on drawer slides. I allowed 1/2" on each side of the drawers to accommodate a drawer slide.

**STEP FOURTEEN:** With the drawer boxes assembled, mount the drawer slides on the server and the drawers and check the fit. Fit the drawer fronts and mount the fronts to the drawers.

**STEP FIFTEEN:** The last two con-

struction details are the plate rail and the feet brackets. First biscuit or dowel the two support brackets to the back of the plate rail, then drill clearance holes through the server's back to screw the brackets and rail to the server. The feet are cut to shape and then glued to the inside of the sides and flush to the inside of the front and back rails.

**STEP SIXTEEN:** To finish the server, I used Moser's aniline dye (oil soluble) in a medium fumed oak color followed by two coats of boiled linseed oil rubbed in. Moser's stains are available from Woodworker's Supply 800-645-9292.

Apply the finish with a good brush. Between coats, sand lightly with the orbital sander and with 220 paper (or by hand). **PW**

—Andrew Schultz



# Wooden WASTE BASKETS

As projects go, this one's pretty simple — once you get the hang of the compound miters. The mechanics are the same for both waste baskets pictured, but I built two to give you an idea of how you can personalize your own wooden waste basket project.

**STEP ONE:** It's very easy to modify the basket by changing any of the dimensions. Adjusting the taper angle on the sides will make the basket wider or smaller at the opening. The construction steps will remain the same, so feel free to experiment. In fact the two baskets shown are of different thickness (the oak is  $\frac{3}{8}$ " and the cherry is  $\frac{5}{8}$ "). Also, the cherry basket is shorter than the oak. Start by cutting and planing the pieces to the sizes in the Schedule of Materials (those listed are for the oak basket). If you change the size of the sides, you'll need to change the size of the bottom, so cut that piece to size last.

**STEP TWO:** With the sides cut to size, it's time to start mitering. I recommend using a tapering jig to form the compound angles. If you don't have one, it can be made simply with a couple pieces of poplar, a hinge and a drop-front door stay. Lay out the shape of the sides by marking the vertical center on one of the sides. Then mark the  $4\frac{1}{4}$ "-wide bottom (assuming a 5-degree taper on the sides). Draw a line to connect the top corner to the bottom mark on both sides. Now set the blade's bevel angle to 22 degrees, and set the tapering jig and rip fence to make the cut along the left side of the piece. Cut all the left sides, then flip the tapering jig end for end and reset the tapering jig angle to match the taper angle on

the right edge of the side. Then make those cuts.

**STEP THREE:** To check the fit of your miters, lay all of the sides flat and face-up on a table and use masking tape to temporarily attach the sides together. The miters should all fit fairly tightly. While the basket is taped as a cylinder, it's time to fit the bottom. Follow the instructions in the article "Trash Can Math" to lay out and cut the octagon shape. The  $10\frac{1}{4}$ " size should work for the sizes given in the schedule. If you change sizes, recheck the bottom size.

Cut the octagon bottom to size, then set the sawblade angle to 80 degrees and run all eight edges to allow the bottom to fit tightly against the sides.


**STEP FOUR:** At this point the hard part is over and you can have some fun. I opted for two different edge treatments on the tops of the sides: the oak with a shallow picket top; and the cherry with a simple radius. You can get as crazy or as simple as you please.

**STEP FIVE:** I also played a little bit with the way the baskets are held together. Truth be told, the compound







## Diagrams



4 1/4"  
Elevation



3 3/4"  
Elevation



Plan of bottom

## Schedule of Materials: Wooden Waste Basket


No.	Item	Dimensions T W L	Material
8	Sides	3/8" x 6 1/2" x 14"	Oak
1	Bottom	3/4" x 10 1/4" x 10 1/4"	Oak



## Are we on target?

To see more projects like this in future issues, circle "P8" on the postage-paid card in the Resource Directory.

## Trash Can Math



To determine the length of the sides on an octagon (such as a waste basket bottom), all you need is a trammel and a straight edge. After cutting the bottom square, mark the center of the piece by using a straight edge to draw intersecting lines from opposite corners. Next set your trammel points to make a mark the length of the distance from the center to an outside corner. To mark the octagon, put the pin in one corner, and pivot the pencil from side to side, marking where the radius intersects with the sides. Repeat for all corners, then connect the marks.

Shown at use on another project, our shop-made taper jig solves lots of geometric problems. If you don't own one (they're about \$15 to \$20), you can make one.

miters on the oak basket weren't quite perfect, and rather than recut the angles I decided to fall back on a historical "tied" joint that didn't require a perfect miter. If you opt to tie the basket, drill two 3/8" holes on each side, then sand and finish the individual pieces before assembling. I used a Cordovan TransTint™ Dye from Homestead Finishing Products (440-582-8929) followed by a coat of orange shellac to give the piece an antiqued finish. Next use a piece of leather (shoelace or a craft supply store pur-



chase) to cinch the tops of the sides together. Tape the lower part of the sides together as before, drop the bottom in place and use plain or decorative nails to hold it in place.

The cherry miters worked fine, and I used the taping-the-sides trick to clamp


the sides while the glue dried. Once dry, I applied a little glue to the edges of the bottom and lowered it into place. The pressure of the fit was fine for drying purposes. I then sanded the piece and applied a clear finish. **PW**

— David Thiel, PW staff



**Schedule of Materials**  
**Picket Fence B**

No.	Item
-----	------



Vol.17,  
Issue 5  
1947-1948

**A nostalgic look back at the plans published by Delta Machinery after World War II.**

### Picket Fence Box

No.	Item	Dimensions T W L
50	Pickets	3/16" x 3/4" x 9"
4	Uprights	3/4" x 3/4" x 11"
2	Lower ends	3/4" x 3/4" x 7 1/2"
2	Middle ends	3/4" x 2 1/4" x 7 1/2"
2	Upper ends	3/4" x 2" x 10 1/2"
4	Sides	3/4" x 3/4" x 28 1/2"
2	Interior sides	3/4" x 6" x 26 3/4"
1	Bottom	3/4" x 5 3/4" x 26 3/4"
2	Ends	3/4" x 6" x 7 1/4"

## Bird House Box

No.	Item	Dimensions T W L
2	Sides	3/4" x 6 3/4" x 28 1/2"
1	Bottom	3/4" x 5" x 28 1/2"
2	Ends	3/4" x 9 3/4" x 10 3/4"
2	Side trim	3/8" x 1 1/4" x 28 1/2"
4	End trim	3/8" x 1 1/2" x 7 5/8"
2	Dowels	1/4" x 5"

For the picket fence box, you should also build a separate box that sits inside to hold the flowers. You also could build metal pans or liners to keep the wood from rotting. **PW**



## Are we on target?

To see more projects like this in future issues, circle "P1" on the postage-paid card in the Resource Directory.

**NOTE**  
All material is  $\frac{3}{4}$ " thick unless otherwise specified.

The drawing includes three main views:  
**Front View:** Shows a gabled roof with a  $\frac{3}{4}$ " overhang. The peak has a  $5\frac{1}{2}"$  radius. The eaves have a  $4"$  radius. The front wall features vertical slats with a  $5\frac{1}{2}"$  radius between them. Dimensions include a total width of  $15"$ , a base height of  $6"$ , and various offsets like  $3\frac{1}{16}"$  and  $7\frac{1}{4}"$ .  
**Side View:** Illustrates the profile of the doghouse, showing the  $14\frac{1}{8}"$  wide entrance area and the  $5\frac{1}{2}"$  radius of the roofline.  
**End View:** Details the construction of the box, noting it is made of  $\frac{3}{4}"$  stock. It shows the internal bracing with a  $6\frac{7}{16}"$  diagonal support and a  $1\frac{1}{2}"$  horizontal member. A  $\frac{1}{4}"$  dowel is shown securing the corner joint. The bottom edge is labeled  $C_L$ .



### \$50 REBATE

Any Delta 14" Bandsaw – open or closed base. This one's a Delta classic.

### \$50 REBATE

Delta Sanding Center® Belt / Disc Sander. (Model 31-280)

### \$100 REBATE

This one will handle just about anything you've got to joint. The Delta DJ-30 12" Jointer (Models 37-360/1) stands ready to take on a whole tree if you've got one.

### \$100 REBATE

(Model 37-350 with electricals) DJ-20 8" Jointer. A mass of cast iron and precision.

### \$200 REBATE

Put more productivity and large capacity planing into your shop with the Delta DC-580 20" Planer (Models 22-450/1). Delta will put a couple hundred bucks back into your pocket.

### \$50 REBATE

Any of our 2000 Series 10" Contractor's Saws® with Premium Fence. (10" Contractor's Saw® II is not part of this rebate offer.)

### \$50 REBATE

DC-380 15" Planer with stand and extension wings. (Models 22-675Y/6Y)

# The Great Rebate.

### \$100 REBATE

Any model Unisaw® – right or left tilt – Biesemeyer or Unifence®. You spec your dream saw. We'll put a hundred bucks back in your pocket.

Maybe the greatest rebate offer we've ever made. Delta workhorses, every one. The Delta stuff you really wish you had. With a little extra incentive to push you over the edge. A check in the mail from Delta, for a limited time, that is. (Through March 31, 1999.) So pick up the phone and call for the name of your nearest participating Delta dealer. Delta International Machinery Corp., 800-438-2486.

**THE  
POWER  
OF THE  
PROS**

**DELTA**  
A Pentair Company

Proud sponsor of *The New Yankee Workshop* with Norm Abram and *The American Woodshop* with Scott Phillips.

[www.deltawoodworking.com](http://www.deltawoodworking.com)  
Circle #125 on Resource Directory Coupon



# Photo Screen

*Here's an interesting way to display your photos and brighten up that unused corner in your house.*


*By Jim Stuard, associate editor, Popular Woodworking.*



**I**T'S GETTING HARDER AND HARDER these days to find ways to display your photos so you can generate interest in seeing them. When I was a kid, my parents would hang a large number of photos, gallery style, on a wall just to get them out in the open. Most of the time guests would look at the dizzying array of photos for a moment and ask my mother just how many children she really had (there was only my sister and me). This screen can generate interest and serve as a useful divider in your living space without taking up a lot of wall space.



## Diagrams



Profile of frame moulding

### Schedule of Materials: Photo Screen

No.	Item	Dimensions T W L	Material
3	Panels	3/4" x 15" x 60"	Birch plywood
1	Arc cap	3/8" x 7 1/2" x 40"	Cherry
2	Arc cap	1/8" x 5 1/2" x 34"	Maple
1	Medallion	1/4" x 4" diameter	Cherry
10	Lrg. frame pieces	5/8" x 3/4" x 11 1/4"	Cherry
10	Lrg. frame pieces	5/8" x 3/4" x 9 1/4"	Cherry
24	Sm. frame pieces	5/8" x 3/4" x 8 1/4"	Cherry
24	Sm. frame pieces	5/8" x 3/4" x 6 1/4"	Cherry
12	Face Plexi	1/8" x 5 1/4" x 7 1/4"	Plexiglas™
5	Face Plexi	1/8" x 8 1/4" x 10 1/4"	Plexiglas
2	Spacers	1/2" x 2 7/8" x 8"	Plywood
2	Spacers	1/2" x 1 7/8" x 8"	Plywood
2	Spacers	1/2" x 7/8" x 8"	Plywood


Hardware: Four double-swing hinges, Woodcraft 800-225-1153 part #27G33 (\$3.75/pair). Edge tape, #123273 (\$14.99).

Plexiglas: Available at most large hardware stores (Home Quarters, Home Depot, Lowes, etc.).



### Are we on target?

To see more projects like this in future issues, circle "P3" on the postage-paid card in the Resource Directory.




Elevation

Arrows indicate the direction that the loose frame end/plexi front should slide.



## PHOTO SCREEN



**1 LAY OUT THE PANELS** • After crosscutting the panel to length, begin laying out the rip cuts by finding the center mark of the bookmatched veneer pattern. Lay out the center panel first and then the outer panels.

That said, there are many combinations for photo arrangement available for this screen. I simply made the one that worked best for me. Just add 1 1/4" to the picture size and you have your frame size using the moulding profile supplied in the diagrams.

This project will test your ability to make many small parts, but the payoff is worth it. I've found the best way around the tedium involved in repetitive operations is to challenge yourself to find the fastest way to do an individual operation and stick to it.

**STEP 1 Make the Screen** • Before cutting the panels out, let's talk about plywood selection. When you purchase the ply for this project, you want to make sure you get a nice sheet of material. Look for book-matched veneer panels with a pattern centered on the 4' x 8' sheet. Start by cutting out the parts according to the Schedule of Materials. Crosscut the sheet first then lay out the cuts for the panel rips.

**STEP 2 Edge Taping** • Lay out and cut the radiused corners on the outside panels and cut out the 6" radius semi-circles on the bottom of the panels. After cleaning up these cuts, apply heat-sensitive edge tape to all of the panels. File the edge tape flush and finish sand the panels to 220 grit.

**STEP 3 An Arc on Top** • The distinctive arced trim on top of the screen is simply a lamination of three pieces of thinner wood, cut at the panel joints and doweled in place on top of the screen. Begin making the arc by milling out blanks of maple and cherry a little larger than the size given in the Schedule of Materials. Lay out the arc using the method suggested in the caption. Cut the arcs out on the band saw and sand the edges. Finish sand to 220 grit and find a spot to do the laminating.



**2 EDGE TAPING** • The proper way to iron on edge taping is to heat the tape with a household iron (don't tell your spouse you're doing this) and apply pressure with a roller while the hot melt glue is still soft.

Start by making sure that your work surface is clean and flat. Mark the centers of each arc on its bottom edge. I used a fast-tack glue to laminate the arcs. This worked well because it has a short open time and you don't have to put a lot on the surface

to get a good joint. Apply glue and line up the three pieces with the center line flush on the bottom edge. Place the first clamp on the center with a backing strip of wood. Add more clamps as needed. Make sure to check the bottom edge for slippage and adjust accordingly. When the glue is dry, clean off the bottom edge and joint if necessary. Apply the 4" medallion to the front of the arc with glue and small nails.

On your work surface, place the panels together as they would be attached. Place the arc on the top edge and center it on the assembly. Mark where the joints are and follow them to the top edge of the arc. Using a hand-saw, cut the arc into three pieces. Clean up the sawn edges with a block plane and dowel the pieces into their respective panels. You can

glue these arc sections in or leave them loose. I left mine loose to make it easy to move the screen. Apply two coats of clear finish to all the panels and arc sections. Go ahead and rout the notches for the double-swinging hinges and attach them.

**STEP 4 Cutting Moulding** • After attaching the hinges, set the screen aside. Make the moulding according to the diagram. It takes about five 8' lengths to make all of the moulding. After sanding, apply two coats of clear finish to the moulding stock. Take the moulding that you made and begin cutting the frame parts as shown in the photo. After setting your chop saw to 45 degrees, make the first miter cut by trimming the end of a long piece of moulding with the top down and the rabbet against the fence. Then turn the moulding around with the rabbet facing you. Put the piece against your stop and make the second cut. Be careful and accurate. Your results will speak for themselves. Never


### WOOD WORDS (wood'wurds) n.

#### BOOK-MATCHED:


A method of arranging two consecutive slices of veneer, turning one over and laying them side by side, producing a mirror image, like the pages of a book.

**FAST-TACK:** Referring to glue that is a little thicker and has a shorter open time than other woodworking glues. In short, it gets stickier, faster. Sometimes called moulding glue.





**3 MAKE A RADIUS** • The easiest way to make this radius is to get a piece of butcher paper for layout. Lay down a center line and mark a square line at one end. Mark off the two radii from this mark as well as the two trim heights. Determine the bottom edge of the wood trim and set it on the appropriate trim height mark. Using tram-mel points, lay out the radius according to the diagram.



**5 NAILING A FRAME** • The object is to nail down three pieces with some of that fast-tack glue and leave the fourth side loose so it can slide out when the Plexiglas is attached. All of the loose sides on the panels should slide to the left or right. It doesn't matter which way, just that you can get past the double-swinging hinge barrel when you slide out the Plexi-frame end. The only exception was the top frame on the middle panel, which slides up.

get complacent in these repetitive operations and pay attention to where the sawblade is at all times. Safety first.

**STEP 5 Nailing the Frames** • After the frame pieces are cut, lay the screen on a flat, soft surface such as a piece of cardboard or a blanket. Begin laying out the frame locations according to the diagram. To make this easier, cut the spacers in the Schedule of Materials to locate the first two frame pieces in each frame. Attach the frames as shown in the photo.



**4 MITER THE MOULDING** • Setting your miter saw to the left will decrease kickbacks when making repetitive cuts. Screw a piece of plywood across the blade as a fence and cut through it with your saw set to 45 degrees. Measure from the inside of the miter cut to the left for the four different lengths. Cut the longest lengths first.



**6 MOUNT A PICTURE** • Take the fourth frame piece and attach it to the Plexiglas with cyanoacrylate glue while it is in place. Gently pull the frame piece and Plexiglas assembly out of the frame.

**STEP 6 Mount a Picture** • After mounting all the frames, it's time to attach the Plexiglas to the loose frame parts. Stand the screen upright for installing the Plexi. This lets the Plexi settle out in the frame. Check to make sure that the Plexiglas fits into the opening in the frame piece. Next, slide a piece of cardboard into the opening. Peel back the protective plastic that covers the front of the Plexiglas and insert it into the frame. Shim it out until it is pushed all the way forward in the frame. Mount as shown in the photo.

Finally, if you need to place a photo only, cut out a cardboard backer to fill the opening. If you have a matted photo, simply make sure that the matte fits the opening. **PW**





# Scrollsaw Silverware Basket


*Build an 18th century favorite using a brand-new scrollsaw technique: weaving.*





**Are we on target?**

To see more projects like this in future issues, circle "P5" on the postage-paid card in the Resource Directory.



**B**ACK IN THE 1700s, silverware trays were very popular, and many of the originals can be found today in antique shops. For some reason they fell out of favor, and I can't understand why. I made one for my wife years ago and she uses it every day when setting the table. It's also handy to carry plasticware for a picnic. In fact, I've had to make quite a few silverware trays for friends and relatives who've seen ours and want one. This silverware tray incorporates my new scrollsaw method that creates the illusion of a woven basket. This project will amaze your family and friends because they'll never believe you made it with a scrollsaw.

**STEP ONE:** Make full-size copies of the patterns located in the PullOut™ Plans. Choose a knot-free wood and sand the top and bottom with 120-grit sandpaper. This will save you some frustration at the end of the project. Attach the patterns to the wood using rubber cement or spray adhesive, both of which you can find at an office supply store. Apply the adhesive to the paper, not the wood.

**STEP TWO:** Carefully locate and drill the  $\frac{1}{32}$ " starter holes for odd levels one through seven and even levels two through six as shown on the plans. Now tilt your scrollsaw's table to  $10\frac{1}{2}$  degrees with the right side sloping down. This

By John Nelson. If you like this scrollsaw basket-weave project, you might want to write to Nelson Designs, P.O. Box 422, Dublin, NH 03444-0422 for information on purchasing other basket-weave plans or books.

is important, so double-check it. Make the first outside cut, cutting in a counter-clockwise direction using a #2 skip-tooth blade. Carefully make the remaining interior cuts for levels two through seven.

**STEP THREE:** Set your table back to zero and cut out the center section, including the heart-shaped handle. Note that the ends might need a little trimming. Cut the top piece and the base as shown (you might want to use a contrasting wood). Now cut 24  $\frac{3}{16}$ -diameter pegs to  $3\frac{5}{8}$ " lengths. Sand all the pieces with a fine-grit sandpaper to remove any burrs.

**STEP FOUR:** Stack levels one through seven on top of each other as shown in the diagram. Starting from the ends, slip the pegs into the open spaces. On the sides, start from the center and slip the remaining pegs in place. Do not force any pegs into place. If the pegs are tight, simply sand them until they fit snugly. Do not glue anything at this time.

**STEP FIVE:** If all is correct, the center section should slip into place and hold everything together. Put the center section in diagonally, turn it and then center it. Trim the ends if necessary. Apply a little glue to hold it in place. Slide the top in place and apply a little glue to hold it in place. Center the bottom on the basket and glue it in place.

**STEP SIX:** After the glue is dry, sand any remaining rough edges and apply two or three coats of a clear finish. Your silverware basket is ready for use. But watch out. Everyone will want one, once they see how handy it is. **PW**





# *18th-Century* **TAVERN TABLE**


*Built to take the abuse of bar patrons,  
this table is a sturdy addition to any home.*








Plan



Elevation

Rail length at  
top shoulder

Profile

Schedule of Materials: Tavern Table

No.	Letter	Item	Dimensions T W L	Material
1	A	Top	3/4" x 22 1/2" x 26"	Pine
4	B	Legs	2" x 2" x 29 1/2"	Pine
2	C	Long aprons	3/4" x 5 1/2" x 14 1/4"*	Pine
2	D	Short aprons	3/4" x 5 1/2" x 11 5/8"*	Pine
2	E	Long foot rails	3/4" x 3" x 18 1/4"*	Pine
2	F	Short foot rails	3/4" x 3" x 15 3/4"*	Pine

\* length includes tenons



**Are we on target?**


To see more projects like this in future issues, circle "P4" on the postage-paid card in the Resource Directory.

ONE OF THE MOST IMPORTANT INSTITUTIONS, both in Europe and colonial America, was the inn, or tavern. It was, and in Europe still is, the social center of the community. But it was more than just a gathering place. It was the place to get news, discuss politics, and hold town meetings. It was, of course, also the scene of hard drinking and rowdiness, and the furniture was built to withstand inevitable abuse. So tavern tables, in one form or another, have been around for centuries, but were at their height of popularity during the 18th and 19th centuries. Typically they had square, rectangular, round, octagonal or, in rare cases, oval tops, and three or four tapered, square or turned, splayed legs. Square legs didn't appear until after 1790; before that legs on these tables were all turned.


Antique oval tables were, and are, quite rare. This one is typical of those made in New England from 1700 until 1820. The turned legs are typical of the late Jacobean or early Queen Anne period. It's an elegant piece, unusual, and will definitely be a nice addition to your home. I sold mine for \$195 and received orders for more — not bad for a weekend's fun in the shop and less than \$20 in materials.

At first look, this seems a fairly simple piece, but there are one or two tricky areas that present something of a challenge.


*Blair Howard is a professional writer and woodworker. He is the author of Making Money Making Furniture, due out in 1999, and Building Classic Antique Furniture with Pine, available now; both are Popular Woodworking Books.*







**1 MAKE A PATTERN** • To make the pattern for the top, place the pencil inside the loop and draw the string tight. Now, keeping the string tight, push the pencil around the oval, which should finish roughly 26" x 22½".



**2 FINISH THE TOP** • Take your router and a flush trimming bit and trim the edge of the top true. Next replace the flush trimming bit with a ¾" roundover bit and round the top edge of the top. Sand the top smooth and set it aside.

But it's fun to build, incorporates the two basic elements of furniture construction — turning and joinery — and lets you use almost every tool in the shop.

The legs, apron and rails are joined together with mortise and tenon joints, and the top is attached to the base with cleats. The board for the top is constructed using three pieces of stock 8" wide with the annual rings alternated for stability. The legs are turned from blanks cut from 2" x 12" stock — if you don't have a lathe, you can substitute tapered square legs. I cut the mortises in the legs using a dedicated hollow chisel mortising machine; you can also use hand tools. The compound angles at the top of the legs and apron take a little figuring out, but you'll find instructions in the project steps. Start by milling all the pieces as laid out in the materials list. Then glue up the stock to make the top.

**STEP 1 Mark the Top** • From a piece of ¼" plywood 27" x 25," make a pattern for the top. First mark a line down the center of the length. Mark the middle of the center line, then measure out 6¼" to either side and mark both spots. Drive a small screw part way into each of the two spots, leaving the head proud by about ⅛". Now take a piece of thin string, double it in two, and make a loop 19¼" in diameter; it doesn't need to be exact, ⅛" either way won't matter. Next, take a pencil, lay the string around the two screws and make the pattern as shown in the above photo.

**STEP 2 Build the Top** • Use the pattern to mark an oval on the underside of the top and cut the oval ⅛" larger than the mark. With small screws, attach the plywood pattern to the un-

derside of the top, making sure there is excess material showing all around the oval. Finish the edge of the top with a router.

## WOOD WORDS (wood'wurds) n.

**Cyma:** A moulding that has a partly concave and partly convex shape, such as an ogee profile.

**Bead:** A small, rounded moulding.

**Cove:** A curved, hollow moulding profile.

**Proud:** If an item such as a screw is proud, it is raised above a flat surface.

**STEP 3 Turn the Legs Down** • Take one of the leg blanks, mark the top and lower square sections, and chuck it into your lathe. Use a large gouge and round the section between the squares and the section beyond the lower square. Mark for the beads, coves, and ball foot as laid out in the drawing and the PullOut™ Plans. Then turn to size and sand smooth. Repeat the process for the other three legs using the first leg as a reference and marking aid. Cut the mortises, ¾" deep and ⅜" wide,


in the legs (two left and two right) for the aprons and the rails. Mortise straight into the legs; you'll angle the tenons to fit.

**STEP 4 Angle the Aprons and Tenons** • Here's how to cut the angles on the ends of the aprons and rails: Set your table saw's miter gauge to 6 degrees off 90 and trim the ends.

Now cut the tenons. The tenons on the aprons measure ⅜" x ¾" x 4"; The tenons on the rails measure ⅜" x ¾" x 2". First mark the small shoulders at an angle of 6 degrees to accommodate the angle inside the mortise. Use your band saw to cut the small shoulders. Now finish cutting the tenons to size using your table saw and a tenoning jig.

**STEP 5 Angle the Aprons** • Now you need to cut an angle on the top edge of the aprons so they will fit flush to the table's top. First tilt the blade on your table saw to 6 degrees. Set your rip fence to 5½", lay the aprons flat on the table, outer side up, top edge toward the blade, and rip the edge to 6 degrees.







**3 LEFT OR RIGHT?** • If you use a mortise machine, you may find that cutting mortises for left and right-hand legs can be a little confusing. I use a piece of scrap stock screwed to the bed on my machine and mark the stop and start positions on it.

Now put a dado stack in your table saw and cut a  $\frac{3}{8}$ " x  $\frac{3}{8}$ " groove about  $\frac{3}{8}$ " down from the top of all four aprons to receive the cleats that hold the top on. The cleats are blocks made from  $\frac{3}{4}$ " scrap. Cut a  $\frac{3}{8}$ " x  $\frac{3}{8}$ " rabbet on one end. The rabbet will fit into the groove in the aprons and screw to the underside of the top. See the 3-D diagram to see how this works. Finally, cut the cyma curves on the aprons using your band saw.

**STEP 6 Trim the Legs** • Trim the top of each leg so the top of the under-structure will fit flush to the underside of the top. Dry-fit all the rails to the legs and lay the top on the structure; all should sit true. Disassemble all the pieces, sand every-



**5 ANGLES** • The ends of the rails that make up the apron are angled at 6 degrees to provide the correct splay of the legs, and the tenons themselves have to be angled upward at an angle of 6 degrees to fit the mortises.




**4 USE A JIG** • If you have a tenoning jig, set the backstop to 6 degrees off the vertical and cut the tenon's long shoulders. Do this first on a piece of scrap stock and test the tenon for fit in one of the mortises.

thing smooth, glue, reassemble the under-structure, clamp and leave overnight to cure. Don't attach the top yet.

## Finishing

I did a little light distressing — just a small ding or two — before staining. Then I applied a sealer coat of diluted shellac and left it overnight to cure.

Next, I lightly sanded the grain and applied four more coats of shellac at a three-pound cut and rubbed the surface smooth with 0000 steel wool. This gave the piece a rich, dark luster. Finally I attached the top and finished the whole thing with a couple of coats of beeswax buffed to a shine. **PW**



**6 TRIM TO FIT** • Make this small jig to hold your legs at a 45-degree angle. Set the table saw's blade to 90 degrees, set your miter gauge to 6 degrees off 90, and, using the jig, trim the top of each leg. Pay attention to which way the leg splays outward when making this cut.



# 3 PROJECTS!



## TURNING on a DIME

*Making small objects on a lathe is inexpensive and fun.*

THE ADVANTAGE of turning wood on a miniature lathe is that it can be done in much less space than a full-size turning. While the maximum size you can turn is more limited, there are still lots of projects you can make even with this limitation. A typical full-size lathe allows you to turn objects 12" to 16" in diameter and 36" to 44" long. Miniature lathes usually have a maximum of 3" - 6" in diameter and 12" to 18" long.

Miniature lathes can vary considerably from small, portable models, to larger models that are too heavy to be considered portable. Portability gives you

---

*Michel Theriault lives in Ottawa, Ontario, and is the author of Woodworking Projects With a Few Basic Tools (Sterling).*



the opportunity to carry your hobby with you when you go to the cottage for a vacation. If you have limited space and can't keep a lathe set up all the time, it can be stored away, then taken out and set up almost anywhere you want.

Miniature turning means different things to different people. To most, miniature turning is simply turning small projects. To the purist, miniature means turning to a scale of 1 inch = 1 foot, which is a common scale used for doll houses

and doll furniture.

The size of turning you plan to tackle will influence the tools you choose, because your tools need to be of a similar scale to the dimensions of your turnings. Turning gouges are available in different sizes, including full-size, miniature and micro-miniature. As well, some miniature turners make their own specialty turning tools themselves.

If you already have a full-size lathe and want to try miniature turning, don't despair. In fact, anything you do on a miniature lathe you can do on a full-size lathe, it's just a little more cumbersome. The only modification you might need is a shorter tool rest when you work between centers on a small piece. Your lathe's manufacturer might sell a short tool rest, or you can cut the ends off a regular one, or you can bring your existing tool rest to a machine shop and they can make one to your specifications. Beyond that, smaller accessories, such as drive centers, a small faceplate and smaller live tailstock centers will come in handy. For many projects, you might be able to get along with your existing turning tools. However for really small-scale turnings, such as the candlestick in this article, you will need to buy or make miniature turning tools.




# FORREST'S BUY ONE & SAVE - BUY MORE & SAVE MORE SALE THRU 3/31/99

Buy any sawblade or dado in this ad and save **10% off the sale price!** Buy additional sawblade(s) or dado(s) and save even more! **15%-20%!**  
 EVENINGS & WEEKENDS LEAVE MESSAGE **Call Forrest now for details — (800) 733-7111 or (973) 473-5236** NEW WEEKDAY HOURS 9 AM - 6 PM EST

## EXCLUSIVE! FREE OFFER

**\$22 Value!**

209 page (hardback) illustrated reference jam-packed with information on adhesives, fasteners, finishing, furniture design, safety, sharpening, suppliers, tools, wood and workshop math. This is the Complete Guide to the Art and Science of Working With Wood. *The Wood Working Handbook*, 300 Great Shop Tips or Forrest Logo cap FREE with any saw blade or Dado listed & purchased from this ad. You must mention you saw this offer in *Popular Woodworking* when ordering.



Published by Popular Woodworking  
Author — Tom Dugan

**Offer Expires March 31, 1999.**

**One book per order.**

**ORDER NOW — SUPPLIES ARE LIMITED.**

**FREE shipping thru 3/31/99 on new items** **FREE \$45 in sharpening coupons with each order placed by 3/31/99**

**Mention Popular Woodworking to receive discount and free coupons and free shipping**  
Coupons valid thru 12/31/00 and good on all makes of carbide blade and dado set sharpening.

### WOODWORKER II— 6" - 7 1/4" - 14"

With this one ALL PURPOSE blade you can RIP & CROSSCUT 1"-2" ROCKHARDS and SOFTWOODS resulting in a SMOOTH AS SANDED surface. PLY-VENEERS of OAK and BIRCH will crosscut with NO BOTTOM SPLINTER at moderate feed rates.

• DOUBLE HARD and 40% STRONGER C-4 CARBIDE	• Ends blade changing	• Ends scratchy saw cuts	• Ends second-step finishing	• Ends cutting 1/16" oversize to allow for RESURFACING	• BUY AND SHARPEN 1 BLADE INSTEAD OF 3
5/8" holes, boring thru 1-1/4" add \$7.50. Larger at Time Basis — Shipping \$4.50					
WOODWORKER II	LIST	SALE	10%	20%	
14" X40TX1"	\$215	\$149	\$134	\$119	
14" X30TX1"	\$195	\$139	\$125	\$111	
12" X40TX1"	\$183	\$129	\$116	\$103	
12" X30TX1"	\$162	\$119	\$107	\$95	
10" X40TX1 8" or 3/32"	\$156	\$119	\$107	\$95	
30T 1/8" or 3/32"	\$135	\$99	\$89	\$79	
9" X40T	\$146	\$109	\$98	\$87	
30T	\$125	\$99	\$89	\$79	
* 8-1/4" X40TX 3/32"	\$136	\$99	\$89	\$79	
8" X40T 3/32"	\$136	\$99	\$89	\$79	
30T	\$115	\$89	\$80	\$71	
7-1/4" X30T 3/32"	\$112	\$89	\$62	\$55	
** 6" X40T 3/32"	\$136	\$89	\$80	\$71	

**\*NEW for Sears & Makita Table Saws \*\*New For Saw Boss**

**In Stock Blades made for Special Uses:**

- Gang Saws • Panel & Scorer • Picture Frames (Miter-Master)
  - Solid Surface • Thin Rim • Plastic/Acrylic (No-Melt)
- Also made to order Blades available within 3 weeks, at competitive prices!*

**THE ONE BLADE THAT LEAVES A SMOOTH-AS-SANDED SURFACE!**

**SAVE ANOTHER \$45 to \$90**  
 AFTER USING 9 \$5 SHARPENING COUPONS. USE 1 PER BLADE OR DADO.


### WOODWORKER I - CROSSCUT — 7 1/4" - 14"

**For TABLE and RADIAL SAW — 10% to 20%**

NON-SPLINTERING PLYS	LIST	SALE
14" X60TX1"	\$224	\$159
12" X60TX1" or 5/8" 1/8" K	\$198	\$139
10" X60TX5/8" 3/32" K	\$162	\$129
8-1/4" X60T	\$150	\$109
8" X60T	\$150	\$109
7-1/4" X60T	\$150	\$109

**OTHER SIZES AVAILABLE — 7 1/4" - 14"**

Standard C-2 Carbide (below, left) and FORREST still sharp Oxidation and Corrosion Resistant Sub-Micron C-4 Carbide (below, right). Each shown after cutting 3,500 feet of MDF. Similar results obtained cutting particle board, melamine, and plywood.



**STILL SHARP AFTER 3,500 FEET OF CUTTING!**

### DURALINE HI-A/T FOR TABLE & RADIAL SAWS

**5/8" HOLES. Boring up to 1-1/4" \$7.50 extra.**  
 Larger holes-time basis. Shipping \$4.50.  
 Faster feed rates & absolute splinter control. Stops splintering on OAK/BIRCH PLY VENEERS & MELAMINE

SIZES AVAILABLE	LIST	SALE	SIZES AVAILABLE	LIST	SALE
7-1/4" x 60T x 3/32" K	\$149	\$129	300mm x 100T x 1/8" x 30mm	---	\$197
8" x 80T x 1/8" & 3/32" K	\$202	\$169	12" x 100T x 1-1/8" K	\$253	\$215
220mm x 80T x 1/8" x 30mm	---	\$167	14" x 80T x 1"	\$232	\$197
9" x 80T x 1/8" & 3/32" K	\$207	\$179	14" x 100T x 1"	\$266	\$226
10" x 80T x 1/8" & 3/32" K	\$207	\$159	16" x 80T x 1"	\$262	\$223
12" x 80T x 1-1/8" K	\$212	\$181	16" x 100T x 1"	\$294	\$243

**SPECIAL COMBO SALE EXTRA 10%-20% OFF**

**CARBIDE IS THE HARDEST OF THE C-4 GRADES AND 40% STRONGER, NOT WEAKER! FOR 50% TO 300% LONGER LIFE.**

**WE RECOMMEND OUR FACTORY SHARPENING** as some local sharpening creates problems with MICRO-CHIPPED EDGES reducing blade life & cutting quality.  
**2-4 DAYS ON THESE AND ALL MAKES OF FLAT FACE & CONCAVE CARBIDE TIP SAWS.** Ship via UPS. Typical 10x40T \$17.00, 60T \$19.00. Add return UPS \$5.00, \$1.00 each additional blade.

**FOR SPECIAL PRICE COUPONS MENTION POPULAR WOODWORKING.**

**PHONE TOLL FREE! 1 (800) 733-7111 (In NJ: 973-473-5236) FAX: 973-471-3333**

Fine American saw making & sharpening since 1946.

**DEALER INQUIRIES WELCOME**

**Quality is why we're different!**

**FORREST**

**(800) 733-7111 or (973) 473-5236**

**BUSINESS OPEN ACCOUNTS AVAILABLE**



**FL, NJ, NY Residents Please Add Sales Tax**  
**Shipping Charges with book:**  
 Sawblades \$9; Dado \$10; Stiffener \$2  
**SATISFACTION GUARANTEED OR FULL CASH REFUND.**

**\$21 VALUE** **FREE 10" ORANGE PLASTIC BLADE RUNNER-CARRIER!**  
 SHIPPED WITH 6", 8" & 10" DADO SETS.  
 HOLDS UP TO 10 BLADES, 5 PER SIDE ON CENTER BOLT OR DADOS.

### DELUXE DADO-KING!

**AS LOW AS \$184 NET**

**AFTER USING SHARPENING COUPONS**

**WORLD'S NO. 1 DADO - NO CHIP ON PLYS & MELAMINE**



C-4 Carbide Tips — 4 on each chipper with special negative face hooks. Shims & 3/32" Chipper. Cuts 1/8" to 29/32" wide!!

	LIST	SALE	10%	15%
6" D. 5/8" Bore NEW	\$299	\$269	\$242	\$229
8" D. 5/8" Bore	\$321	\$289	\$260	\$245
10" D. 5/8" & 1" Bore	\$389	\$349	\$314	\$297
12" D. 1" Bore	\$499	\$449	\$404	\$382

(Bore up to 1-1/4" Add \$25 — Plus \$5.50 S&H)

## CUTTING PROBLEMS?

**Call the factory for FREE technical help!!**

**1-800-733-7111**

**973-473-5236**

## FLASH NEWS!!

**OUR \$79 - \$89 30T & 40T OUTPERFORMED (E-EXCELLENT) 23 other 40T & 50T premium blades both foreign & domestic on Ply, Melamine, MDF and Oak/Rip!**

Editors' Choice and Top Rating over 18 competing combo saw blades!  
 "The 10" x 40T earns our Editors' Choice award for the best performance, regardless of price."  
 The 10" x 40T produced super-smooth ripped edges in 3/4 in. pine and oak, with absolutely no saw marks visible to the eye...we also got excellent crosscuts, surpassed only by an 80-tooth dedicated crosscut blade."  
 See *American Woodworker* April 1998, pp. 64-69.

### BLADE DAMPENERS-STIFFENERS

**FOR BETTER CUTS** on all brands of blades, use our large 1/8" DAMPENERS-STIFFENERS against one side.

4" .....	\$21
5" .....	\$24
6" .....	\$25


**7" AND LARGER AVAILABLE REDUCES NOISE 50%-75%**



# 1 Pocket Mirror



Diagram



Enlarged profile of mirror holder

For actual size, set copier to 50 percent, then reduce again at 66 percent.

This simple project uses a special round mirror with a bevel. However many glass shops can cut a mirror to your specifications and polish or bevel the edge—for an extra charge.

Based on the diameter of your mirror insert, decide on the outside diameter of your pocket mirror. In our case, the insert was 2" so we made the pocket mirror 2<sup>5</sup>/<sub>8</sub>" in diameter. Cut out a 1/2"- to 3/4"-thick blank to the diameter you need plus 1/2" on your band saw.

Attach the blank to the faceplate with double-sided tape. If you don't have a faceplate that is at least 1" smaller in diameter than the finished pocket mirror, use a block of wood between the larger faceplate and the blank you turn your mirror from. This will let you turn the edge easily.

Establish the diameter of the mirror insert. Position the tool rest close to the face of the blank, slightly under center. To make the pocket in which the insert will go, use a parting tool and cut in close to the diameter of the insert, turn off the lathe and check the size. Restart the lathe and expand the diameter if it is too small, stopping to check periodically. The idea is to sneak up on the exact size you need.

Once this is done, you can take out the waste on the inside of the pocket to the correct depth, either with your parting tool, gouge or scraper.

## Make Your Own Miniature Turning Tools

While it is hard to beat quality manufactured miniature turning tools, if you want to make very small turnings, such as the candlestick, you might need to make your own tools. One simple way is with a concrete nail (head removed) inserted in a small handle, such as the screwdriver handle shown. Then grind the end of the nail to the desired shape.



### COMPARISON OF TURNING TOOLS

TOP: Standard 1/4" spindle gouge, 16" long.

MIDDLE: Miniature Robert Sorby 1/8" spindle gouge, 10 1/2" long.

BOTTOM: Homemade miniature gouge, 5" long.

With the pocket established, turn the edge of the mirror by repositioning the tool rest and using a spindle gouge. Keep in mind that the mirror will be hand-held, so make the edges smoothly curved. Add any decorative elements such as grooves or beads, as desired.

Remove the tool rest and carefully sand the mirror blank with sandpaper folded in your hand. Gently pry the blank off the faceplate, remove the doubled-sided tape and sand the back by hand.

Apply a finish to the hand mirror and when dry, glue the mirror insert in place.



# FREE CATALOG

## Your Complete Source For Clockmaking Supplies!

Our New Spring Catalog is packed with clock movements, plans, kits, accessories, and more for woodworkers of every skill level. Your beautiful handcrafted clock is destined to become a treasured family heirloom.



### Look for NEW PRODUCTS like:

- The Hot Radio Controlled Movement
- Intarsia Kits and Plans
- Mini Clock Kits
- And Lots More!

Call now for your **FREE CATALOG!**

**1-800-556-2548**

Dept. PW29

<http://www.klockit.com>



**KLOCKIT®**

## Introducing...



*The newsletter that wants to save you money!*

- Easy-to-build projects designed for all skill levels
- Columns on different woodworking joints, with tips on construction and jigs
- **S.O.S.** - Subscriber Only Savings on plans and tools
- Business column—ideas to help manage your craft or woodworking business

Request your free issue of *Out of the Woodwork* for your review & receive your free Scrap Lumber Storage plan when you subscribe worth \$10.95.

**Call Today for a Free Catalog of Plans or to Reserve Your FREE Trial Issue of the Newsletter!**



Dept. PW8-4, P.O. Box 345 • Red Hook, NY 12571-0345

## 2 NEW Sets of PLANS

### Deluxe Router Table

Plan No. 71007  
Price: \$14.95



*Router can be installed in vertical or horizontal position*



**Cedar Lined**

### Curved Top Chest

Plan No. 31012  
Price: \$14.95

NY Residents add 7 1/4% • FREE shipping on orders over \$20 (under \$20 • Please add \$2 S&H) • MasterCard • VISA • Check • Money Order  
Outside U.S.A.—Please call for current shipping charges

# 800-323-0347

Visit our website at [www.square1wp.com](http://www.square1wp.com)

Circle #111 on Resource Directory Coupon

Circle #138 on Resource Directory Coupon

**POWERMATIC®**

## 64A Artisan Table Saw



**Our 10" Artisan table saw tilts the right way... to the left!**

This dramatically reduces the potential for binding or kickback. Add to this the exclusive Powermatic Accu-Fence®, and you have one of the best table saw packages money can buy!

**\$749<sup>00</sup>**

at participating dealers

- Left tilt
- Accu-Fence® system with 50" or 30" rails
- 1-1/2 HP motor
- Solid cast iron extension wings
- 40-tooth 10" carbide tipped blade
- Metal blade guard and splitter
- Efficient 3VX belt drive
- Easy access push button switch with safety key
- T-slot miter gauge
- Table and dado inserts
- Stand
- 4" dust collection shroud



Shown with optional Mobile Base and 471 Dust Collector



Call 1-800-248-0144 for your nearest dealer


E-mail: [powermatic@worldnet.att.net](mailto:powermatic@worldnet.att.net)

Web page: <http://www.powermatic.com>

Circle #140 on Resource Directory Coupon



# 2 Perfume Vial



To begin this project, mount the blank between centers and rough out the blank to the required diameter. When satisfied with the diameter, make a parting cut  $\frac{1}{4}$ " deep where the top and bottom will eventually be separated.

Carefully turn the shape of the bottom, leaving a  $\frac{1}{4}$ "-long tenon at the headstock end. Once the shape is completed, turn the top, also leaving a  $\frac{1}{4}$ " tenon, this time at the tailstock end. These tenons will be used to re-mount the parts and allow you to drill out the insides to hold the perfume bottle.

Using the parting tool, part the top and bottom in two. Screw a piece of  $\frac{3}{4}$ " scrap wood to a small faceplate and turn a pocket  $\frac{3}{8}$ " deep and slightly less than the diameter of the tenon on the bottom part. Carefully make the pocket larger in diameter until the tenon fits snugly in the pocket.

Apply cyanoacrylate to the tenon and press it into the pocket, making sure it is

fully seated and centered. Once the glue is dry, start up the lathe and lightly turn the blank so that it is perfectly true. Sand the blank with progressively finer grits, ending with 320.

Using a Forstner bit to suit the diameter of your vial, mount it in a chuck in the tailstock. Run the lathe at its lowest possible speed (under 500 rpm) and carefully bore into the bottom piece deep enough to accommodate the vial. Stop frequently and withdraw the drill bit to avoid overheating.

When the required depth is reached, part the piece off the auxiliary faceplate and repeat the entire process with the top.

You can apply the finish while the

turning is still on the lathe, or after it has been removed, depending on your own preference. In this case, several coats of an oil finish were applied after the turning was removed from the lathe.

Glue the top of the vial into the top piece you just turned. You can glue the glass vial into the bottom piece, or leave it removable, depending on your preference.



After the top is complete, the blank will be parted in two and each half will be remounted to bore the hole for the glass vial.



Turning a pocket in the wooden auxiliary faceplate to accept the tenon on the end of the perfume vial blank.



Boring the hole for the glass vial using a Forstner bit chucked in the tail stock.



Visit your local  
Ni-Cd battery  
recycling center:

in the US

**ACE**  
Hardware

**BLACK &  
DECKER**

**TARGET**

**WAL\*MART**

in Canada



**Zellers**



# You know the drill, **RECYCLE**

Now you can recycle the used  
**Ni-Cd rechargeable batteries**  
from your power tools

After all the sanding, drilling, and sawing is done, it's time to check your batteries – because sooner or later your Ni-Cd rechargeable batteries will no longer hold their charge. But please, don't throw them away. Recycle them! Just like plastic, glass, aluminum or old newspapers.

Just look for the recycling seal on your battery packs. If the seal is on it, we recycle it! Take your spent Ni-Cd rechargeables to any of the stores listed or call **1-800-8-BATTERY** for the location of a store near you. You will make a huge difference in preserving our environment. Thank you.

Rechargeable Battery Recycling Corporation (RBRC) is a non-profit, public service organization whose mission is to be the international leader in the environmentally-safe collection, transportation and recycling of rechargeable batteries. Nickel-Cadmium (Ni-Cd) rechargeable batteries can be found in power tools, cordless and cellular phones, camcorders and remote control toys. Any of the following stores also recycle Ni-Cd rechargeable batteries: in the US—Ameritech, Batteries Plus, BellSouth Cellular, Car Phone Store, Circuit City and RadioShack; in Canada—Astral Photo Images, Battery Plus, Black's Photography, Authorized Motorola Dealers and RadioShack Canada.

Circle #136 on Resource Directory Coupon


International RBRC  
Spokesperson Richard  
Kern, "Al" on TV's  
Home Improvement



# Candlestick



Diagram



Enlargement of candlestick

For actual size, set copier to 50 percent, then reduce again at 66 percent.

A true miniature, this project represents a 15"-tall candlestick in real life, and is an excellent accessory for a doll house.

To begin, screw an auxiliary wood-faceplate to a 2" faceplate. Bore a  $\frac{1}{4}$ "-deep x  $\frac{3}{8}$ "-diameter hole in the center of the auxiliary faceplate while it is turning, and glue a  $1\frac{3}{4}$ "-long  $\frac{3}{8}$ " hardwood dowel in place. When dry, move the tailstock with a live center against the end for extra support.

Use the illustration and mark the major transitions, such as between the candle and the candlestick holder, as well as the curves on the candlestick holder. These marks will guide you as you turn the candlestick. The turning speed should be high, near 2000rpm, or whatever you are comfortable with.

Using miniature tools, either store-bought, or homemade (see "Make Your Own Miniature Turning Tools"), begin to shape the candlestick holder first, taking light cuts. Compare your profile regularly with the drawing and carefully measure the diameters. While you don't need to get the profile or the diameters exact, it needs to be well-proportioned.

After finishing the candlestick holder, begin working on the candlestick itself, taking light cuts and supporting the back side of the candlestick with your fingers to prevent the thin piece from deflecting under the pressure from your turning tools. Don't finish the wick yet, because you still need the support of the tailstock.

With a small piece of folded #320

sandpaper, carefully sand the turning, supporting it with your finger while sanding. Be careful not to sand off any detail.

When you are satisfied with the sanding, finish off the wick. Be prepared for the small waste piece at the tailstock to

come off. When it does, back off the tailstock, carefully sand the tip of the candle, and part the candlestick off at the base. Because this turning was quite delicate, an oil finish was carefully applied after it was removed from the lathe. **PW**

## SOURCES

### MINIATURE LATHES

- Carba-tec mini wood lathe at Craft Supplies USA and Woodcraft
- Taig Micro Lathe II Model 4500 for woodworking at Lee Valley Tools
- Klein Lathe at Woodcraft and Garrett Wade
- Jet Mini-Lathe (JML-1014) at woodworking and home stores
- Vicmarc VL 100 at Craft Supplies USA
- Ryobi ML618
- Comet Mini Lathe at Craft Supplies USA
- Grizzly Model G5967 mini lathe from Grizzly Industrial

### MAIL ORDER SOURCES FOR MINIATURE TURNING SUPPLIES AND EQUIPMENT

- Woodcraft  
210 Wood County Industrial Park  
P.O. Box 1686  
Parkersburg, WV 26102-1686  
800-225-1153
- Garrett Wade  
161 Avenue of the Americas  
New York, NY 10013  
800-221-2942
- Penn State  
Penn State Industries  
Department 962  
2850 Comly Road  
Philadelphia, PA 19154  
800-377-7297
- Craft Supplies USA  
1287 E. 1120 S.  
Provo, UT 84606  
800-551-8876
- Lee Valley Tools  
P.O. Box 6295, Station J  
Ottawa, Ontario K2A 1T4  
800-871-8158
- Grizzly Industrial  
East of the Mississippi  
800-523-4777  
West of the Mississippi  
800-541-5537

Double-sided tape available from Woodcraft. 2" width, item # 15026.




# The Joy of Sanding

**Right!?** Who would believe a job as tedious and dusty as sanding could be a joy?

Thousands of Performax owners do. With their Performax® drum sander... no more sawdust in their faces, no more high and low spots on their finished pieces.

Imagine the satisfaction of sanding a wide surface (up to 32") to within .010" uniform thickness across its full width. Or sanding stock as short as 2 1/4" without a carrier board or scuffed up fingers. Fantasize sanding to as smooth a surface as you wish without any elbow grease.

Proudly Made in the USA



16-32® PLUS  
with  
INFEED & OUTFEED  
TABLES  
and  
NEW  
METAL STAND

**PERFORMAX**  
PRODUCTS, INC. X

12257 Nicollet Ave. So.  
Burnsville, MN 55337


1-800-334-4910 Fax (612) 895-5485

Make your  
woodworking the  
pleasure it was  
meant to be.  
Call us today for  
a free brochure  
and the dealer  
nearest you.


**NEW - READY-TO-WRAP ABRASIVES**

Circle #133 on Resource Directory Coupon

## FREE CATALOG



"Don't Give Up!  
Quality counts and  
you deserve your  
money's worth."



**ORDER ON THE WEB:**  
Open **24** hours a day **7** days  
a week, **365** days a year.  
[www.pricecutter.com](http://www.pricecutter.com)

**PRICE CUTTER™**

**CARBIDE ROUTER BITS  
AND A WHOLE LOT MORE**


**CALL** for your new expanded '99 Catalog  
High Quality...Lowest Prices Guaranteed

**1-888-288-2487**

**24 HOURS, EVERY DAY**

Circle #115 on Resource Directory Coupon

PW 2-99



## Let's Clear the Air...

### Introducing The New Model 750

### Simply The Best!

- **Variable Speed Control**  
(200 CFM to 750 CFM  
Filtered Air)
- **Two Speed On/Off**  
Pull Chain
- **Ultra Quiet**
- **95% ASHRAE**  
Tested Main Filter
- **Lifetime Warranty**
- **30 Day**  
Money Back  
Guaranty

The National Institute for Occupational Safety and Health (NIOSH) recommends limiting wood dust exposures. The JDS Air-Tech 2000 will dramatically improve the quality of the air you breathe. Our new model 750 variable speed allows you to dial in your desired air flow, from a whisper quiet 200 cfm to an ultra performance 750 cfm. This will clean the air in a 30'x30'x8' shop every ten minutes. For larger areas our models 8-12 and 10-16 are available. The JDS systems will remove 99% of particles as small as five microns and 80% of particles as small as one micron. For the removal of odors, fumes and smoke, our optional charcoal filter is available. To place an order or for the dealer nearest you call us toll-free.

**\$259.00**  
Model 750

Another quality product from  
Manufactured in the U.S.A.

**JDS**  
COMPANY

1-800-382-2637



\*Better Homes and Gardens®  
WOOD® Magazine (Nov. '95)

**JDS AIR-TECH 2000™**

Circle #114 on Resource Directory Coupon



**100% SATISFACTION GUARANTEED!**  
**\*FREE SHIPPING!**  
**FOR ALL ITEMS SHOWN BELOW!**

# HARBOR FREIGHT TOOLS

ORDER FROM OUR WEB SITE  
**FOR EXTRA SAVINGS!**  
<http://www.harborfreight.com>

**DELTA**  
 Delta 36-220

**LIMITED QUANTITIES**

## 10" COMPOUND MITER SAW

2-1/2 HP, 15 amp motor. D-handle with trigger switch for positive control. Electric brake automatically stops blade in seconds. Includes 10" blade with 5/8" arbor, and retractable blade guard. Dust collection ready.

- Blade speed: 4900 RPM @ no-load
- Capacities: 2-3/4" x 4-1/8" 45° right & left miter; 1-3/4" x 5-3/4" 45° left bevel; 1-3/4" x 4-1/8" 45° x 45° compound
- Table diameter: 10-1/2"
- Tool weight: 60 lbs.
- Factory reconditioned, factory perfect

ITEM 06125-4EKA

**\$149<sup>99</sup>**

**CHICAGO**  
 Electric Power Tools

## TRIM ROUTER

Now you can tackle those jobs that were too fine or exacting for a standard router. This compact router weighs only 4 lbs. for easy operation. Includes a straight and adjusting conductor to assist in trimming and engraving in both straight and circular patterns.

- 1/4" collet
- 8-1/2" overall length
- 110V, 3-1/4 maximum amp draw
- 30,000 RPM no load speed
- 4 lbs. tool weight

ITEM 33833-6EKA

**\$45<sup>99</sup> \$36<sup>99</sup>**

**CENTRAL PNEUMATIC**

**SAVES PAINT AND THE ENVIRONMENT**

## INDUSTRIAL HVLP SPRAY GUN

Get better adhesion than standard sprayers and save over 40% in paint/material costs. Maintains 75% transfer efficiency and reduces working pressure to 10 PSI. 1 quart cup; 1/4" NPT; PSI: 50 to 70; CFM: 9.5 @ 50 PSI

**\$74<sup>99</sup> \$49<sup>99</sup>**

ITEM 07901-8EKA

## 1/4" x 25 FT. COIL SELF STORING AIR HOSE

- Abrasion and corrosion resistant
- 1/4" NPT

ITEM 00829-1EKA

**\$4<sup>99</sup>**

**SKIL**  
 RASK

## RADIAL ARM SAW KIT

The performance of a radial saw at a fraction of the cost. Award-winning patented design features easy setup with most 7-1/4" and 7-1/2" circular saws. Makes fast accurate bevels, rips, miters, and crosscuts. Ruggedly built and completely portable.

- Saw and table wood not included
- Maximum miter & bevel: 45°
- Crosscut: 12-3/4"; Length: 24"
- Rip capacity: 15-3/4"; Height: 22"
- Weight: 23 lbs.

ITEM 33576-1EKA

**\$59<sup>99</sup> \$49<sup>99</sup>**

**Pittsburgh**

**LIFETIME WARRANTY**

**SAVE UP TO 50%**

## BAR CLAMPS

Multiple clutch plates permit instant adjustment. Simply depress plates to slide handle against workpiece. Includes heat-treated steel bars with cast iron jaws, plated steel screws, and hardwood handles.

- All clamps have 3/4" pads and throat depth of 2-3/4"

LENGTH	ITEM	PRICE
6"	34387-4EKA	<b>\$1<sup>99</sup></b>
12"	05975-2EKA	<b>\$2<sup>49</sup></b>
18"	31264-2EKA	<b>\$2<sup>99</sup></b>
24"	05976-3EKA	<b>\$3<sup>49</sup></b>
30"	34389-5EKA	<b>\$3<sup>99</sup></b>
36"	34388-5EKA	<b>\$4<sup>49</sup></b>

**WE CARRY OVER 4000 ITEMS!**  
**CALL TODAY FOR A FREE CATALOG SUBSCRIPTION!**

**DELTA**  
 Delta 22-540

## 12" PORTABLE PLANER

- Long lasting high speed steel, reversible, double edged knives
- Precise thickness scale conveniently located for easy reference
- Four precision ground columns to effortlessly raise and lower cutter head
- Includes removable table extensions, and fold away depth adjustment for easy transport
- Convenient carrying handles
- Factory reconditioned, factory perfect
- 26.2 FPM feed rate; Motor: 15 amp, 120V; Table size with extensions: 12-1/8" x 26"; Capacities: 12" width, 6" thick, 3/16" depth of cut; 8000 RPM, 16,000 CPM; 27-1/4" x 20-1/2" x 15" overall dimensions; 68 lbs. net weight

ITEM 06177-6EKA

**\$269<sup>99</sup>**

**NEW PLANER**

ITEM 00258-6EKA

**\$299<sup>99</sup>**

**PLANER BLADES**

ITEM 33075-3EKA

**\$29<sup>99</sup>**

**SKIL**  
 LIMITED QUANTITIES

## CLASSIC SERIES 7-1/4" CIRCULAR SAW

- Powerful 2-1/3 HP motor; 120V AC/DC, 10 amps • High torque, 4600 RPM
- 2-7/16" maximum cut @ 90°;
- 1-5/16" maximum cut at 45°
- Includes SKIL EDGE 18 tooth carbide blade

**\$54<sup>99</sup> \$49<sup>99</sup>**

ITEM 01487-0EKA

## 7-1/4" CIRCULAR SAW

Maximum cut @ 90° 2-7/16"; @ 45° 1-5/16"; 10 amps, 2-1/3 HP, 4600 RPM; Factory reconditioned, factory perfect

**\$34<sup>99</sup> \$29<sup>99</sup>**

ITEM 06188-4EKA

**CENTRAL MACHINERY**

**EVEN TURNS BOWLS**

## 14" x 40" WOOD LATHE

Create beautifully turned pieces of furniture with this four speed lathe. Comes with chuck plate. Mount on your workbench.

Motor: 1/2 HP, 110V, 60 Hz, 5 amps; Swing over bed: 14"; Speed: 3010 RPM; Distance between center: 40"; Drive: V-belt; Overall size: 56-1/2" x 8-1/4" x 12-3/4"; Tool weight: 88 lbs.

**\$129<sup>99</sup> \$99<sup>99</sup>**

ITEM 38515-1EKA

**CENTRAL MACHINERY**

**25" RIP CAPACITY**

## 10" INDUSTRIAL TABLE SAW

Die cast aluminum table 26" x 16" has adjustable 17-7/8" x 2" rip fence. Anti-kickback fingers and see-through blade guard for safety.

- Maximum depth of cut @ 90°: 3-1/8"; @ 45°: 2-1/2" • Shipping wt.: 36 lbs.
- Miter gauge adjusts 0° - 60° left & right
- Motor: 2HP, 115V, 60 Hz, 10 amp, 4500 RPM • Blade sold separately

ITEM 38533-1EKA

**\$79<sup>99</sup>**

## 10" 40 TOOTH CARBIDE TIP SAW BLADE

Resharpenable precision ground tips; 5/8" arbor

ITEM 00529-4EKA

**\$9<sup>99</sup>**

**CENTRAL MACHINERY**

## MORTISING MACHINE

Make a square hole in the fraction of the time it takes by hand! Easier layout for professional mortise and tenon joints in furniture, cabinets, and restoration projects. Fence with hold down clamp keep workpieces from lifting off the table. Large capacity - up to 5" maximum height. Includes fence, workpiece clamp, and 1/4", 3/8", and 1/2" mortising chisels and bits. 10-7/8" x 7-3/4" base; 13-3/8" x 6" table; 3580 RPM spindle speed; 5" throat; 5" maximum workpiece height; Accepts .745" chisel shanks; 1/2 HP, 110V, 2.3 amps; 60 lbs. shipping weight

ITEM 35570-5EKA

**\$149<sup>99</sup>**

**CENTRAL MACHINERY**

**INCLUDES STAND**

## 6" INDUSTRIAL RABBETING JOINTER

- Infeed table size: 22-1/2"
- Outfeed table size: 19-1/2"
- Motor: 1 HP, 110V, 4 amp, 4900 to 5900 RPM cutter head speed
- Maximum depth of cut: 3/8"

ITEM 30289-4EKA

**\$199<sup>99</sup>**

## REPLACEMENT BLADE SET

ITEM 38268-0EKA

**\$9<sup>99</sup>**

\* Within the 48 States / \$3.95 handling on all orders. No per item shipping and handling charge.

Call To Order or Ask for Free Catalog:  
 Order 24 Hours a Day/7 Days a Week  
 Most Phone Orders Shipped in 48 Hours



FAX TOLL FREE: 1-800-905-5220

**1-800-423-2567**

**CHARGE IT!**



Or Send Check or Money Order to: Harbor Freight Tools, 3491 Mission Oaks Blvd. Box 6010, Camarillo, CA 93011



# FREE SHIPPING!

FOR ALL ITEMS SHOWN ON THESE TWO PAGES!

LOW PRICE GUARANTEE! • PRICES EFFECTIVE THRU 9-1-99

WE'LL BEAT ANY COMPETITOR'S PRICE ON ANY IDENTICAL ITEM - EVEN IF IT'S AN ADVERTISED SPECIAL

ORDER FROM OUR  
WEB SITE  
FOR EXTRA SAVINGS!

<http://www.harborfreight.com>

**RYOBI**

Ryobi  
R160K

LIMITED  
QUANTITIES

## 1-1/2 HP ROUTER

- 25,000 RPM
- 8 amps @ 120V
- All ball bearing motor
- 1/4" collet
- Includes spindle lock and wrench storage
- Factory reconditioned, factory perfect

ITEM  
51782-2EKA

**\$45<sup>99</sup>**

## 5 PC. STRAIGHT ROUTER BIT SET

- Carbide tips
- 1/4" shanks
- Includes: 1/4", 3/8", 1/2", 5/8" and 3/4" straight bits (2 flutes)

ITEM 38357-1EKA

**\$9<sup>99</sup>**

**Pittsburgh**

LIFETIME  
WARRANTY

## 2 PC. 3/4" HEAVY DUTY PIPE CLAMP

Constructed from heat-treated cast iron, these durable clamps keep your work rock steady. Just screw the handle side onto a 3/4" threaded pipe and slide the spring loaded end on. You're ready to go! Pipe not included.

- Handle screw operating range: 2-1/8"
- 1-1/2" throat depth
- Weight: 2-7/16 lbs.

ITEM  
31255-1EKA

**\$3<sup>99</sup>**

## 1/2" PIPE CLAMP

- 1-1/2" throat depth
- Weight: 1-4/5 lbs.

ITEM  
37056-2EKA

**\$2<sup>99</sup>**

**CHICAGO**  
Electric Power Tools

## VARIABLE SPEED RECIPROCATING SAW

- Gear driven, variable speed
- 1-1/4" stroke
- 3.6 amps
- 600 Watts
- All ball bearing
- 300 SPM to 2400 SPM
- 110V, 60 Hz, single phase
- Overall length: 17"
- Tool weight: 7-1/4 lbs.

ITEM  
36595-6EKA

**\$59<sup>99</sup>**

## RECIPROCATING SAW BLADES

Grab bag selection of saw blades for your reciprocating saw. Contents vary for each package.

ITEM 36340-4EKA

LIMITED  
QUANTITIES

**\$1<sup>99</sup>**

CENTRAL MACHINERY



## DOVETAIL MACHINE

Just place stock and pull the cam handles to positively lock material in place. Allows cutting tails, pins, half blind, and standard dovetails. Accepts stock up to 12" wide and 1-1/4" thick. Includes 1/2" template.

ITEM  
34102-8EKA

**\$39<sup>99</sup>**

FINEST HARDWOOD



## SOLID HARDWOOD WORKBENCH

Includes large flush mounted vises. Twin rows of 10 bench dog holes hold just about any project. Tools shown sold separately.

- 2 vises: 13"W x 1-1/4"D x 7-1/2"L max.
- Trough: 47-3/8"L x 5-1/2"W x 2-3/4"D
- Overall: 55"L x 25"W x 32-3/4"H
- Work area: 49-1/4" x 13-1/2"
- 20 bench dog holes
- Weight: 64 lbs.

**\$129<sup>99</sup>**

ITEM 01635-0EKA

**\$99<sup>99</sup>**

CENTRAL MACHINERY

## 16" SCROLL SAW

- Precision milled 14-1/2" x 8" cast aluminum table tilts 0° to 45° left
- Uses pin end blades, 5-1/2" long
- Heavy duty cast iron frame and base reduce vibration
- 1/8 HP, 110V, .83 amps
- 1750 SPM blade speed
- 7/8" blade stroke
- Single speed

ITEM  
37908-2EKA

**\$49<sup>99</sup>**

## FOOT SWITCH WITH GUARD

Ready to use. Steel housing and 8 ft. cord.

ITEM  
37784-1EKA

**\$9<sup>99</sup>**

CENTRAL MACHINERY

## 12" DIRECT DRIVE BENCH TOP DISC SANDER

Get sharp, accurate finishes without burning or marring. Direct drive disc won't slip. Table tilts to 45°; 2" dust collection outlet; fan-cooled brushless motor; miter gauge, base pads prevent creeping; safety switch. Includes 60 grit, 12" sanding pad.

- 1 HP, 120V, 10 amps
- No load speed: 1793 RPM
- Wheel diameter: 12"
- Base: 13" x 10"
- Shipping wt.: 92 lbs.

ITEM  
37297-3EKA

**\$89<sup>99</sup>**

**CHICAGO**  
Electric Power Tools

## 3/8", 18 VOLT CORDLESS DRILL/ DRIVER

WITH KEYLESS CHUCK  
More run time than 14V cordless drills. Balanced T-handle design keeps the drill steady. Heavy duty motor.

- 6 pc. screwdriver, 6pc. drill bit set; Includes charger, 18V battery, and carrying case;
- Speed range: 0-900 RPM; 3/8" Jacobs® keyless chuck; Variable speed reversible;
- 6 torque clutch settings

**\$72<sup>99</sup>**

ITEM 37144-4EKA

## 18V REPLACEMENT BATTERY

**\$37<sup>99</sup>**

ITEM 37145-1EKA

**\$59<sup>99</sup>**

**\$29<sup>99</sup>**

CENTRAL MACHINERY



## 6" x 12" MINI WOOD LATHE

Create projects from miniature to full-size. Heavy duty, cast iron construction for minimum vibration and high strength. Light weight and compact size allow bench top mounting or taking it on the job. Dual speed range for absolute cutting control.

- Distance between centers: 12-1/2"; 3-1/8"
- Wide tool rest with adjustable height; 120V, 60 Hz, 3.2 amp motor; MT1 spindle; Swing over bed: 6"; 25"L x 4-3/4"W x 9-1/2"D;
- Speed range - Low: 275 to 3050; High: 400 to 4450

**\$179<sup>99</sup>**

ITEM 34837-7EKA

**\$139<sup>99</sup>**

CENTRAL MACHINERY

## BENCH TOP SHAPER/ ROUTER

Expand your workspace with this handy wood shaper. Big machine features and compact enough to store under your bench. Very advanced - accepts both shaper cutters and router bits for the exact finish you want.

- Uses 2" diameter shaper cutters and router bits with 1/4" shank
- Individually adjustable fence halves
- 115V, 4.3 amps, 7/8 HP
- 10,200 RPM motor speed
- Cast iron work table and base
- Rear chip discharge

ITEM  
32650-0EKA

**\$89<sup>99</sup>**

**CHICAGO**  
Electric Power Tools



## HEAVY DUTY 4-1/2" DISC GRINDER

- 5/8"-11 spindle with 7/8" arbor adapter
- Motor: 3/4 HP, 115V, 5.18 amps
- Spindle lock
- 11-7/8" long
- High powered 10,000 RPM

ITEM  
31135-6EKA

**\$19<sup>99</sup>**

## 4-1/2" x 1/4" GRINDING WHEELS

- 24 grit, 7/8" arbor

FOR	ITEM	10 PACK
Metal	06674-0EKA	<b>\$8<sup>99</sup></b>
Masonry	07422-2EKA	<b>\$8<sup>99</sup></b>

\* Within the 48 States / \$3.95 handling on all orders.  
No per item shipping and handling charge.

Call To Order or Ask for Free Catalog:  
Order 24 Hours a Day/7 Days a Week  
Most Phone Orders Shipped in 48 Hours

FAX TOLL FREE: 1-800-905-5220

**1-800-423-2567**

CHARGE  
IT!




Or Send Check or Money Order to: Harbor Freight Tools,  
3491 Mission Oaks Blvd. Box 6010, Camarillo, CA 93011



# TRICKS of the TRADE

Each issue of *Popular Woodworking* offers tips and tricks for the woodworker that we've accumulated from readers, contributors and from our own workshop and woodworking experiences. We want to encourage the free exchange of these time-saving and safety ideas for all woodworkers. If you have a good trick, we'd love to hear about it. Send your trick, whether it's one your father taught you or one you came up with on your own, to *Popular Woodworking*, Tricks of the Trade, 1507 Dana Ave., Cincinnati, OH 45207.

## WEDGE CLAMPING



## Wedge That Edge!

When gluing laminate or veneer in place, the sheet often tends to pull away around the edges and needs clamping. Most ordinary clamps are bigger than necessary. Notched pieces of wood can be used, but the pressure of these and ordinary clamps is localized and you either need many of them or have to adjust pressure pieces as well as the clamps.

I have made several wedge clamps to help in these types of glue-ups. The wedges are identical, with slopes of 1 in 7 and about 1" x 6". The lower pressure piece is 1/2" thick and about the same size. The main block is 1 1/4" thick and large enough for the opening to be cut and leave a strong length of solid wood. My blocks are 4" x 6". The pressure piece is glued into the notch on the lower jaw of the block. In use, the wedges are driven over each other to put on considerable pressure along a 6" edge.

Percy Blandford  
Warwickshire, England

## PATTERN ENLARGING

% of increase	1st copy setting	2nd copy setting	3rd copy setting	4th copy setting
160	150	107	--	--
170	150	113	--	--
180	150	120	--	--
190	150	127	--	--
200	150	133	--	--
210	150	140	--	--
220	150	147	--	--
230	150	150	102	--
240	150	150	107	--
250	150	150	111	--
260	150	150	116	--
270	150	150	120	--
280	150	150	124	--
290	150	150	129	--
300	150	150	133	--
310	150	150	138	--
320	150	150	142	--
330	150	150	147	--
340	150	150	150	101
350	150	150	150	104
360	150	150	150	107
370	150	150	150	111
380	150	150	150	114
390	150	150	150	117
400	150	150	150	120

## Enlarging a Pattern

A photocopier can be a real time-saver when enlarging a grid pattern. Not only does a photocopier save time, you'll find that a pattern doesn't even require a grid in order to be enlarged — you simply work from the curved pattern as shown in the book or magazine.

The technique requires the use of a photocopier that can enlarge at least 150 percent. Check your local copy center if you don't have a machine handy. The enlargements are accurate to within 1 percent. You'll first need to determine the percentage of enlargement before you can use the table at left. To do this, 1. Determine the desired full-size length of the pattern. 2. Measure the length of the pattern on the grid. 3. Divide the desired full-size length by the measured length of the pattern on the grid. Multiply the result by 100.

$$\% \text{ of enlargement} = \frac{\text{desired full-size length}}{\text{measured length of pattern on grid}} \times 100$$

Or for a full-size 6" pattern whose printed pattern size is 1 7/8"

$$\% = \frac{6}{1\frac{7}{8}} \times 100 \text{ or } \% = 3.2 \times 100, \text{ so } 320\%$$

Once you know the percentage of enlargement, use the table to figure out how to set the copier. **PW**

Excerpted from *The Woodworker's Guide to Shop Math*, By Tom Begnal  
Published by Popular Woodworking Books



[www.woodcraft.com](http://www.woodcraft.com)


Get with the click.



Circle #118 on Resource Directory Coupon

**CHOOSE THE PORTABLE BAND SAWMILL  
THAT WILL GET THE JOB DONE**

All mills are ruggedly  
designed, yet set up  
in minutes!



See us at the  
**Southern Farm Show**  
Raleigh, NC  
Feb. 3-5

**The Baker Portable Band Sawmill**

Use it to cut lumber for sheds, houses, hunting cabins, and more! Cut what you need and sell the excess for profit! For more information, call or write Baker today.


**BAKER  
Products**

SAWMILL DIVISION (573) 663-3133

PO Box 128  
Ellington, MO 63638  
[www.baker-online.com](http://www.baker-online.com)  
Fax: (573) 663-2787

Circle #102 on Resource Directory Coupon

**S. LaRose, Inc.**



If you're building the outsides,  
we've got the insides! Call or  
write for our **FREE** clock parts  
catalog, #PWW2!

**S. LaRose, Inc.**

P.O. Box 21208  
3223 Yanceyville St.  
Greensboro, NC 27420  
Phone: (336) 621-1936

E-Mail: [SLAROSE@worldnet.att.net](mailto:SLAROSE@worldnet.att.net)

Circle #143 on Resource Directory Coupon

Make your shop complete  
with the

**Lion Miter  
TRIMMER**

Made in New England

Perfect Miters

Cuts any wood, hard  
or soft; cuts any angle,  
45°-90°




**POOTATUCK CORPORATION**

P. O. Box 24 • Windsor, Vermont 05089  
Tel: (802) 674-5984 • Fax: (802) 674-9330

Circle #134 on Resource Directory Coupon

**WOODWORKER'S  
DREAM**

German Made Superior Quality  
Woodworking Clamps  
& Accessories



**GROSS  
STABIL**

ISO 9001 CERTIFIED COMPANY

For Cabinet Makers,  
Furniture, Carpentry,  
Framing, Clamping,  
Laminating & Gluing

Call (800) 671-0838 for dealers near you

Circle #108 on Resource Directory Coupon

**RIPSAW**


**The Portable Sawmill.**

The "affordable portable"  
one man band sawmill.  
Weighs only 45 lbs. Cuts  
20" diameter logs into  
lumber. Minimum 1/8" to  
maximum 9" thickness.  
14"W x 9"H throat capacity.  
Write or call for free  
brochure.  
Videos also available.



**Better Built  
CORPORATION**

Phone: (978) 657-5636 Fax: (978) 658-0444  
789 Woburn St., Dept. PW, Wilmington, MA 01887  
Web: [www.ripsaw.com](http://www.ripsaw.com)  
email: [info@ripsaw.com](mailto:info@ripsaw.com)




Circle #141 on Resource Directory Coupon

**THE STANDARD  
IN SANDERS**

The smooth way to tackle  
virtually any sanding job.

- Your solution for contour sanding
- Benchtop & full size professional models
- Quick-change drums
- Large table surface
- Built-in dust port
- Premium Baldor induction motor
- Made in U.S.A.



Call for a **FREE** Shop Solutions Catalog.

**1-800-971-5050**

**Clayton Machine Corp.**

Royal Oak, MI 48068-0520

Circle #103 on Resource Directory Coupon



# Purpleheart

(*Peltogyne venosa*)

**Other Common Names:** Amaranth, Guarabu, Nazareno, Palo morado, Pau roxo, Purperhart, Saka, Tananeo, Violetwood

**Growing Regions:** Purpleheart grows in Central and South America between Mexico and southern Brazil. The trees are most commonly found in the Amazon Basin.

**Characteristics of Tree:** The trees attain heights of 100 to 150 feet and diameters of 18 to 36 inches.

**Characteristics of Wood:** Purpleheart starts out with a heartwood that is brown, but it changes to a vivid purple color. Color variation between pieces of the wood can be high. The grain is usually straight but can also be wavy or irregular. The texture is fine and the luster is medium to high. There is no odor or taste, and the wood is very stable. Purpleheart is resistant to attack by fungi, termites, marine borers and many chemicals.



**Finishing Characteristics:** Purpleheart polishes well but some finishes may bleed. Water-based finishes hold color best; spirit finishes can remove the wood's purple color.

**Workability:** The wood glues well but sanding is difficult. Nails require pre-boring and do not hold well. The wood may gum up cutting tools that aren't sharp. It is also difficult in machining operations. Use slow feed rates and sharp, high-speed steel knives when machining this tough wood.

**Common Uses:** Bedroom suites, bridge beams, cabin construction, chairs, dockwork, drawer sides, figured veneer, sculpture, umbrella handles, parquet flooring.

**Availability:** Common.

**Special Features:** It is suggested that purpleheart be treated against fading. It often turns gray-brown when placed in the sun. Coating the wood with Armorrall, a product usually used to protect cars, under the lacquer will help maintain the wood's original color.

**Midwest Price:** With two sides surfaced  $\frac{1}{4}$  is \$4.50 per board foot. **PW**

## Econ-Abrasives

WE MAKE ABRASIVE BELTS ANY SIZE, ANY GRIT!

### Standard Abrasive Sheets

#### CABINET PAPER

	50/pk	100/pk
60D	\$16.70	\$30.00C
80D	15.60	27.80C
100 thru 150C	14.50	25.60C

#### FINISHING PAPER

	80A	\$11.15	\$18.90C
100 thru 280A	10.00		16.70C

#### NO LOAD PAPER(white)

	100 thru 400A	\$12.25	\$21.25C
--	---------------	---------	----------

\*C\* = 100 SHEETS

Velcro® Vacuum Discs

8 Hole pattern for Bosch sanders

Dia.	Grit	Price
3"	60	\$ .48 ea
5"	80	.46
5" 100 thru 320	.45	

\* Available in 5 hole pattern \*

#### \*OTHER PRODUCTS\*

\*Pump Sleeves\*PSA Discs  
\*Router & Wood Bits\*Wood Glue

\*MasterCard, VISA, Discover, C.O.D. or Check

\*SATISFACTION GUARANTEED!!!

\*CALL FOR FREE CATALOG

--TX add appropriate sales tax

--Continental U.S. shipping add \$6.00

### ABRASIVE BELTS

Belts are resin bond cloth with a bi-directional splice, specify grits.

1X30	\$.81 ea	3X24	\$.93 ea
1X42	.81 ea	3X27	.96 ea
1X44	.81 ea	4X21 3/4	1.06 ea
2 1/2X16	.85 ea	4X24	1.10 ea
3X18	.86 ea	4X36	1.35 ea
3X21	.90 ea	6X48	3.50 ea
3X23 3/4	.93 ea	6x89	6.24 ea

#### OTHER SIZES ON REQUEST

#### HEAVY DUTY SPRING CLAMPS

Clamps come w/PVC tips and grips.



Size	Price
4"	\$1.75 ea
6"	2.25
8"	3.50

#### JUMBO ROUTER PAD(24" x 36")

It will not allow small blocks of wood to slip out under router or sanding applications. ROUTER PAD ONLY \$8.95ea.

#### JUMBO BELT CLEANING STICK ONLY \$8.80

Econ-Abrasives

P.O. Box C1628  
FRISCO, TX 75034  
(972)377-9779

1-800-367-4101

Circle #126 on Resource Directory Coupon

## HARDWOOD MARKETPLACE

### QUALITY HARDWOODS

#### ORDER AN ADVANTAGE PACK TODAY!

25bf, 30-60" long, 4-10" wide, surfaced 2 sides to 13/16", clear one face.

Cherry \$87, Poplar \$62, Red Oak \$84, Hard Maple \$84

We pay UPS shipping for most destinations in Eastern time zone. Call for info.

Catalog \$1, free with order.

Bristol Valley Hardwoods

4054 Rt. 64 at Rt. 20A,  
Canandaigua, NY 14424

800-724-0132

Visa/MC/Discover Accepted

Reader Service #301

### EXOTIC & DOMESTIC HARDWOODS

LUMBER • PLYWOOD • VENEERS  
TURNING BLOCKS • BURLS

We specialize in small to medium size orders! Over 70 species of hardwood in stock.

CALL FOR PRICE LIST:

516-378-2612

FAX 516-378-0345

WoodPly  
Lumber Corp.  
100 Bennington Ave. Dept. PW  
Freeport, NY 11520  
800 354-9002 www.woodply.com

Reader Service #153

### NIAGARA LUMBER

#### YOU'LL APPRECIATE OUR DIFFERENCE

Prepaid Freight • Surfaced • Bundled • Shrink Wrapped • Guaranteed

• All lumber is Select and better grade, 4" and wider, averaging 6"-7" in width, lengths are 6'-8'. All stock meets or exceeds National Hardwood Lumber Assoc. grade rules.

• All domestic lumber is Northern Appalachian grown, exhibiting characteristics of fine grain, texture and uniform color.

Visa/MasterCard/Discover accepted  
www.niagaralumber.com

NIAGARA LUMBER & WOOD PRODUCTS, INC.

47 Elm Street

East Aurora, NY 14052

Call Toll-Free 1-800-274-0397

Reader Service #151

### WEST PENN HARDWOODS, INC.

CHECK OUT OUR "BEST VALUE" ROUGH PACK

100BF, ROUGH, 3'-5' L.

3" - 10" w, CLEAR 1-FACE.

RED OAK \$200,

CHERRY \$250, WALNUT \$270,

SOFT MAPLE \$170,

POPLAR \$135, ASH \$165.

NO MIN ORDER, SMALLER PACKS AVAILABLE. CALL FOR SHIPPING RATES.

FREE CATALOG

1-888-636-WOOD (9663)

117 S. 4TH STREET  
OLEAN, NY 14760

Reader Service #152



# CAPTION the CARTOON SPONSORED BY Makita




#35

## JOHN BYRNE

from Garfield Heights, Ohio, is the winner of our "Caption the Cartoon Contest #33" from the November issue and recipient of the Makita belt sander. Congratulations John!

The runners-up each receive a one-year subscription:



#33

"Boy, that's really power to the 'steeple.'"

"OK Coo-coo, come on out with both your wings up, or I'll shoot."

Woodrow Havens, from Newcastle, Oklahoma

"I'm sure this project will be a sweeping success."

Andrew Muller, from Canby, California

"Yup, it's a wind-up clock. It's going to wind up in the garbage."

Adam Rum, from Huntington, New York

illustrated by Bob Rech




Submit your caption(s) for this issue's cartoon on a postcard to **Popular Woodworking**, Cartoon Caption #35, 1507 Dana Ave., Cincinnati, OH 45207 by Feb. 22, 1999. Winners will be chosen by the editorial staff.

The winner will receive Makita's 6233DWBE 14.4v cordless driver-drill, the world's first Nickel-Metal Hydride-powered drill, offering 30-percent longer run time. NiMH-powered products were chosen as a "Tool of the Year" by **Popular Woodworking**. This 3/8" variable-speed drill features a two-speed gear selection, 18 torque settings and a keyless chuck.

The runners-up each win a one-year subscription to **Popular Woodworking**.

## Anderson™ BEDROOM ORGANIZER



PUT A DRESSER UNDER ANY BED

Increase drawer storage with this beautiful, top quality, solid wood, dust proof, underbed dresser. Fits under any mattress. Shipped UPS  
ORDER 48 PAGE CATALOG 617

1-800-782-4825


Circle #101 on Resource Directory Coupon

## FREE info SAVE MONEY

WITH A MAGNATRAC®

Buy Factory-Direct. Do your own work. Grade roads, landscape, mow hillsides, clear land, excavate, garden, haul logs, dig ponds.

Work for others for Extra Cash!



MAGNATRAC Crawlers low as \$4500!

Use...  
VISA & MC (414) 377-7211

● BROCHURE - FREE  
● VIDEO - VHS (45 min) \$9  
● CATALOG - uses & prices \$2

STRUCK CORP. BOX 307 DEPT: WP0299  
CEDARBURG, WI 53012-0307

Circle #123 on Resource Directory Coupon

## Special Discounts for Woodworking Groups

Members of your wood-working group or club may subscribe to **Popular Woodworking** at a 25% savings off the newsstand price! For information and order forms, contact AngeLisa Harcourt at (513) 531-2690 ext. 320 or write: **Popular Woodworking** Group Orders, 1507 Dana Avenue, Cincinnati, OH 45207

**Popular Woodworking**



## Abrasives

**ECON-ABRASIVES.** Econ-Abrasives makes custom abrasive belts up to 52" wide in any size and grit. Sandpaper is our specialty; we can help you answer any questions you may have on product applications. Call now for your free catalog; it contains hundreds of abrasives and woodworking accessories, including: safety equipment, velcro®-backed discs, wood clamps, wood glue, drawer slides, hinges and much, much more! **Circle #126.**

## Band Resaws

**BAKER PRODUCTS** feature a wide variety of woodworking machinery from our world famous band resaws to scragg mills, conveying systems plus a variety of wooden pallet component machinery. Call or write today for your free literature and video package. Baker Products, P.O. Box 128, Ellington, MO 63638; (573) 663-7711. **Circle #102.**

## Battery Recycling



**RBRC**, a non-profit public service organization, promotes and administers Ni-Cd rechargeable battery recycling programs in communities, businesses and government agencies. Consumers can recycle spent Ni-Cd rechargeable batteries by calling 1-800-8-BATTERY or visiting [www.rbrc.com](http://www.rbrc.com) to locate a participating retailer store nearest you or **Circle #136.**

## Catalogs

**CONSTANTINE'S CATALOG** for woodworkers. The oldest-established, most comprehensive woodworker's catalog in the USA. 104 pages, more than 5,000 items, including lumber, veneers, adhesives, tools, finishes, hardware, books, plans and more, all covered by a 60-day money-back guarantee. Free when you call (800) 223-8087 and mention Dept. 38812 or **Circle #104.**

**EAGLE AMERICA:** "The Catalog for Quality minded Woodworkers." The 116 page catalog features the largest selection of professional quality American made router bits, saw blades, shaper cutters and 100's of unique woodworking accessories, large selection of books, plans, router tables and shop helpers. Over 3000 items are featured and backed by 100% total satisfaction guarantee. Free catalog. Call 800-872-2511 or **Circle #105.**

## Clock Supplies & Tools

**S. LAROSE INC.** since 1936. Products for the clockmaking professional and hobbyist. Industry leader in quality and service. We have it all from quartz to mechanical clock works, fit-ups, parts for repair or new projects. We stock complete clocks, watches, tools, watch straps and watch parts. Send for a free catalog WW! **Circle #143.**

**KLOCKIT** - The leading supplier of clock-making supplies for over 25 years: Quartz and mechanical movements, clock inserts, dials, easy-to-follow plans and kits for all skill levels. Call 1-800-klockit today for your free copy of our 64 page full-color Klockit catalog or **Circle #111.**

## Distributor

**JAMESTOWN DISTRIBUTORS** was established in 1977 as a supplier of stainless steel fasteners. The company's free catalog now lists thousands of products in the following categories: fasteners, hardware, maintenance, fiberglass, abrasives, adhesives, finishes, electrical, bits, blades and hand tools. Jamestown Distributors' quality product line and over 20 years of commitment and service to commercial and recreational boatbuilders and woodworkers based on three principles: fair pricing, full service and fast delivery. **Circle #129.**

## Dry Kilns

**NYLE Dry Kiln Systems** offers affordable lumber drying kilns for any size operation! Our compact, easy-to-use lumber dryers deliver outstanding drying quality with maximum energy efficiency. Models are available for 300 board feet and up. For a free booklet to learn more about drying your own lumber, call (800) 777-6953. **Circle #132.**

## Hand Tool Manufacturers

**DELTA INTERNATIONAL MACHINERY CORP.** manufactures woodworking machinery and accessories for home workshops, building and construction trades, industry and schools. Quality line includes table saws, miter saws, band saws, jointers, scroll saws, wood lathes, planers, belt/disc sanders, grinders and more. For the name of your nearest Delta distributor, or to order free Delta machinery catalogs, call toll-free (800) 438-2486. **Circle #124 & 125.**

**FEIN POWER TOOLS.** New Triangular Sander eliminates hand sanding. Free brochure shows how you can sand, with a power tool, all those areas where before you had to fold up a piece of sandpaper and "finger sand." The Fein Sander is ideal for sanding along edges, moldings and more. **Circle #127.**

**MAKITA U.S.A.** is the U.S. Distributor of Makita's line of high-performance corded and cordless power tools. The company, which has nine branch offices, 50 service centers, and over 300 authorized service centers, features an extensive line of tools for both woodworking and metal-working applications. They also offer a line-up of pneumatic nailers, including brads and finishing nailers. For additional information, call (714) 522-8088 or **Circle #131.**

**ARROW FASTENER COMPANY, INC.** is one of the oldest American hand tool manufacturers. In addition to its world famous line of all steel staple gun tackers and staples, Arrow also produces a full line of Brute steel rule measuring tapes, rivet tools, hot melt glue guns and supplies. Arrow...the standard of excellence by which all others are judged. **Circle #121.**

**RYOBI AMERICA CORP.** offers a wide range of power tools, outdoor power equipment, and builder's hardware for the serious do-it-yourselfer and professional tradesman. Ryobi offers a wide selection of bench-top, cordless, portable and specialty power tools; a variety of gas, electric and battery powered outdoor power equipment; and an assortment of builder's hardware. Designed and manufactured to exacting standards of quality, durability and reliability, yet affordable. Free catalog. **Circle #137.**

**POOTATUCK CORP.** The Lion Miter Trimmer is a precision tool made of cast iron, with tool steel knives. made in New England, it can cut any angle, 45° - 90°, on any wood, hard or soft. Since the 1890's this tool has served fine craftsmen. **Circle #134.**

**GROSS STABIL** has been a manufacturer of quick action clamps since 1885. We currently distribute the sliding-arm clamp, and many fine specialty clamps worldwide. Our clamps versatility range from uses for the manufacturer, contractor, professional cabinetmaker and craftsman, as well as the do-it-yourselfer and the home handyman. **Circle #108.**

## Hand Tools-Retail

**WOODCRAFT® SUPPLY CORP.** offers more than 4,000 of the finest quality woodworking tools, books, supplies, and cabinetry hardware in our free 154 page complete full color catalog. **Circle #118.**

## Plans & Kits

**ANDERSON MANUFACTURING.** Put up to 16 drawers under your bed. World's most advanced, state-of-the-art bed. Solid pine and hardwood construction. Cedar lined drawers glide on ball bearings. Optional: 6 ft long center drawers, headboard, side tables, and "dual control." adjustable mattress. Saves space! Ends clutter and eliminates underbed cleaning! Economical. Shipped UPS. 48 page catalog. **Circle #101.**

## GRANDFATHER, MANTEL AND WALL

**CLOCKS.** Kits and assembled. Furniture kits. Solid hardwood. Detailed clock plans. Brass German movements. Satisfaction guaranteed. Emperor Clock, PO Box 1089, Dept. 6802, Fairhope, AL 36533. **Circle #106.**

**WILDWOOD DESIGNS.** Scroll saw fretwork patterns and supplies. From simple projects to 50" tall clocks. Over 300 patterns for the scroll-saw enthusiast. Clock movements, tools, books, plywood sawblades as low as \$21.95 per gross. Great ideas for the hobbyist or for profit including clocks, frames, jewelry boxes, furniture & silhouettes. **Circle #144.**

**SQUARE 1** provides detailed step-by-step woodworking plans for easy to build projects for outdoor furniture, log cabin playhouse, the workshop, children's furniture and more. Each spiral bound set of plans includes building/ woodworking tips, cutting diagrams and separate page shopping list. Send today for free catalog. **Circle #138.**

**DOLLHOUSE PLANS:** Architecturally authentic and expertly detailed. Build for child or adult. Select from eleven designs: Tidewater Colonial, Saltbox, Antebellum Plantation, Firehouse, Farmhouse, Tudor, Georgian, Charleston Singlehouse, Wedding Cake Victorian, Second Empire Victorian. Send \$1.00 for "Plan Book" (refundable with order). Doll Domiciles, Sect. One, PO Box 91026, Atlanta, GA 30364. **Circle #300.**

## Portable Sawmills

**BETTER BUILT CORPORATION.** One or Two-man sawmills can be hand carried to the log site! Chainsaw driven bandsaws offer you the option to use your own chainsaw. Timber framers, log home builders and woodworkers are among the thousands of people who have purchased Ripsaw Portable Sawmills since 1987. Send for free information or **Circle #141.**

## Power Tools

**ABRASIVE PLANE, SAND WIDE BOARDS** or edge-glued stock perfectly flat or dimension stock to a desired thickness with a Performax Drum Sander. You'll enjoy woodworking even more as you produce professional looking results. 11 models available for drum and brush sanding. Select models offer sanding as wide as 44", as thin as 1/64" and as short as 2 1/4". Call or write for a complete brochure. Performax Products, Inc. 12211 Nicollet Ave. S., Burnsville, MN 55337 or **Circle #133.**

**WOODMASTER TOOLS** is America's number one manufacturer of U.S. made Planer/Molders. Woodmaster Planer/Molders are available in 12", 18" and 25" models. Over 45,000 Woodmaster owners save money by planing rough-cut lumber for their projects and make money by producing custom molding. Woodmaster also manufactures a complete line of drum sanders. Every Woodmaster machine is covered by a 30-Day Money Back Guarantee and a 5-Year Warranty. **Circle #120.**

**HARBOR FREIGHT TOOLS** offers the finest professional quality tools & equipment at the lowest possible prices guaranteed! Let the catalog be your source for thousands of brand name tools. Call 1-800-423-2567 today to receive your free catalog. Visit our internet site <http://www.harborfreight.com>. **Circle #109.**



**PORTER-CABLE** Corporation is one of the world's leading manufacturers of portable electric and cordless power tools, air nailers/staplers/compressors and related accessories for the woodworking, commercial/residential construction, plumbing and electrical markets. More company information is available through calling Porter-Cable's toll free number (1-800-487-8665) or by accessing Porter-Cable's web-site at the following address: [www.porter-cable.com](http://www.porter-cable.com). **Circle #135.**

## Shop Accessories

**JOINT-A-BILLI-T** is just as its name implies, a tool for fool-proof glue joints. Use your router to cut these joints flawlessly in your shop: dados, rabbets, angle cuts, squaring large panels with a perfect glue joint every time. **Circle #145.**

**HTC's** shop solutions catalog - full of workshop accessories designed to help you get the most out of your equipment, your space and your projects, mobile bases, infeed/outfeed roller table, tool tables/stands, spindle sanders, router tables, machine covers, saw guards, plus hundreds of other innovative products. HTC shop solutions catalog Free **Circle #110.**

## Stationary Power Tools

**Grizzly IMPORTS, INC.** offers a wide selection of heavy-duty woodworking machinery and accessories at proven low prices. Grizzly has developed a tremendous reputation during the last 11 years as a leading importer of fine woodworking machinery, and backs up its sales with unbeatable customer service and technical support. Free 164-page catalog. Call (800) 541-5537 to order. **Circle #128.**

**TERRCO** provides a full line of machine carving and sign carving equipment. Beginning models are the T-110 and F-200 single spindle, 3-D carvers and our CM 614 single spindle sign carver. Our multiple spindle carvers include our K-Star (two spindles) and our Northstar (two to eight spindles) models. **Circle #117.**

**JET EQUIPMENT & TOOLS.** Unique features, one and two year limited warranties on both parts and service, local dealers and repair stations, and toll-free customer service assistance make JET's woodworking machinery such as table saws, band saws, jointers, shapers, planers, dust collectors and sanders the best value in the market for the serious woodworker. **Circle #130.**

**POWERMATIC** is a manufacturer of stationary woodworking and metalworking equipment. Powermatic has been in business since 1921 and is located in middle Tennessee where we have our own licensed meehanite foundry. For more information **Circle #140.**

## Tooling Bits & Blades

**MLCS.** Professional woodworking products. Large discounts. New expanded catalog featuring a huge selection of carbide-tipped router bits, raised panel door sets, shaper cutters, solid carbide bits, the router speed control, plus our unique line of clamps, tools and supplies. Save 50% to 70%. Value, quality and prompt service guaranteed! Free information. **Circle #112.**

**WOODLINE ARIZONA** best value in anti kickback carbide tipped router bits and shaper cutters. Many innovations not available elsewhere. Router bits for interior and exterior doors, router bit flooring cutters, lock mitres in three sizes and steel sliding router table. Check our new catalog with over 100 new items. 800-472-6950. **Circle #119.**

**SYSTIMATIC CO.,** of Kirkland, WA, An American manufacturer of commercial quality circular saw blades for the primary wood, secondary wood, non-ferrous and phenolics industries. Product range available from 4" - 36" diameter in a variety of wear resistant materials such as: Carbide, Tantung, Stellite. Proudly made in the U.S.A. **Circle #139.**

**PRICE CUTTER** World-class supplier of high quality, lowest price, router bits. (One of the largest selections of router bits in the world.) Call for free catalog 1-888-288-BITS. Over 30 pages of superior quality, carbide tipped, production quality router bits, unique woodworking accessories, plans and books. Same day shipping, lowest prices, and 100% satisfaction guaranteed. **Circle #115.**

## Wood Glues

**RECOGNIZED AS THE PREMIER** name in wood glues, Titebond has five specially-formulated glues for your next woodworking project: Titebond II Premium Wood Glue, Titebond Original Wood Glue, Titebond Dark Wood Glue, Titebond Liquid Hide Glue, Titebond Wood Molding Glue. For more information, call Franklin International's Tech Service Team at (800) 347-GLUE. **Circle #107.**

## Woods

**ADAMS WOOD PRODUCTS** is a manufacturer of solid wood furniture components. They make a variety of table bases, Queen Anne table legs, claw & ball table legs, turned legs, plus a variety of ready-to-assemble and finish dining chairs & occasional tables. These items are carried in stock in a variety of woods. There is no minimum order size as they can be purchased one at a time. **Circle #100.**

## Resource Directory Product Literature Order Form

Send to: Popular Woodworking  
1507 Dana Avenue, Department CCC  
Cincinnati, Ohio 45207

Please circle numbers below to order product information in this issue, February/March 1999, or use the card between these pages if ordering free literature only.

100 Adams Wood	128 Grizzly Imports	156 Polymeric Systems	181 Paslode
101 Anderson	129 Jamestown Distributors	157 Packard Woodworks	182 Penn State
102 Baker Products	130 JET Equipment & Tools	158 Norwood Industries	183 Porter-Cable
103 Clayton Machine	131 Makita	300 Doll Domiciles/ \$1	184 Powermatic
104 Constantines	132 Nyle Corporation	301 Bristol Valley	185 Pro-Tech Power
105 Eagle America	133 Performax	Hardwoods/ \$1	186 Ridgid Power Tools
106 Emperor Clock LLC	134 Pootatuck Corporation		187 Ryobi
107 Franklin International	135 Porter-Cable	<b>TOOL REPORT</b>	188 Skill
108 Gross Stabil	136 RBRC	160 Accuset/Senco	189 Stanley-Bostitch
109 Harbor Freight Tools	137 Ryobi	161 Airy	190 Star Tool Corporation
110 HTC Products	138 Square 1 Building Plans	162 Black & Decker	191 Tradesman
111 Klockit	139 Systematic	163 Bosch	192 Woodtek
112 MLCS	140 Powermatic	164 Bridgwood	<b>TOOL TEST</b>
113 Osborne Wood Products	141 Better Built	165 Campbell-Hausfeld	193 Craftsman
114 JDS Company	142 Campbell Viking	166 Craftsman	194 Bosch
115 Price Cutter	143 S. LaRose, Inc.	167 Delta	195 Woodcraft Supply
116 Woody's Workshop	144 Wildwood Designs	168 DeVilbiss	196 Buck's
117 Terrco	145 Joint-A-Billi-T	169 DeWalt	197 Accuset
118 Woodcraft Supply	146 Dakota Alert	170 Duo-Fast	
119 Woodline Arizona	147 Heritage Building	171 Elektra-Beckum	<b>PROJECT PLANS</b>
120 Woodmaster Tools	148 Bunk Beds	172 Fein	P1 Projects From the Past
121 Arrow Fastener	149 Haddon Tool Co.	173 Festo	P3 Photo Screen
122 Biesmeyer	150 Village Originals	174 Freud	P4 Tavern Table
123 CF Struck Corporation	151 Niagara Lumber & Wood	175 Grizzly Industrial	P5 Scroll Saw Project
124 Delta International	152 West Penn Hardwoods	176 Hitachi	P6 Pipe Box
125 Delta International	153 Wood-Ply Lumber Co.	177 JET	P7 Shoji Lamp
126 Econ Abrasives	154 Invention Submission	178 Makita	P8 Waste Basket
127 Fein Power Tools	155 Accents in Pine	179 Metabo	P10 Art & Crafts Server
		180 Milwaukee	

## To Ensure Prompt Handling of Your Order, Follow These Instructions:

- Circle your choices.
- Enclose coupon with check or money order for cost of catalogs/brochures/items.
- We will process your requests promptly. You will receive information directly from the advertiser.
- Coupon expires July 5, 1999.
- Please allow 4-6 weeks for delivery.

Order now and get 100 Great Projects with a one-year subscription (six big issues) of **Popular Woodworking, America's Best Project Magazine.**

U.S. residents send  
\$19.97—circle #888 above.  
Canadian residents send  
\$26.97—circle #999 above.

## Are you a subscriber?

(Check one) ☐ Yes ☐ No

## I am enclosing:

\$\_\_\_\_\_ for priced items

\$\_\_\_\_\_ TOTAL

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_


State/Zip \_\_\_\_\_

Phone (optional) \_\_\_\_\_

Orders for information or subscriptions accepted only from U.S. or Canada. All remittances must be in U.S. funds.

F/M99





*Readers' most  
amazing workshop stories.*

**Apply  
Finish in  
an Avian-  
Free Area**

Last spring I was asked to make a bookshelf for one of my friends. The measurements were to be 7 feet high by 4 feet wide with adjustable shelves. This was my first really "big" project so I was very excited about it. The problem was my workshop measures 9' by 20' and contains our freezer, washer and dryer and my tools, etc.

Assembly was a real problem. I solved this by assembling the bookcase outside on my deck. As the work progressed, I would bring the shelf in and put it in my living room overnight. When it came time to finish the bookshelf, I decided on a red mahogany stain covered by a durable polyurethane finish. One beautiful spring morning my son helped me carry this huge shelf out on the deck. After sanding, I applied the red mahogany stain and went inside for lunch to let it dry. When I returned, I was surprised at the white and brown colors and hues that had been brought out in the stain!

Why? Because every bird within a hundred-mile radius had landed in the tree above the shelf and left messy deposits that were dripping down the exposed parts of the bookcase! I had to sand and stain all over again — this time under a tarp.

**Michael A. Priest Sr.**  
Tampa, Florida

*Continued on page 84*

## WINNER!

### This Is What We Call 'Operator Failure'

In the early 1980s I retired with no hobby. So I bought some woodworking tools from a friend and rented a garage for a workshop. Being a novice, when it came to band saws I knew zilch.

My old band saw had 72" blades. I was constantly breaking them and having them rewelded — if the break was at the weld. After quite a few breakages, I installed a newly welded blade one day and made the necessary adjustments to my saw. I tried to cut a piece of wood but the saw wouldn't cut. I took a close look at the blade and noticed the teeth were facing up instead of down.

So I took the blade back to the welder and told him the teeth were running the wrong way and that he would have to reweld the blade.

He looked at me kinda dumbfounded and told me all I had to do was to turn the blade inside-out. He even showed me how. Talk about embarrassed. I could have crawled in a hole — if there had been one around.

**Rohn L. Morgan**  
Laurel, Montana



## Share Your Story & Win!

Turn your favorite tale from the woodshop into a \$150 gift certificate from Lee Valley Tools in *Popular Woodworking's* "Tales from the Wood" contest. We're looking for your funniest, most embarrassing or incredible story. And if we can learn something from your yarn — even better.

Each issue, our editors choose the best tale and print it here. Runners-up receive a Veritas Marking Gauge (shown at left) from Lee Valley Tools, the catalog company that features an impressive array of quality woodworking tools, supplies and accessories. One final rule: Please, no stories about people getting hurt. That's not funny. To make things easier, you can e-mail your tale and daytime phone number to us at [PopWood@FWPubs.com](mailto:PopWood@FWPubs.com) or mail it to: Tales from the Wood • *Popular Woodworking* •

1507 Dana Ave. • Cincinnati, OH 45207. All entries become the property of *Popular Woodworking*.



## ROPE TURNINGS OAK and MAPLE



A0913  
IN STOCK  
NO  
MINIMUM



### FREE CATALOGUE



Adams Wood Products L.T.D., L.P.  
974 FOREST DR., DEPT. PW9  
MORRISTOWN, TN 37814  
TEL 423-587-2942 • FAX 423-586-2188  
www.adamswoodproducts.com

Circle #100 on Resource Directory Coupon

## YOUR SHOP SOLUTION SOURCE

You've invested  
a lot in your workshop.  
Now get the  
most out of  
your equipment.

- Mobile Bases
- Outfeed Rollers
- Sawing Centers
- Planing Centers
- Saw Guards
- Pedestal Rollers
- Roller Tables
- Tool Tables
- Tool Pedestals
- Mitre Saw Stands
- Drill Press Support
- Spindle Sanders
- Router Accessories
- Machine Covers



HTC Products, Inc.  
Royal Oak, MI 48068-0839

Call for a **FREE** Shop Solutions Catalog.  
**1-800-624-2027**

Circle #110 on Resource Directory Coupon

### FREE Booklet!

### Get the Facts on Drying Your Own Lumber



Find out more about  
affordable, quality  
lumber drying right  
in your shop with  
this free booklet!

Drying your own  
lumber is easy with  
an energy efficient Nyle kiln.  
This booklet can show you how.

For your free  
copy and  
fact-filled  
literature on  
Nyle kilns,  
call today:



MADE IN USA

**800-777-NYLE**

(207)989-4335 ■ FAX (207)989-1101  
<http://www.nyle.com>

EASY PAYMENTS  
AVAILABLE


- Kilns from 300 Board Feet
- Precise & Easy to Operate
- Outstanding Drying Power

**nyle**  
DRY KILN SYSTEMS

PO Box 1107 Bangor ME 04402-1107



Circle #132 on Resource Directory Coupon



**NEW!**

## Build Furniture of Timeless Beauty

Discover 18 step-by-step  
reproduction projects that capture  
the quality and craftsmanship of  
days gone by. You'll find a range  
of furniture projects, including  
antique-style tables, desks,  
cabinets, boxes, chests and more.  
Each project includes numbered  
steps complete with photos and  
detailed drawings, materials list,  
and the estimated current value  
of both the original and the  
reproduction. A special section  
on wood finishing and distressing  
techniques help you to achieve the  
look and feel of an original antique.

#70396/ \$22.99/144 pages/  
215+ color illustrations/hardcover

### 30 DAY MONEY-BACK GUARANTEE!

**YES!** Please send me \_\_\_\_\_ copy(ies) of  
*Building Classic Antique Furniture with  
Pine* (#70396) for only \$22.99 each.

Add \$3.50 shipping and handling for 1 book;  
\$1.50 for each additional book. Ohio residents add  
6% sales tax. Canadians add 7% tax. Payment in U.S.  
funds must accompany order.

**VISA/MASTERCARD ORDERS  
CALL TOLL-FREE 1-800-289-0963**

☐ Payment enclosed \$ \_\_\_\_\_ (or)

Charge my ☐ VISA ☐ MasterCard Exp. \_\_\_\_\_

Acct. # \_\_\_\_\_

Signature \_\_\_\_\_

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_

State/Prov \_\_\_\_\_ Zip/P.C. \_\_\_\_\_


3321

Allow 30 days for delivery.  
Mail today to: Popular Woodworking Books  
1507 Dana Avenue • Cincinnati, Ohio 45207

## Do-It-Yourself

### AND SAVE MONEY!

- ◆ Heirloom Quality Kits
- ◆ Grandfather Clocks
- ◆ Mantel & Wall Clocks
- ◆ Fully Assembled Available
- ◆ Satisfaction Guaranteed



Call or write  
for free  
catalog!

Emperor Clock, L.L.C.  
Department 6802  
P.O. Box 1089  
Fairhope, AL 36533  
334-928-2316



Visit our web site at <http://www.emperclock.com>

Circle #106 on Resource Directory Coupon



## Save Money – saw your own lumber



(Shown with optional loading ramps.)

**\$4795**

### With a Wood-Mizer!

- Cut logs up to 28" D. x 9' L.
- Extra bed sections permit longer lengths.
- Easily transportable.

### Wood-Mizer®


8180 West 10th Street Dept. DF40  
Indianapolis, IN 46214-2400  
www.woodmizer.com

► **Free \$2 Catalog\***

\* With purchase of  
All Products Video @ \$10.

**LT15 Personal Sawmill**

**1-800-553-0219**



## Arm Your Shop With The Biesemeyer Arsenal of Hand-Crafted Products

### We're more than a great fence!

You know you can rely on the quality and dependability of Biesemeyer® hand-crafted fences, the industry standard of excellence.

But our other products—tables, saw stops, safety guards, and other accessories are equally superior to the competition. We wanted to be sure you knew that.



Biesemeyer® products have a history of making any job faster, safer and more economical. Your shop needs them all.

We're so certain that you'll be pleased with our products that we offer a two week guarantee of satisfaction in use. Now that's confidence!

Contact us or visit our web site  
for the name of our distributor nearest you.

**BIESEMEYER®**

A Subsidiary of **DELTA**  
WOODWORKING MACHINERY

216 S. Alma School Road • Suite 3 • Mesa, AZ 85210

Fax (602) 834-8515

**1-800-782-1831**

Web Site: [www.biesemeyer.com](http://www.biesemeyer.com)

E-Mail: [mail@biesemeyer.com](mailto:mail@biesemeyer.com)

## WOOD TALES

Continued from page 82

### Woodworking Teaches More Than Just Shop Skills

As a single mother of four, I had long been interested in woodworking. Even though I subscribed to several woodworking magazines while my children were growing up, I never had the time, energy or money to actually do any woodworking.

That all changed a few years ago when my youngest son was 16. I saw signs of low self-esteem and a lack of confidence. To correct this, and in spite of his objections, I convinced him to help me build a garden shed in the back yard.

When we began the project, all we had was a circular saw, a claw hammer, a couple of hand saws and a pair of pliers. Instead of purchasing a set of plans for the shed, we drew our own plans on graph paper. We had no idea how to measure angles, so we guessed at the angles for the joists of the barn roof.

It was a real stop-and-go project, and more than once we had to dismantle a part of the shed and try again. We spent a lot of time making trips to the local home improvement center to examine the garden sheds they had for sale. Then we'd rush home to put into practice the things our visual inspection had taught us.

By the end of the summer I had accomplished both goals. I had the garden shed I had envisioned, and my son and I had worked side by side to build it. It's not perfect, but it's sturdy, attractive and serves its purpose.

More importantly, I had given my son confidence that will last a lifetime. Two years later, my son enlisted in the Army. His goal was to be a crew chief on a Blackhawk helicopter. Less than a year after enlisting, he completed the Army's paratrooper training and reached his goal. He is now stationed with the 82nd Airborne in Ft. Bragg. As for me, that summer of shed building gave me confidence, too. I now have a fully equipped wood shop. When my son visits we work together in the shop that was inspired by his pride in that shed. **PW**

Joan Furst  
Eugene, Oregon



## ADVERTISING GUIDE

Adams Wood	83	Klockit	69
Anderson Manufacturing	79	Makita	39
Arrow Fastener Co.	4	MLCS	15
Baker Products	77	Niagara Lumber & Wood	78
Better Built	77	Nyle Corporation	83
Biesemeyer	84	Osborne Wood Products	10
Bristol Valley Hardwoods	78	Performax Products	73
Campbell Viking	10	Pootatuck Corporation	77
CF Struck	79	Porter-Cable	Cvr 4
Clayton Machine	77	Powermatic	69
Constantine	85	Price Cutter	73
Delta International	12-13, 55	RBRC	71
Eagle America	85	Ryobi	5
Econ Abrasives	78	S. LaRose, Inc.	77
Emperor Clock, LLC	83	Square 1 Building Plans	69
Fein Power Tools	18	Systimatic	33
Forrest Manufacturing	67	Terrco	4
Franklin International	11	West Penn Hardwoods	78
GPC	Cvr 3	Wildwood Designs	14
Grizzly Imports	Cvr 2, 1	Wood-Mizer	84
Gross Stabil	77	Wood-Ply Lumber Co.	78
Harbor Freight Tools	74-75	Woodcraft Supply	77
HTC Products	83	Woodline Arizona	10
Jamestown Distributors	85	Woodmaster Tools	14
JDS	73	Woody's Workshop	85
JET	7		



Woody says... "Why settle for economical sandpaper when you can get **industrial-grade sandpaper** at competitive prices?"

Aluminum oxide sanding belts					Discs, w & w/o vacuum holes				
Prices/belt	Grit size				Price/disc	PSA	Velcro		
size	40	60	80	100 to 220	Grit	80	100-400	80	100-400
1 x 30	\$ —	0.80	0.80	0.80	5"	\$ 0.19	0.18	0.22	0.20
1 x 42	\$ —	0.80	0.80	0.80	6"	0.27	0.25	0.29	0.27
3 x 21	\$ 1.00	0.95	0.90	0.85					
3 x 24	\$ 1.05	1.00	0.95	0.90					
4 x 24	\$ 1.50	1.35	1.25	1.15					
4 x 36	\$ 2.35	2.25	1.85	1.75					
6 x 48	\$ 3.90	3.70	3.50	3.40					

Free with every purchase - 3 sanding sponges that let you sand irregular surfaces easily. 1 each in 60, 100, 150 grit.

### Sanding Sheets - prices/5 sheets

Aluminum oxide (A/O)					Silicon carbide (SiC)				
Heavy duty paper					Wet/dry paper				
Grits	60	80	100 to 320		100	120	180	220 to 1200	
4 1/2 x 5 1/2	\$ 0.75	0.70	0.60		\$ 0.60	0.55	0.45	0.40	
3 2/3 x 9	\$ 1.00	0.90	0.80		0.80	0.70	0.60	0.50	
9 x 11	\$ 2.50	2.25	2.00		2.00	1.75	1.50	1.25	
Flexible Cloth A/O					Finishing SiC				
Grits	60	80	100 to 400		80 to 320				
4 1/2 x 5 1/2	\$ 1.05	0.90	0.75		0.40				
2 2/3 x 9	\$ 1.40	1.20	1.00		0.50				
9 x 11	\$ 3.50	3.00	2.50		1.25				

Sandpaper bargain box (odd sizes but good) \$1/pound!

◆ Visa, Mastercard, money order, check ◆ Minimum order \$20.00  
◆ Order shipped same day received

## Woody's Workshop

www.woodysworkshop.com

Dept. PW ◆ 1012 E. Wabash ◆ O'Fallon, MO 63366 ◆ Toll-free 1-800/869-7338

Circle #116 on Resource Directory Coupon

# FREE SHIPPING


## EAGLE AMERICA

NEW '99 Catalog

Quality Woodworking Tools, Project Plans and Books

100% Total Satisfaction, Period

Now Stocking The New Yankee Workshop Collection



\*Offer Expires 6-99

As a special offer to the readers of Popular Woodworking, simply mention #PW699X.\* and receive **FREE** shipping on your next order.

"THE CATALOG FOR QUALITY MINDED WOODWORKERS"

# 1-800-872-2511

**FREE** catalogs upon request

www.eagle-america.com

Under Construction: Full E-Commerce Site Coming Soon.



PW 2-99

Circle #105 on Resource Directory Coupon

## this fine project



fasteners - finishes - hardware  
hand tools - sandpaper - and more

Jamestown Distributors  
800-423-0030

28 Narragansett Ave., P.O. Box 348  
Jamestown, RI 02835  
FAX 800-423-0542  
www.jamestowndistributors.com

## this free catalog

Circle #129 on Resource Directory Coupon

# FREE!

## WOODWORKER'S CATALOG

Over 6000 products to BUILD, REPAIR, RESTORE, REFINISH anything made of wood!

- lumber
- veneers
- inlays
- moldings
- carvings
- tools
- hardware
- glues
- finishes
- books
- plans
- ...and more

**NEW for 1999!**

**CONSTANTINE**  
Serving Woodworkers Since 1812  
2050 Eastchester Rd., Dpt. 38902, Bronx NY 10461

**CALL TOLL FREE 1-800-223-8087**

Circle #104 on Resource Directory Coupon



## CLASSIFIEDS/READING NOTICES

### Alarms

#### WIRELESS DRIVEWAY ALARMS



Lets you know anytime anyone walks or drives into your place.

**DAKOTA ALERT, INC.**  
BOX 130, ELK POINT, SD 57025  
605-356-2772

Reader Service #146

### Blades

**BAND SAW BLADES**, Low Tension Swedish Silicon Steel, 1/16" thru 2". Free Catalog. (800) 234-7297  
Homepage: [suffolkmachine.com](http://suffolkmachine.com)

### Books & Catalogs

**FREE CATALOG** of woodworking and craft books. Includes coupon for \$5 off your first order! Call toll free 1-800-289-0963 or write to: Betterway Books Catalog, 1507 Dana Avenue, Cincinnati, OH 45207.

### Branding Irons

**CUSTOM BRANDING IRONS** as low as \$56.25! Great gift idea. You're proud of your work; identify it. Any design, logo, signature. VISA/MC BrandNew [www.brandnew.net](http://www.brandnew.net) 1-800-964-8251.

### Buildings



**51'x90'x14'**  
**\$14,995**

Build It Yourself And Save!!! 10,000 Sizes, Bolt-Together Steel Buildings & Homes. Call Today For A Price Quote And Brochure.

**HERITAGE BUILDING SYSTEMS**  
800.643.5555  
[www.metalbldg.com](http://www.metalbldg.com)

Reader Service #147

### Business Opportunities

**EASY WORK! EXCELLENT PAY!**  
Assemble Products At Home. Call Toll Free 1-800-467-5566 EXT. 3445

**HOW TO MAKE \$200** daily wood-crafting these "Winners." Free details. Woodcrafter, 897-3 Mammoth, Manchester, NH 03104-4521.

**\$100.00 PER HOUR**, woodworking from your garage, full or part-time. No selling! Free brochure: Home Tech 800-456-4987.

**GET PAID \$268.20** a roll taking easy snapshots! Film supplied. Phototek, Box 3706-WW, Idyllwild, CA 92549. 909-659-9757.

### Bunk Beds



Clear \$300/day building wood bunk beds at home. Start out in spare time & expand the business at your own pace. Earn \$185 on a \$269 sale, \$411 on a \$611 sale. Call 800-382-3180 Ext 1231. Bunks, Dept. 1231A, Box 2000, Avon, MN 56310

Reader Service #148

### Clock Supplies & Tools

#### HADDON LUMBERMAKER



This low cost 4 lb. attachment turns any chain saw into a portable saw mill and accurate cutting tool. Lets you make good custom cut lumber from logs—RIGHT WHERE THE TREE FALLS! Pays for itself with the lumber from this first tree you cut. Out-performs other products many times its size and price! Call or write for a free brochure. To order call us with your credit card number or send \$69.95 + \$6.95 S&H to:

**1-888-705-1911**  
**HADDON TOOL, INC.**

1855 N POND LN, LAKE FOREST, IL 60045  
visit us on the internet at <http://www.haddontools.com>.

Reader Service #149



#### ATTENTION CLOCK MAKERS! Affordable QUARTZ Movements

Reg. Mini, Pendulum, Electronic, Chime and All Accessories.

~ FREE CATALOG ~

**VILLAGE ORIGINALS**  
**1-800-899-1314**

Reader Service #150

### Education/Instruction

#### WOODWORKING COURSE.

Computer-based training. Windows 95/98, interactive. CD-ROM-based with course manual. \$59. VirtualLearning Concepts, visit [www.virtualearning.com](http://www.virtualearning.com) (613)837-1800.

### Finishes

**SPRAY-ON SUEDE.** Line boxes easily. Free brochure with sample, new Mini Flocker. DonJer Products, Illene Court, Bldg. 8G, Bellemead, NJ 08502; (800) 336-6537.

### Lumber

**SPECIAL 20BF BULK PACKS** - cherry, hard maple, red oak, walnut. Free catalog 1-800-252-2373. Badger Hardwoods of WI, N1517 Hwy 14, Walworth, WI 53184; Website: [www.badgerwood.com](http://www.badgerwood.com); E-mail: [badgerwood@badgerwood.com](mailto:badgerwood@badgerwood.com).

**SAVE MONEY!** Buy wood direct from mills. Send \$9.95 for list of mills in your area. Wildwood Publishing, 1107 Bellow Falls, O'Fallon, MO 63366.

### Miscellaneous

**5000 USED 50 GRIT** Norton belts, 4" x 300" excellent condition, \$2.00 each; 800-466-6211.

### HAVE AN IDEA?

If so, we are a company that can help you obtain patent services and submit your ideas, inventions and new products to industry.

Call Toll Free 1-800-288-IDEA

Ask for operator - PW  
Invention Submission Corp. - PW  
217 Ninth Street  
Pittsburgh, PA 15222-3506



© ISC 1994

Reader Service #154

### Plans & Kits

#### TWENTY BIRDHOUSE PLANS

(designed 100 years ago!) Bluebirds, Martins, Songbirds, \$5.00. Woodartist, Box 80003 PW-35, Charleston, SC 29416-0003.

#### 2000 WOODCRAFT PATTERNS.

Fun/profit Catalog \$2.00 (refundable). E-Z Design, P.O. Box 284, Dept.C, Washington Mills, NY 13479.

#### COUNTRY FURNITURE PATTERNS

Easy to build and read step-by-step. Send \$2.00 for catalog to: Patterns, Dept. 110, 402 W. Washington Street, Alexandria, IN 46001, [www.hoodswood.com](http://www.hoodswood.com).

#### WATCH YOUNGSTERS SMILE.

Make a circus wagon for their bean bag animals. Pull toy and storage. Plans \$8.00. Goetz Enterprises, 218 Bramber Dr., Broomall, PA 19008-3701.

#### PLANS, KITS, SUPPLIES for musical instruments:

harps, dulcimers, psalteries, banjos, guitars, more. Musicmaker's Kits. Dept. PW99, PO Box 2117, Stillwater, MN 55082. (612) 439-9120.

#### BRONZE POST OFFICE DOORS

make beautiful banks. #1, #2 or #3 size, \$6 each plus \$1 each door, shipping. Special: Lots of 25 or more of the #2 & #3 sizes only, key or combination, mix or match, \$5 each and we pay shipping. A.G. Cebulla, 29500 Olinda Trail N., Lindstrom, MN 55045.

**FURNITURE PLANS** Rolltop Desk, Cradle, Platform Bed and other designs. Catalog \$3. Lake Superior Design, Box 751, Grand Marais, MN 55604-0751







# The Dovetail Dilemma

*How one man rationalizes his affection for this hand-cut joint.*


“Why do you cut dovetails by hand? Don’t you have a router?”

That’s what a friend wanted to know a while back, when we got to talking about our shared passion for woodworking. At the time, I didn’t have an answer for him; I wasn’t sure myself. I think I mumbled something about the “workmanship of risk” and changed the topic to biscuit joiners.

But, he had a good question. Why do I cut dovetails by hand? Sure, I have a router (two, actually). I even bought a jig for router-made tails and pins after my first miserable attempt to cut them by hand. The jig works flawlessly, so why don’t I use it?

An engineer by training, this embarrassing Luddism doesn’t show up in other aspects of my work. I can’t imagine trying to make due without a table saw and thickness planer. OK, I do use a hand plane to edge joint boards, but that’s a matter of budget, not principle. I openly covet that massive Delta jointer Norm fires up so nonchalantly every Saturday morning. That sure looks faster than my method.

So, why do I reach for my Japanese handsaw instead of the router when it’s time to cut dovetails? Maybe I don’t want the process to go faster. Sometimes we forget the obvious: This isn’t a race. Like many part-time woodworkers, I am at-



The workbench I designed and built.



tracted by the activity and craftsmanship of woodworking, not because it pays well (it doesn’t) or because my family needs more furniture (we do). Would I enjoy woodworking twice as much if I could build a drawer in half the time? I doubt it. That would just hasten the inevitable dilemma, “What should I build next?”

Then there’s the question of aesthetics. To my eye, a flock of machined dovetails has an unnatural precision, evoking the crisp certainty of computer code or a circuit diagram. That kind of manufacturing exactitude is fitting for a metal piston or a plastic ballpoint pen, but somehow doesn’t seem true to the nature of wood. The essential beauty of wood owes to its variability, the delightfully unexpected changes in grain pattern, color and texture evident even within a single board. In these days of CAD software and digital calipers, it’s easy to forget that wood is a “living” material, not something to be engineered to precise tolerances. Consider the different perception in Sweden, where the similarity in the words for wood and tree – trä and träd – is a constant reminder of wood’s natural roots. (Try telling someone that you are building a desk made out of tree!) The “flaws” introduced

by human hand echo wood’s natural inconsistencies. Minor variations and imperfections inevitably found in hand-cut joints harmonize with the natural qualities of wood, enhancing the overall appearance of the finished piece.

But my penchant for hand-cut dovetails goes beyond this sensitivity to natural materials and the simple desire to slow down and enjoy the work. This quintessential joint is my touchstone, a way to gauge progress as I improve my technical skills. For many of us, a well-executed dovetail joint is the “Holy Grail” of quality woodworking. As I reflect on the pieces I have built over the years, I know where the flaws are, even when they aren’t readily visible. And, I’m (secretly) proud of the steady improvement in my work over time. Nowhere is this personal growth more evident than in the quality of hand-fitted dovetail joints. I keep my first dovetailed cabinet from years ago in my office as a reminder; there’s more paste filler in those joints than wood!

So, to answer my friend’s pragmatic question, I could have tried to explain all this: I cut dovetails by hand because I enjoy the process, to be true to the nature of wood, for pride in the finished piece and because this special joint symbolizes for me the craftsmanship of woodworking. And, of course, so I can brag to friends that I cut the joints by hand! Instead, I showed him a picture of the workbench I built, with its prominent dovetail joints.


“Now I understand,” he said. **PW**

*Todd Peterson recently started a custom furniture business near Cincinnati, Ohio, named Bridgewood Design.*



15 mg. "tar", 0.9 mg. nicotine av.  
per cigarette by FTC method.  
© 1998 B&W T Co.

**SURGEON GENERAL'S WARNING:** Smoking  
By Pregnant Women May Result in Fetal  
Injury, Premature Birth, And Low Birth Weight.



# GPC

BEST SMOKE OF THE DAY





# We Solved The Jig Saw Puzzle.

## QUIK-CHANGE™ KEYLESS BLADE CLAMP



Revolutionary design makes changing blades fast and easy. Simply squeeze, insert blade and release.

**VARIABLE SPEED  
DIAL IN TRIGGER**  
Offers a range of 500 to 3,100 strokes per minute.

**POWERFUL  
6.0 AMP MOTOR**  
The most powerful motor on the market.

**QUIK-TILT™ BASE**  
A simple twist of the built-in adjustment lever lets you position the base from 0 to 45 degrees left or right in one step. No separate wrench is needed.

**DUST BLOWER**  
Ensures a clear line of cut.

**UNIQUE BLADE  
GUIDE SYSTEM**  
Prevents deflection and keeps the blade running true even when the base is tilted to a 45 degree angle.

**FOUR-POSITION  
ORBIT SELECTOR**  
Gives you four different degrees of aggressive cutting strokes.

**LONGER  
BASE**  
Adds stability and adjusts back for a near flush cut.



The 9543 kit includes heavy-duty carrying case and a non-marring plastic base insert for cutting delicate materials.

If you've been searching for a jig saw that's built for speed and precision, Porter-Cable has the answer: our new 9543 tilt base keyless jig saw kit. It combines quick, easy handling with high-level performance.

The ergonomic, low-profile design places the center of gravity closer to your work surface for increased stability and control. And, cutting is smoother than ever, with less vibration and noise.

A complete dust collection system is also available.

For a jig saw that puts all the pieces together, visit your local Porter-Cable retailer. Or call 1-800-487-8665 (519-836-2840 in Canada) for the dealer nearest you.

## PORTER-CABLE

Professional Power Tools Since 1906  
<http://www.porter-cable.com>

Porter-Cable is a proud sponsor of The New Yankee Workshop on public television.

