

**NEW
LOOK INSIDE!**

ROY UNDERHILL's Lesson: 'Put Yer A Into It!'**

P O P U L A R

Woodworking

M A G A Z I N E

APRIL 2010 ■ #182

Forgotten Shaker Stepback

A Hidden Gem's
First Time in Print

11 Proven Rules to
Build Better Tables

Clark & Williams:
The Oddest Tool
Company Ever?

Myths and Truths
About Lacquer

Sunken Treasure:
Super-sized
Ancient Mahogany



Free Video Tour of White Water Shaker Village: Visit popularwoodworking.com/apr10

fy media

US \$5.99



Display until May 3, 2010

popularwoodworking.com



Grizzly Industrial®

Purveyors of Fine Machinery®, Since 1983

10" Cabinet Table Saws with Riving Knife

- Motor: 3 HP, 220V, single-phase
- Table size with extension: G0690 - 27" x 40", G0691 - 27" x 74¾"
- Blade tilt: left • Arbor: 5/8"
- Arbor speed: 4300 RPM
- Max. dado width: 13/16"
- Max. rip capacity: G0690 - 29½", G0691 - 50"
- Max. depth of cut: 3½" @ 90°, 2¾" @ 45°
- Approx. shipping weight: G0690 - 542 lbs. G0691 - 572 lbs.



CAST IRON TRUNNIONS

3 HP LEESON® MOTOR!



FREE 10" CARBIDE TIPPED BLADE!

\$139 ANYWHERE IN LOWER 48 STATES

G0690 **ONLY \$1250⁰⁰**

G0691 WITH EXTENSION RAILS
ONLY \$1350⁰⁰



Cyclone Dust Collector

- Motor: 1½ HP, 110V/220V, single phase, TEFC, 3450 RPM, prewired 110V
- Air suction capacity: 775 CFM
- Static pressure at rated CFM: 2.08"
- Intake port: 6" with included 5" optional port
- Impeller: 13½"
- Cartridge filter surface area: 6975 sq. in.
- Overall dimensions: 38¼" W x 23¼" D x 68½" H
- Approx. shipping weight: 210 lbs.



COLLECTION DRUM IS MOUNTED ON CASTERS FOR EASY DUST REMOVAL

THE POWER OF A 2 STAGE CYCLONE IN A NEW COMPACT SIZE!

G0703 INTRODUCTORY PRICE **\$850⁰⁰**

\$69 ANYWHERE IN LOWER 48 STATES

10" Left Tilting Super Heavy-Duty Table Saw with Riving Knife

- Motor: 3 HP, 220V, single-phase, 3450 RPM
- Precision ground solid cast iron table
- Table size with extension wings: 40" x 27"
- Arbor: 5/8" • Max. dado width: 7/8"
- Cutting capacity: 8" L, 26" R
- Max. depth of cut: 3" @ 90°, 2½" @ 45°
- Approx. shipping weight: 514 lbs.



New!

FREE 10" CARBIDE TIPPED BLADE!

SHOP FOX® CLASSIC FENCE


G1023RL

INTRODUCTORY PRICE

ONLY \$1125⁰⁰

\$89 ANYWHERE IN LOWER 48 STATES

Sliding Table & Router Attachments For G0690 & G0691 Table Saws



SAW NOT INCLUDED

SUPERB QUALITY!

SLIDING TABLE ATTACHMENT

ROUTER TABLE ATTACHMENT

- Industrial grade anodized aluminum table size: 47" x 9"
- Telescopic anodized aluminum fence size: 30¼"-37"
- Max. cross cut: 48"

- Precision ground cast iron table size: 27" x 20"
- Unique "double cross" ¾" x ¾" T-slots
- Universal router mount
- Table insert size: 4"

T10222 ROUTER ATTACHMENT

T10223 SLIDING TABLE ATTACHMENT

\$395⁰⁰

\$550⁰⁰

\$39 ANYWHERE IN LOWER 48 STATES

\$39 ANYWHERE IN LOWER 48 STATES

12" Left-Tilting Extreme Series® Table Saw with Riving Knife Feature

- Motor: 5 HP, 220V, single-phase
- Table size with extension: 30¾" x 48¾"
- Arbor speed: 3600 RPM
- Arbor: 5/8" & 1"
- Max. dado width: ¾"
- Max. rip capacity: 36"
- Max. depth of cut: 4" @ 90°, 2¾" @ 45°
- Approx. shipping weight: 756 lbs.



FEATURES DIGITAL BEVEL ANGLE READOUT INCLUDES 12" BLADE

EXTREME SERIES

G0696X \$2195.00

SALE \$1995⁰⁰

\$169 ANYWHERE IN LOWER 48 STATES

The Ultimate 14" Bandsaw

MADE IN ISO 9001 FACTORY!

- Motor: 1 HP, 110V/220V, single-phase, TEFC, 1725 RPM
- Precision ground cast iron table
- Table size: 14" sq.
- Table tilt: 45° R, 10° L
- Max. cutting height: 6"
 - Blade size: 92½" to 93½" L (⅞" - ¾" W)
- Cast iron frame
- Approx. shipping weight: 198 lbs.



INCLUDES QUICK RELEASE BLADE TENSION LEVER, FENCE & MITER GAUGE

G0555

ONLY \$450⁰⁰

\$69 ANYWHERE IN LOWER 48 STATES



17" Heavy-Duty Extreme Series® Bandsaw with Cast Iron Wheels & Trunnion

MADE IN ISO 9001 FACTORY!

- Motor: 2 HP, 110V/220V, single-phase, TEFC
- Precision ground cast iron table size: 23⅝" x 17¼"
- Table tilt: 5° left, 45° right
- Max. cutting height: 12"
- Blade size: 131½" L (¼" - 1" W)
- 2 blade speeds: 1700 & 3500 FPM
- Approx. shipping weight: 418 lbs.



DELUXE RESAW FENCE & MITER GAUGE

G0513X2

ONLY \$995⁰⁰

\$89 ANYWHERE IN LOWER 48 STATES



19" Heavy-Duty Extreme Series® Bandsaw

- Motor: 3 HP, 220V, single-phase, TEFC, 1725 RPM
- Precision ground cast iron table size: 26¾" x 19"
- Table tilt: 5° L, 45° R
- Max. cutting height: 12"
- Cutting capacity/throat: 18¼"
- Blade size: 143" L (⅞" - 1¼" W)
- Blade speeds: 1700 & 3500 FPM
- Approx. shipping weight: 480 lbs.

GEARED TABLE TILT MECHANISM

HEAVY-DUTY CAST IRON FENCE & CAST IRON TABLE TRUNNIONS!

MADE IN ISO 9001 FACTORY!

G0514X2

ONLY \$1395⁰⁰

\$89 ANYWHERE IN LOWER 48 STATES



PRICING CODE
10POP

MENTION THIS CODE WHEN PLACING YOUR ORDER

1-800-523-4777

3 GREAT SHOWROOMS! BELLINGHAM, WA • MUNCY, PA • SPRINGFIELD, MO

TECHNICAL SERVICE:
570-546-9663
FAX: 800-438-5901

12305R

- OVER A MILLION SQUARE FEET PACKED TO THE RAFTERS WITH MACHINERY & TOOLS
- 2 OVERSEAS QUALITY CONTROL OFFICES STAFFED WITH QUALIFIED GRIZZLY ENGINEERS
- HUGE PARTS FACILITY WITH OVER 1 MILLION PARTS IN STOCK AT ALL TIMES
- TRAINED SERVICE TECHNICIANS AT ALL 3 LOCATIONS
- MOST ORDERS SHIPPED THE SAME DAY • 24 HOUR ORDERING BY PHONE OR ONLINE



FREE
FULL COLOR
2010 CATALOG!
THOUSANDS OF HIGH
QUALITY MACHINES & TOOLS

6" Jointers with Mobile Base

- Motor: 1 HP, 110V or 1 1/2 HP, 110V/220V, single-phase
- Precision ground cast iron table size: 7 1/2" x 46"
- Max. depth of cut: 1/8"
- Rabbeting capacity: 1/2"
- Cutterhead diameter: 2 1/2"
- Cutterhead speed: 4800 RPM
- Approx. shipping weight: 270 lbs.

**FREE SAFETY
PUSH BLOCKS**

**RACK & PINION
FENCE ADJUSTMENT**

G0452 1 HP MOTOR \$435.00

SALE \$425.00

G0452Z 1 1/2 HP WITH SPIRAL CUTTERHEAD

\$695.00 SALE \$675.00

\$69 shipping
ANYWHERE IN
LOWER 48 STATES



8" x 76" Parallelogram Jointers

- Motor: 3 HP, 220V, single-phase, TEFC, 3450 RPM
- Precision ground cast iron table size: 8" x 76 3/4"
- Cutterhead speed: 5350 RPM • Cutterhead dia.: 3 3/16"
- Deluxe cast iron fence: 36" L x 1 1/4" W x 5" H
- Max. rabbeting depth: 1/2"
- Approx. shipping weight: 597 lbs.

**G0490X
SPIRAL CUTTERHEAD**



**FREE SAFETY
PUSH BLOCKS**

G0490 ONLY \$895.00

\$139 shipping
ANYWHERE IN
LOWER 48 STATES

G0490X WITH SPIRAL CUTTERHEAD ONLY \$1195.00



12" x 83 1/2" Parallelogram Jointers

- Motor: 3 HP, 220V, single-phase
- Precision ground cast iron table size: 12 3/4" x 83 1/2"
- Cutterhead speed: 4950 RPM
- Max. depth of cut: 1/8"
- Max. rabbeting capacity: 3/4"
- Approx. shipping weight: 1059 lbs.

**PEDESTAL MOUNTED
MAGNETIC
SAFETY SWITCH**

**HANDLES FOLD
IN FOR ADDED
SAFETY**

**INCLUDES
FREE SAFETY
PUSH BLOCKS**

G0609 ONLY \$1895.00

G0609X WITH SPIRAL CUTTERHEAD

\$2295.00 SALE \$2250.00

\$250 shipping
ANYWHERE IN
LOWER 48 STATES



15" Planer/Moulder

- Motor: 2 1/2 HP, 110V, single-phase
- Max. cutting width: 15"
- Max. cutting height: 6"
- Min. stock thickness: 1/8"
- Min. stock length: 17"
- Max. planer cutting depth: 3/32"
- Feed rate: 11 FPM & 22 FPM
- Cutterhead dia.: 3 1/4"
- Cutterhead speed: 5500 RPM
- Cuts per minute: 11,000
- Table size: 15" x 16"
- Approx. shipping weight: 181 lbs.

**CONVENIENT
BUILT-IN DUST
COLLECTOR!**

**QUICK CAM
ADJUSTABLE
FEED ROLLERS**

G0477 \$850.00

SALE \$795.00

\$69 shipping
ANYWHERE IN
LOWER 48 STATES



15" Planer

- Motor: 3 HP, 220V, single-phase
- Max. stock thickness: 8"
- Min. stock thickness: 3/16"
- Min. stock length: 8"
- Max. cutting depth: 1/8"
- Feed rate: 16 & 30 FPM
- Cutterhead dia.: 3"
- Number of knives: 3
- Knife size: 15" x 1" x 1/8"
- Cutterhead speed: 5000 RPM
- Table size: 15" x 20"
- Approx. shipping weight: 675 lbs.

**PRECISION GROUND
CAST IRON BED &
INFEEED OUTFEED TABLES**

Product Reviews & Awards ONLINE

**BUILT IN
MOBILE BASE**

G0453 ONLY \$995.00

\$139 shipping
ANYWHERE IN
LOWER 48 STATES



20" Planers

- Motor: 5 HP, 220V, single-phase
- Table size: 20" x 25 3/4" (20" x 55 1/2" with extension)
- Max. stock thickness: 8"
- Min. stock thickness: 3/16"
- Min. stock length: 7 1/2"
- Max. cutting depth: 1/8"
- Cutterhead speed: 5000 RPM
- Feed rate: 16 & 20 FPM
- Approx. shipping weight: 920 lbs.

**PRECISION GROUND
CAST IRON BED &
INFEEED OUTFEED TABLES**

G0454

ONLY \$1495.00

G0454Z WITH SPIRAL CUTTERHEAD

\$2395.00 SALE \$2295.00

\$169 shipping
ANYWHERE IN
LOWER 48 STATES



12 Speed Heavy-Duty 14" Floor Drill Press

- Motor: 3/4 HP, 110V, single-phase
- Precision ground cast iron table
- Table size: 11 3/8" sq.
- Table swing: 360°
- Table tilts: 90° L & R
- Swing: 14"
- Drill chuck: 1/2" - 5/8"
- Drilling capacity: 3/4" steel
- Spindle taper: MT #2
- Spindle travel: 3 3/4"
- Collar size: 2.595"
- Approx. shipping weight: 171 lbs.

**AMERICAN
BEST BUY
2001**


**WOODWORKER'S
TOP
100
TOOLS
& EQUIPMENT**

**Popular Woodworking
TOOL
BUYING GUIDE
Editor's Choice**

**INCLUDES BUILT-IN LIGHT
(BULB NOT INCLUDED)**

G7944 ONLY \$325.00

\$69 shipping
ANYWHERE IN
LOWER 48 STATES



16" x 43" Swivel Head Wood Lathe w/Cast Iron Legs & DRO

- Motor: 2 HP, 110V, single-phase
- Precision milled cast iron bed
- Dist. between centers: 43"
- Swing over bed: 16" • Spindle bore: 3/8"
- Spindle & tailstock tapers: MT #2
- 10 speeds: 600-2400 RPM
- Approx. shipping weight: 372 lbs.

**HEADSTOCK
SWIVELS
FOR OUTBOARD
TURNING**

DIGITAL READOUT

12" TOOL REST

**INCLUDES
6" FACE PLATE,
CUP LIVE CENTER
& SPUR CENTER**

**G0462
ONLY
\$525.00**

\$89 shipping
ANYWHERE IN
LOWER 48 STATES



2 HP Dust Collector w/2.5 Micron Bag

- Motor: 2 HP, 220V, single-phase, 3450 RPM
- Motor amp draw: 12 Amps
- Air suction capacity: 1550 CFM
- Static pressure: 11"
- Bag capacity: 5.7 cu. ft.
- Impeller: 12 3/4" balanced steel, radial fin
- Height w/bags inflated 78"
- Portable base: 21 1/4" x 33 1/2"
- Approx. shipping weight: 126 lbs.

**FREE 63376
2 STAGE
CYCLONE
SEPARATOR**

**2008
TOP
TOOL
AWARD**

**2008
BEST
CHOICE
AWARD**

**2007
WOOD
WORKER'S
TOP
100
TOOLS
& EQUIPMENT**

**MADE IN
ISO 9001
FACTORY!**

**TOOL
BUYING GUIDE
Editor's Choice**



G1029Z2 ONLY \$279.00

\$69 shipping
ANYWHERE IN
LOWER 48 STATES

**NO DEALERS
NO MIDDLEMEN
BUY DIRECT & SAVE!**

grizzly.com®

OVER 12,000 PRODUCTS ONLINE!

For more information, go to PWFREEINFO.COM.



Just Wait Until Next Year...

- Best New Tool 2001** Low-Angle Spokeshave (1)
Best New Tool 2002 Low-Angle Smooth Plane* (2)
 Cabinet Scraper* (3)
Best New Tool 2003 Medium Shoulder Plane* (4)
 Scraping Plane* (5)
Best New Tool 2004 Low-Angle Jack Plane* (6)
Best New Tool 2005 Mk.II Honing Guide* (7)
 Bevel-Up Planes* Smoother (8)
 & Jointer (9)
Best New Tool 2006 Pullshave* (10)
Best New Tool 2007 Right-Hand Small Plow Plane* (11)
Best New Tool 2008 Skew Rabbet Planes* (RH & LH) (12)
Best New Tool 2009 Dovetail Saw** (13)
 NX60 Premium Block Plane** (14)

*Patented. **Patent Pending.



because by then, we'll have unveiled several innovations from Veritas® Tools. Those shown above have appeared in *Popular Woodworking's* annual *Best New Tools* feature. These are tools that the magazine's associates would be proud to own and recommend to fellow woodworkers, tools that have stood up to real shop-time use by amateur woodworkers (not just professionals). Since Veritas® Tools is devoted to designing and manufacturing innovative and practical hand tools that meet the needs of discerning woodworkers, it is no wonder that it has consistently made the list since 2001. Of course, you can always have a sneak peek at our latest innovations by checking out "What's New" in Woodworking on our website.

You can request a copy of our free 284-page woodworking tools catalog or browse it online. Shipping and N.Y. sales tax extra.

Lee Valley & veritas® 1-800-683-8170
www.leevalley.com

For more information, go to PWFREEINFO.COM.





34



46



50

FEATURES

26 Shaker Stepback

Detective work and educated guesses helped us recreate this poplar cupboard from the White Water Shaker community, a forgotten and unrestored community in southwest Ohio.

BY GLEN D. HUEY

ONLINE ► Tapered Backboards

The backboards of this Shaker cupboard are unusual: They taper in width, are quite thin and are joined by tongue-and-groove. Find out how to tackle the unique back on our blog.

tinyurl.com/y9egbwe

34 Clark & Williams, Plane Makers

A slip on the ice launched the toolmaking company called Clark & Williams, one of the few makers of wooden handplanes in the West. We explore their shop and their unusual business.

BY CHRISTOPHER SCHWARZ

ONLINE ► Plane Overload?

If you want to get started in handplanes, check out five years of stories on our web site. Free.

tinyurl.com/ybslux7

40 How Tables Work


To build a table that is strong and looks good you must tap into both the engineering and artistic sides of your brain. We show you how – and how to avoid some common table-making pitfalls.

BY ROBERT W. LANG

ONLINE ► Dining Room Design

A dining table must balance surface area with user comfort and room size. With this free PDF, you'll discover how to work within practical parameters to build the ideal table for your lifestyle, family and home.

tinyurl.com/ybhanum



40

46 William & Mary

This late 17th-century style ushered in a radical shift in furniture design and construction.

BY CHARLES BENDER

ONLINE ► Federal-style Cuffbanding

A few decades after William & Mary, the Federal style became all the rage. In this video, you'll discover how to make cuffbanding – one of the quintessential elements of Federal design.

tinyurl.com/ylx957b

50 Sunken Treasure

As much as 750 million board feet of ancient Honduran mahogany sank to the bottom of rivers as it headed to sawmills. Today, it is being reclaimed, cut, dried and sold to woodworkers.

BY KARI HULTMAN

ONLINE ► Water Logged

Read more details about this underwater treasure trove and how it is reclaimed from the rivers, sawn, shipped and dried.

tinyurl.com/yzhmr7c



16



20



22

REGULARS

8 Two Magazines,
One Mission

ON THE LEVEL

BY CHRISTOPHER SCHWARZ

10 Auger Bits

LETTERS

FROM OUR READERS

14 Mortising Jig
For Hinges

TRICKS OF THE TRADE

FROM OUR READERS

VIDEO ► Tricks-in-Action

Watch a video of one of our tricks at work.
popularwoodworking.com/tricks16 Rob Cosman
Dovetail Saw

TOOL TEST

BY THE EDITORS

ONLINE ► Tool Test Archives

We have lots of tool reviews on our web site, free.
popularwoodworking.com/tools20 Making Sense
Of Forms

DESIGN MATTERS

BY GEORGE R. WALKER

22 Thomas Day

ARTS & MYSTERIES

BY JEROME BIAS



24

24 Skansen Bench

I CAN DO THAT

BY CHRISTOPHER SCHWARZ

54 An Array
Of Lacquers

FLEXNER ON FINISHING

BY BOB FLEXNER

60 Glossary

TERMS OF THE TRADE

Woodworking's terminology can be overwhelming. Learn the terms used in this issue.

64 'Put Yer
Ass Into It'

END GRAIN

BY ROY UNDERHILL

POPULAR
Woodworking
MAGAZINE

Number 182, April 2010. *Popular Woodworking Magazine* (ISSN 0884-8823/USPS 752-250) is published 7 times a year, which may include an occasional special, combined or expanded issue that may count as two issues, by F+W Media, Inc. Editorial and advertising offices are located at 4700 E. Galbraith Road, Cincinnati, Ohio 45236. Unsolicited manuscripts, photographs and artwork should include ample postage on a self-addressed, stamped envelope (SASE); otherwise they will not be returned. Subscription rates: A year's subscription (7 issues) is \$19.96; outside of the U.S. add \$7/year • Canada Publications Mail Agreement No. 40025316. Canadian return address: 2835 Kew Drive, Windsor, ON N8T 3B7 • Copyright 2010 by *Popular Woodworking Magazine*. Periodicals postage paid at Cincinnati, Ohio, and additional mailing offices. Postmaster: Send all address changes to *Popular Woodworking Magazine*, P.O. Box 420235, Palm Coast, FL 32142-0235 Canada GST Reg. # R122594716 • Produced and printed in the U.S.A.

The facts are hard to ignore.

Titebond® III outperforms polyurethane glues.

The image shows a workshop environment with a wooden workbench. On the bench, there are wood shavings and a bottle of Titebond III Ultimate Wood Glue. A comparison chart is placed on the workbench, titled 'Glue comparison' and subtitled 'What woodworkers need to know!'. The chart compares Titebond III and Polyurethane Glues across various criteria. Titebond III is marked with green checkmarks for all criteria except 'Longer Usable Shelf Life', which is marked with a black checkmark for Polyurethane Glue. The background shows a wooden pegboard with various tools hanging on it.

	Titebond III	Polyurethane Glues
Higher Bond Strength	✓	✓
Exterior Use – Waterproof	✓	
Easy Water Cleanup	✓	
Much Safer To Use	✓	
Shorter Clamp Time	✓	
No Foam – Less Mess	✓	
Shorter Open Time	✓	
Doesn't Stain Skin	✓	✓
Bonds Most Materials	✓	
Bonds Oily / Exotic Woods	✓	
Lower Cost – Better Value	✓	
Longer Usable Shelf Life		✓

Reference Guide

Glue comparison

What woodworkers need to know!

Titebond III

Polyurethane Glues

Waterproof

Titebond III

ULTIMATE Wood Glue

Waterproof – Superior Strength
Outperforms All Other Wood Glues
Longer Open Assembly Time

NET 8 FL. OZ. (237 mL)

As the leader in wood glues, we want you to know the truth about polyurethane glue and woodworking. A straightforward comparison between Titebond® III Ultimate Wood Glue and polyurethane glue tells the story.

Titebond® III is THE ultimate choice for bonding wood to wood. Period.

For more information and a detailed comparison, please visit www.titebond.com/TBIIIvsPolyurethane

Made in the USA

For more information, go to PWFREEINFO.COM.

CONTRIBUTORS



Kari Hultman
"Sunken Treasure," page 50.

Kari owns a graphic design agency in Pennsylvania, which supports her lumber and tool addiction. She started her woodworking journey as a Normite, but influences from classes and mentors directed her toward the path of hand-tool use.

An avid woodworking hobbyist for more than 18 years, Kari makes her own handplanes (including the blades), builds furniture (her current love is Pennsylvania German), has taught classes in lettercarving and hand-cut dovetails, and lives to learn all things woodworking including carving in the round, marquetry and inlay. Kari manages the Village Carpenter blog at villagecarpenter.blogspot.com, where she writes about projects, techniques, trips to historic sites and woodworking events, and her two fashion-conscious shop dogs. She also edits our Tricks of the Trade column.

▶ To read more about Kari and to link to her blog, visit popularwoodworking.com/karihultman.



Jerome Bias
"Thomas Day," page 22.

Jerome, who lives and works on a dairy farm in Orange County, N.C., has developed a passion for building period reproductions of furniture pieces from Eastern North Carolina and Southern Virginia, inspired in large part by the work of Thomas Day. Jerome uses only tools and techniques from the time period in which he's building to produce pieces that not only look like the original, but exhibit the building processes the original maker would have experienced. He is also a quilter and upholsterer.

Jerome has given talks and woodworking demonstrations for the Chapel Hill Preservation Society and the Thomas Day Educational Foundation, and he serves as a consultant with the North Carolina Museum of History.

This is his first article for this magazine.

▶ To read more about Jerome and to link to his web site, visit popularwoodworking.com/jeromebias.



Charles Bender
"William & Mary," page 46.

Chuck began woodworking at the age of 12. In his teens he studied under a German Master who taught him the value and proper use of hand tools. After his formal training, he worked with two Chester County master furniture makers. Throughout his apprenticeship Chuck studied period furniture design and construction. For more than 30 years, he's created masterpieces for clients throughout the country.

Since starting his own period-furniture business in 1991, Chuck has been recognized as one of America's top traditional craftsmen. His work can be seen in private collections, museums and some of the best juried craft shows in the country.

Chuck opened The Acanthus Workshop (acanthus.com) in 2007, a Philadelphia area-based school that provides woodworking instruction to students of all skill levels.

▶ To read more about Chuck and to link to his web site, visit popularwoodworking.com/charlesbender.

POPULAR Woodworking MAGAZINE

APRIL 2010, VOL. 30, NO. 2

popularwoodworking.com

EDITORIAL OFFICES 513-531-2690

PUBLISHER & GROUP EDITORIAL

DIRECTOR ■ Steve Shanesy
x11238, steve.shanesy@fwmedia.com

EDITOR ■ Christopher Schwarz
x11407, chris.schwarz@fwmedia.com

ART DIRECTOR ■ Linda Watts
x11396, linda.watts@fwmedia.com

SENIOR EDITOR ■ Robert W. Lang
x11327, robert.lang@fwmedia.com

SENIOR EDITOR ■ Glen D. Huey
x11293, glen.huey@fwmedia.com

MANAGING EDITOR ■ Megan Fitzpatrick
x11348, megan.fitzpatrick@fwmedia.com

ASSOCIATE EDITOR FOR THE WEB ■ Drew DePenning
x11008, drew.depenning@fwmedia.com

PHOTOGRAPHER ■ Al Parrish

F+W MEDIA, INC.

CHAIRMAN & CEO ■ David Nussbaum

CFO ■ James Ogle

PRESIDENT ■ Sara E. Domville

SENIOR VICE PRESIDENT, OPERATIONS ■ Phil Graham

EXECUTIVE VICE PRESIDENT, eMEDIA ■ John Lerner

VICE PRESIDENT IT, CIO ■ Mike Kuehn

VICE PRESIDENT, AUDIENCE DEVELOPMENT ■ Tim Langlitz

EVENTS DIRECTOR ■ Cory Smith

CIRCULATION DIRECTOR ■ Linda Engel

NEWSSTAND DIRECTOR ■ Susan Rose

PRODUCTION COORDINATOR ■ Vicki Whitford

ADVERTISING

ADVERTISING DIRECTOR ■ Don Schroder

331 N. Arch St., Allentown, PA 18104

TEL. 610-821-4425; FAX. 610-821-7884

d.schroder@verizon.net

DISPLAY & CLASSIFIED ADVERTISING

SALES DIRECTOR ■ Krista Morel

TEL. 513-531-2690 x11311

krista.morel@fwmedia.com

SUBSCRIPTION SERVICES: Subscription inquiries, orders and address changes can be made at popularwoodworking.com (click on "Customer Service"). Or by mail: *Popular Woodworking Magazine*, P.O. Box 420235, Palm Coast, FL 32142-0235. Or call 386-246-3369. Include your address with all inquiries. Allow 6 to 8 weeks for delivery.

NEWSSTAND DISTRIBUTION: Curtis Circulation Co., 730 River Road, New Milford, NJ 07646.

ATTENTION RETAILERS: To carry *Popular Woodworking Magazine* in your store, call 800-894-4656 or write Magazine Retail Sales, P.O. Box 5014, Iola, WI 54945-5014.

BACK ISSUES are available. Call 800-258-0929 for pricing or visit popularwoodworking.com. Send check or money order to: *Popular Woodworking Magazine* Back Issues, F+W Media Products, 700 E. State St., Iola, WI 54990. Please specify publication, month and year.

Copyright ©2010 by F+W Media, Inc. All rights reserved. *Popular Woodworking Magazine* is a registered trademark of F+W Media.



WOODLINE USA

QUALITY CARBIDE ROUTER BITS,
SHAPER CUTTERS & MUCH MORE!



TriStar™
Smooth 3 Wing Router Bits



Bowl & Tray cutters
along with a variety of
templates available at
www.woodline.com



13 Rosette Profiles available



We now carry a full line of
quality woodturning tools
and wooden hand planes.



Instructional DVDs available



Gift Certificates available!

EASY ORDERING! 24 HOURS A DAY, 7 DAYS A WEEK

1-800-472-6950

Order online or view our catalog at www.woodline.com

For more information, go to PWFREEINFO.COM.

BY CHRISTOPHER SCHWARZ, EDITOR

Two Magazines, One Mission

In my 13 years with this magazine, I've never written about the magazine itself. You've never had to hear about how we tweaked the fonts, leading and kerning to spiff up our look. All that rubbish is inside baseball in my book. This is a woodworking magazine, and you pay me to write about woodworking.

But this issue features changes that are so radical that I'd like to take a few minutes to explain them. If you'd like to turn the page and get to the wood-working stuff, I totally understand.

For those of you still with us, here's the deal: Starting this issue we've combined *Popular Woodworking* and *Woodworking Magazine* into the publication you are holding. It might look like we've just closed one magazine, but that's not right. Read on.

We've taken the best parts of each and combined them into *Popular Woodworking Magazine*, which will be published seven times a year. (The details of what this means for your subscription are addressed on the cover wrap around this issue.) We took the best writers from *Popular Woodworking*, including Adam Cherubini, George R. Walker, Bob Flexner, Mike Dunbar and David Charlesworth for this new magazine. From *Woodworking Magazine*, we took a lot of the physical appearance and no-crap reporting. Plus, this new magazine has bigger, thicker and brighter paper.

You might wonder if this is a desperate act to stay in business. Hardly. Both magazines posted solid profits year after year and are some of the best-performing publications for our parent company. Instead, it was the staff of the magazines who decided to make this change to ensure we will be profitable next year and

in 10 years. In short, we will branch out even more into the Internet, DVDs, podcasts, social media and book publishing.

The magazine is still the heart of the business—my veins are filled with ink and sawdust. But we know we need to adapt to grow.

I won't kid you—some changes might unsettle you at first. *Woodworking Magazine* readers might be shocked to see ads and color photos. *Popular Woodworking* readers might stumble

when they encounter our willingness to trash conventional wisdom.

But rest assured, I think you'll like the result. This magazine is put out by the same staff who produced *Woodworking Magazine* and *Popular Woodworking*.

There have been no staff changes or reductions. I'm still the editor. Steve, Glen, Bob, Megan, Linda and Drew are all sitting at the same desks and doing their damndest to inform you.

So take a close look at this issue. Read the stories. Check out the boxes at the end of each article that point you to the vast amount of woodworking knowledge we've dug up on the Internet for you. And let us know what you think. It's easy. That's because there's one thing about us that will never change—our willingness to answer every e-mail and phone call.

When it comes down to it, we're just passionate woodworkers who want to continue writing, building and reading about woodworking for the rest of our lives. And with your support, we'll all get to do that until they scrap the printing presses for good. **PWM**

Customer Service

How can I contact customer service with questions regarding my subscription, including a lost or damaged issue? Visit popularwoodworking.com/customerservice. Or write to Popular Woodworking Magazine, P.O. Box 420235, Palm Coast, FL 32142-0235. Or, if you prefer the telephone, call 386-246-3369 and a customer service representative will be happy to help you.

When does my subscription expire?

The date of your subscription expiration appears on your magazine mailing label, above your name. The date indicates the last issue in your subscription.

Can I get back issues of Popular Woodworking or Woodworking Magazine?

Back issues are available while supplies last. Visit popularwoodworking.com/backissues. Or if you know the exact month and year of the issue you want, call our customer service department toll-free at 800-258-0929 to order.

What if I want more information about the projects and tools I read about in Popular Woodworking Magazine?

For all editorial questions, please write to Popular Woodworking Magazine, 4700 E. Galbraith Road, Cincinnati, OH 45236. Or e-mail popwood@fwmedia.com.

Does Popular Woodworking Magazine offer group discounts? Group discounts are available by special arrangement. For details, send an e-mail to Debbie Paoletto at deborah.paoletto@fwmedia.com or call 513-531-2690 x11296.

How do I advertise in Popular Woodworking Magazine?

For rates and information, contact Don Schroder at d.schroder@verizon.net or 610-821-4425.

Our Privacy Promise to You

We make portions of our customer list available to carefully screened companies that offer products and services we believe you may enjoy. If you do not want to receive offers and/or information, please let us know by contacting us at:

List Manager, F+W Media, Inc.
4700 E. Galbraith Road
Cincinnati, OH 45236

Safety Note

Safety is your responsibility. Manufacturers place safety devices on their equipment for a reason. In many photos you see in *Popular Woodworking Magazine*, these have been removed to provide clarity. In some cases we'll use an awkward body position so you can better see what's being demonstrated. Don't copy us. Think about each procedure you're going to perform beforehand.

Highly Recommended

When buying handplanes, there once were only two good choices: Buy vintage and rehab it or buy a premium tool. But now Steve Nisbett of Illinois offers a third excellent option. Nisbett is a machinist who rehabs old planes until they are better than factory fresh.

We bought one of his Dunlap 3DBB smoothing planes and were impressed with how true all the critical surfaces were. And his prices are lower than what you'd pay from a premium maker.

Visit his eBay store at stores.ebay.com/flatwood-tools-and-more.

— Christopher Schwarz



PHOTO BY CHRISTOPHER SCHWARZ



*Industrial
Blade Company*

Presents: PINNACLE Replacement Plane Blades

Pinnacle is defined by Webster's as *the highest point of development or achievement*. The latest offering of replacement plane blades that bear the Pinnacle® name have certainly lived up to this definition. Every detail of these Pinnacle® tools was engineered with one thing in mind: to provide woodworkers with tools that empower them. Pinnacle® tools are available exclusively at Woodcraft.

Why is IBC™ the Best-Kept Secret In Woodworking?

The evidence of IBC's plane blade manufacturing expertise is extensive, but the name is still vastly unknown to woodworkers. IBC™ is proud to finally and formally introduce itself to the woodworking industry with an extensive product line of premium replacement blades. Instead of being the best-kept secret in the woodworking industry, the goal of the IBC™ brand is to become synonymous with "the best plane irons in woodworking."

Made In Canada



Replacement Plane Blades For Traditional STANLEY® Planes



Replacement Plane Blades For Lie-Nielsen® Planes



Replacement Plane Blades For Veritas® Planes

PROFESSIONAL QUALITY TOOLS™

Available Exclusively At Woodcraft! For A Free Catalog Or To Find Your Local Woodcraft Store, Visit woodcraft.com Or Call 800-225-1153. 10PW04Q

For more information, go to PWFREEINFO.COM.

Woodpeckers®

PRECISION WOODWORKING TOOLS

Clamping



Routing



Measuring & Layout



Woodpeckers® Precision Woodworking Tools.

Made in U.S.A.

Learn more... www.woodpeck.com

For more information, go to PWFREEINFO.COM.



GREX 23 GA. HEADLESS PINNERS

Precision Built for Fine Woodworking



P650
3/8" ~ 2"

P645
3/8" ~ 1-3/4"

P635
3/8" ~ 1-3/8"

P630
3/8" ~ 1-3/16"

"The Invisible Fastener"
In the shop & on site,
from 3/8" for fine work,
up to 2" for baseboards
& crown molding.

888-4GREXCO (447-3926) · www.grexusa.com

For more information, go to PWFREEINFO.COM.

Recommended Auger Bits

After reading your blog article “The Essential Brace & Bit” (tinyurl.com/yauz7lr), I have ordered a Stanley/North Bros. 2101A 10" brace that looks to be in almost-new condition.

However, I'm now thinking that my paltry few (and very beaten up) auger bits will not do it justice so I've started looking at options for a set.


I'm hoping you can provide a bit of advice here, as there seem to be quite a few choices. Do I go for single or double spur? Screw point or spur point? Jennings pattern or Irwin pattern? Coarse auger screw pitch or finer? Who made the better quality bits—Irwin, Jennings, Forrest City, Mephisto ...? I suspect that many of these bits were designed for construction rather than cabinetry, so I wanted to understand the characteristics to look for when the use is in furniture making.

Ross Manning
Church Point, Australia

Ross,
I'm not much of an expert in auger bits—I wish I were. I know enough to do a good job. Here are my thoughts; take them with a grain of salt.

I prefer the Irwin-pattern bits with a medium-thread lead screw. These work for both hardwoods and softwoods, and the screw-feed tip doesn't clog as often as it does on a bit with a fine-thread screw.

The reason I prefer the Irwins is that the



flutes don't clog as readily as they do on the Jennings bits. The Jennings-pattern bits are easier (in my opinion) to keep straight because they have more flute surface guiding you. But the price is that they jam with shavings.

The Irwin brand is so ubiquitous that I almost never stumble on a lot of other brands. So I don't have a lot of experience in comparing brands. The way I judge a used bit is visually—is the fit and finish nice? How much of the spurs remain? Is the cutting lip damaged? Are the flutes rusted (which impedes chip clearance). Those factors are more important (to me) than the brand on the bit.

Finally, if you haven't already, download the free old Irwin manual at tinyurl.com/yc7ozvl. It's great. It explains a lot about augers and how to care for them.

Christopher Schwarz, editor

working a single area too long. Again, lower the router's rpm if possible—or speed up your work pace. Third, when you stop or hesitate while routing, I can almost guarantee there will be some burn as a result, so make sure you pull the bit away from the edge if you need to stop.

If you employ these remedies and continue to have burn issues, I do have a trick to make the burn go away. When I cut profiled edges with my router, I set the depth of the cut at slightly less than what is optimal. If I run through the cut and everything looks great, I'm done. If, however, I develop that nasty browning at any place along the edge, I simply lower the bit depth setting a minute amount and run a second pass. The second pass should not cause any burn due to the small amount of material I'm removing.

Glen D. Huey, senior editor

Liquid Hide Glue Formula

I was very interested in the liquid hide glue recipe in the Winter 2009 issue of *Woodworking Magazine* (Issue #16). I mixed up a batch, and just finished it this morning. I'm wondering if the proportions of ingredients in the article are correct.

I can't get one part of salt to dissolve into three parts of water plus two parts of glue granules, so I'm left with a pile of salt crystals at the end of the two-day cooking process.

The cooked mixture is definitely a liquid in my 55° Fahrenheit shop and seems to work OK in my single test.

It has been too long since college chemistry for me, but unless the goal is to have a saturated solution of sodium chloride, the amount of salt seems a bit high.

Ken Whitney
Rocklin, California

Ken,
I rechecked the information to make sure we had things right, and we do. The mixture is one part salt, two parts hide glue and three parts water.

I pulled out our experimental mix to take another look at it as well. The mixture is a bit opaque and not near as clear as fresh-cooked hide glue, but it is still liquid. I assume the salt is suspended in the mixture as you suggest, but the glue worked fine. I spread a small amount on a piece of wood and the glue hardened just fine.

The key is to make sure your salt is table salt and

How to Avoid Router Burns

Despite my efforts to the contrary, I still inflict router burns, most recently with a roundover bit on cherry stock. Besides some heroic sanding, might there be an easier and/or better way to remove the burns?

Eric Bolen
via e-mail

Eric,
Burned surfaces while using the router is commonplace, especially when working with cherry. Router

burn is usually due to one (or more) issues, all of which need to be watched for and addressed.

First, if your router bits are dull, the chances of burn are much greater. So make sure your bits are sharp. This is also a great reason to have a variable-speed router—if you reduce the router's revolutions per minute, you reduce the opportunity for the bit to burn. Second, the speed at which you move along the edge is important. If you move too slowly, you'll burn the edge due to the router bit (which is spinning at up to 20,000 or more rpm)

CONTINUED ON PAGE 12

ILLUSTRATIONS BY MARY JANE FAVORITE

Do Your Tools Cut It?

Your Long-Term Solution for Carving,
Shaping, Cutting & Sanding.

- CUSTOM WOODWORKING
- FURNITURE & RAILINGS
- DIY PROJECTS
- CARVINGS LARGE OR SMALL

Shop Kutzall Direct
www.KutzallDirect.com

Reduce Your Work by 80% or More!
Easy to control, remarkable durability,
and first-class performance.
Let the tools do the work while you take
the credit.....in far less time.

info@kutzalldirect.com
Phone: (810) 765-1000

KUTZALL

For more information, go to PWFREEINFO.COM.

SMILE WHILE YOU SAVE 20%



HAFELE With over 9,800 Hafele handles, knobs, corbels and wood kitchen accessories to choose from, we have cabinet and furniture hardware in every conceivable style. Change your view with the latest cabinet hardware or update a traditional style with a new twist.

KE Hardware

www.kehardware.com/hafele
877.220.3800


Use coupon 'PW20' at checkout to save 20%

For more information, go to PWFREEINFO.COM.

Start to FINISH...

The Finishing Store.com

- TRADE SECRETS
- EXPERT VIDEOS
- PRECISION PRODUCTS
- SUPER SAVINGS



BROWSE OVER 400 EXPERT PRODUCTS, TIPS AND TRICKS, PLUS SUPER SAVINGS.

Call or Click today 1-888-900-4857 or www.TheFinishingStore.com

Dept. pw310

For more information, go to PWFREEINFO.COM.

that it doesn't have any additives. Be sure to follow the cooking instructions to the letter – something that shouldn't prove difficult for woodworkers.

Glen D. Huey, senior editor

Among High-end Chisels, Are There Differences in Use?

Compare Lie-Nielsen, Ashley Iles and Blue Spruce chisels. They're all pretty, but in terms of pure function, can you make a claim that "X" dollars gets you "X" more functionality?

Tom Doran
Tucson, Arizona

Tom,
At that level, there is no difference in basic function or edge retention. None. I've used them all.

What's different is the handle and the balance. The Lie-Nielsen 750 pattern is my favorite shape. And I like the short blade. But others prefer a longer blade and a different pattern. The best thing to do would be to order a 1/2" chisel from each. Use them a bit. Send back the ones you don't like.

I know that's not the answer you were looking for, but I'm afraid it's the best I have.

Christopher Schwarz, editor

Softening End Grain for Planing

I've read more than once that you apply denatured alcohol when working end grain with planes. You've stated, "it works better."

What does the alcohol do to the end grain that makes it easier to work? Does it toughen the wood? Soften the wood? Make it more flexible?

If it softens it, I'd think one could use any liquid. So does alcohol also do something to the mechanical properties of the wood?

As far as traditional solutions, the author of the 1839 book "The Joiner and Cabinet Maker" doesn't soften his end grain with linseed oil before planing, does he?

Andre Ridder
Farmsum, Netherlands

Andre,
Alcohol softens the wood, making the end grain cut more like face grain. End grain is so tough, especially in ring-porous woods, that you need all the help you can get.

And you're right; any liquid will work (water, mineral spirits, etc.). I use alcohol because it doesn't rust tools and is low on the VOC scale.


I've even used mineral oil and other oils. These are excellent solutions because they don't evaporate quickly and they lubricate the plane's sole. Traditional solutions include raw linseed oil and tallow. Yup. Fat.

The oils are a bit messy.

As to the exact mechanical properties of the wood that are affected, I'd have to do some research. I imagine the liquid lowers the beam strength (E-value) of the fibers, but that's just a guess.

You're right; there's nothing in "The Joiner and Cabinet Maker" about this practice. However, in his landmark 18th-century, five-volume "L'Art Du Menuisier," André Roubo specifies keeping a pot of linseed oil by the bench for lubricating purposes. And vintage American tools that haven't been cleaned are typically covered in mutton tallow.

Christopher Schwarz, editor



'Roundover' vs. 'Ovolo' Bits

Is there a difference between "roundover" and "ovolo" bits and if so, what is it?

Randall Nelson
Jefferson, North Carolina

Randall,
There is a difference.

Roundover bits, sometimes called beading bits (although I like to think of a beading bit as a router bit that will form a full bead with a single pass), are used to round over an edge and are bearing guided. An ovolo router bit has the same profile as a roundover bit, but there is no bearing.

In furniture construction, ovolo bits are used to divide a drawer front to make it appear to be two or more drawer fronts when, in fact, it's a single drawer. These bits also are used in plunge operations for some cabinet door front designs.

Glen D. Huey, senior editor

"A home workshop can be a cheap psychiatrist, especially if we let go of our grim purposefulness and just enjoy what we are doing."

—Gene Schnaser
from "The Home Workshop Planner"

A Food-safe (and Nice) Finish

I've read vague statements on the Internet about walnut oil as a food-safe finish – but will it behave like tung oil if applied in multiple coats, as you detailed in the Winter 2009 Woodworking Magazine (Issue 16)? I want both food-safe and nice looking, even if it takes a month of daily buildup.

Brian Cribbin
Albuquerque, New Mexico

Brian,
I've not worked with walnut oil, so I referred to Bob Flexner's "Understanding Wood Finishing." He says the reason most woodworkers think some oils are not food safe is due to metallic driers, such as lead. In the 1970s, lead was removed from everything, including oil driers. Bob states that all oils are food safe as long as they are dry – 30 days or less, depending on the temperature.

My thought is that walnut oil could be used just as you would tung oil, and the build should be about the same as well. **PWM**

Glen D. Huey, senior editor

Go Online FOR MORE ...

Letters and Comments

Popularwoodworking.com/letters has reader questions and comments as well as our editors' responses at your fingertips.

We want to hear from you.

Popular Woodworking Magazine welcomes comments from readers. Published correspondence may be edited for length or style. All correspondence becomes the property of Popular Woodworking Magazine.

Send your questions and comments via e-mail to popwood@fwmedia.com, or by mail to:

Letters, Popular Woodworking Magazine
4700 E. Galbraith Road
Cincinnati, OH 45236

Walking the talk.



Hand tools for the serious woodworker

TOOLS FOR
WORKING WOOD

800.426.4613 32 33rd St. Brooklyn, NY 11232

www.toolsforworkingwood.com

For more information, go to PWFREEINFO.COM.



Marc Adams
School of Woodworking
is committed to fine woodworking
excellence through hands-on
learning experiences with the best
woodworkers of modern time.

Check out our new interactive
brochure online at
www.marcadams.com
317-535-4013

- Over 130 workshops that last from one day to two weeks
- More than 60 internationally recognized instructors
- Classes are hands-on in a facility that is unrivaled



For more information, go to PWFREEINFO.COM.

CNC FOR ANY SIZE SHOP



PRSAlpha 120-60

Whether you're a weekend woodworker looking to expand the scope of your projects or a serious craftsman ready to turn your passion into a business, ShopBot has an affordable, American-made solution for your woodworking needs. Our PRSstandard CNC system gives you the performance necessary to take your designs to the next level, while our PRSAlpha offers professional-grade speed, power and accuracy at a fraction of the cost of the big iron machines.

To get you up and running as quickly as possible, we offer training at our headquarters or in your facility, and, with some of the best technical support in the industry and a worldwide peer network, help is never more than a phone call or a mouse click away.

Give us a call or visit us online to find out how you can become a ShopBotter.



What will you make today?

www.shopbottools.com
888-680-4466

For more information, go to PWFREEINFO.COM.



SINCE 1972

**OHIO'S
LARGEST
TOOL STORE!**

100 PC. For A Limited Time
Rare Earth Magnet **SAVE 60%**
Value Pack **Only!**

Item # K10369

\$15.98

Reg \$39.99
Offer Valid
for 90 days



Special Value Pack Includes:
45 ea. 1/4" Magnet #10369
30 ea. 3/8" Magnet #10370
25 ea. 1/2" Magnet #10371

FREE!
SHIPPING

On Orders Over \$99
(Lower 48 States)

FREE
Catalog!

hartvilletool.com
800-345-2396

For more information, go to PWFREEINFO.COM.

Forrest Sharpening

Helps Prevent Bad Cuts Like These



Abrasion, pitch buildup,
micro chipping and poor
sharpening jeopardize the life
and performance of even the
finest carbide-tipped blades and
dado sets. Our *expert factory
sharpening* will help protect
your investment. We handle
all types and makes of blades.
Typical turnaround is just 4 to
5 days.

We've been the leader for
over 60 years, so contact
us today.

FORREST

**The First Choice of Serious
Woodworkers Since 1946**

www.ForrestBlades.com
1-800-733-7111
(In NJ, call 973-473-5236)

© 2010 Forrest Manufacturing Code PW

For more information, go to PWFREEINFO.COM.

EDITED BY KARI HULTMAN

THE WINNER:

Mortising Jig for Hinges

Faced with a looming deadline, I needed to find a way to quickly and accurately make hinge mortises for five boxes. My solution involved a jig that referenced the side and back of the box and lid, a palm router and a shallow flush-cutting router bit. The half-hour I spent making the jig saved me hours of work and produced the most accurate hinge mortises I've ever cut.

To make the jig, I measured and marked how far from the end I wanted to place my hinges. Going off that mark, I used the table saw to remove a section the exact length and width of the intended mortise. Next, I checked the fit by slipping the hinge into the notch to be sure it held with a friction fit (a loose fit can be shimmed with tape).


After cutting the notch, I attached the side fence and the back fence with glue,

making sure to maintain 90° angles. Once the glue was dry, I secured the fences with square-drive screws in pre-drilled and countersunk holes. Finally, I labeled the jig with the brand and size of the hinge and the distance of the mortise from the side.

Using the jig is a snap. Place it along the back side of the box and register the fences tightly to the back edge and the adjoining side. The notch determines the exact location of the mortise. Clamp the jig in place, set the depth of the router bit and rout the mortise.

Unclamp the jig, flip it over to register against the other end of the box and rout the second mortise. Do the same thing for the lid. Chisel out the mortise corners. Because the corresponding box and lid mortises use the same jig and reference the same side and the back, they always line up, provided the two are sized identically.

Ethan Sincox
St. Peters, Missouri




Remove Play From Miter Gauge

The basic miter gauge that came with my table saw had some minor play when used in the miter slot. Expensive aftermarket miter gauges solve this problem with set screws on the sliding bar.

Instead of going the more expensive route, I simply wrapped masking tape around the top and one side of the sliding component at four evenly spaced locations, being careful to avoid putting tape on the bottom surface.

I added a second layer of masking tape where needed and finished by putting a dab of paste wax on each piece. This created a perfect fit for the miter gauge.

Brad Hall
Bernville, Pennsylvania




Multi-use Skewers

Bamboo skewers are for more than just shish kabob. I use them to stir things and to apply glue in holes and mortises. Also, one or more can be packed into a stripped screw hole with some epoxy. After the epoxy sets, trim the excess skewers, drill a pilot hole and the screw will hold again.

I use them as mini pegs by drilling a hole slightly smaller than the skewer and driving them in. This works well for nailing on small drawer bottoms because you won't hit a metal nail with your plane later on. I also have used them as hinge pins for wooden hinges, to open the end of a plugged glue bottle, as a replacement stylus for a cell phone and—when grasping a bunch of them—to demonstrate to students how wood fibers look.

Mike Siemsen
Chisago City, Minnesota



Router Plane Final Pass

I use my router planes quite a bit for rabbets, dados, inlays and tenons. The final pass didn't always produce the surface that I wanted, and making the adjustment for it was a challenge. Often, the final pass was too deep.

Here is what I have been doing for some time: With the router plane in the cavity (such as a rabbet), I put a sheet of paper under the front of the router plane, making sure that the cutter rests on the bottom of the cavity, then I lock the setting. Then I remove the paper and make a final, light pass. Depending on how close to or away from the iron I move the sheet of paper, I can refine the cut further.

I have noticed that even for a larger router plane with adjustment screws, the same method of using a sheet of paper is more accurate than using the screw adjustment. Registering this tool against the actual piece of work is more accurate than using measurements.

*Alfred Kraemer
Menomonee Falls, Wisconsin*

Unstick Sticky Nozzles

Although spray cans can be handy, I've always hated them when I try to reuse an older can. Holding it upside down while spraying in order to unclog the nozzle doesn't always work.

A trick I found that works pretty well is to spray upside down first, then take the nozzle off and place it on an aerosol can of WD-40. Spray a few shots, and return it to the spray can for storage.


I had a can that wouldn't spray, so I soaked the nozzle in lacquer thinner to no avail. I tried to blow the thinner through it with my air compressor, but no luck. I finally placed the nozzle on a can of WD-40, and it started to work.

*Rog Mickelson
West Burlington, Iowa*

Get a Grip

When using a sharpening stone to hone the flat side of handplane irons or scraper plane blades, it can be difficult to grip the metal. Take an old knob off a handplane and glue or epoxy a rare earth magnet into the bottom screw hole. The magnet grabs the iron, and the comfort of the plane knob lets you hone away without issue – simple but effective.

*Tom Fidgen
Toronto, Ontario*



Pitch Remover

Working in a shop that makes trusses, I cut resinous yellow pine all day. After letting pitch build up for more than a year on our radial arm saw, I decided it was time to clean the blade. After trying a few things, I saw a spray can of decal and adhesive remover. Thinking, "Why not?" I sprayed it on the blade. In three minutes and with a very light scrubbing, the blade was completely clean. The product is available at auto parts stores.

*Daniel Freeman,
Dardanelle, Arkansas*

Adding Age to Screws

I really dislike the look of most modern hardware and common fasteners with their brightly finished zinc coating. So when I need to use these screws and hardware on a project, I like to make them look older by removing the zinc plating.

To remove the zinc plating, I use vinegar found in any grocery store. Red, white or cider makes no difference (just don't waste good balsamic!). I simply place the screws in a small jelly jar or plastic cup, cover them with vinegar, then allow them to soak for a day or so. The acid in the vinegar removes the zinc plating and leaves the screws with a dull, steel gray color – allowing them to age and take on a nice patina that looks much more authentic on a piece of furniture.

It works on hinges and other zinc-plated hardware too, though sometimes you need to let the larger items soak longer, depending on the thickness of the plating. The best part is, it's safe. I wouldn't put the used vinegar on a salad, but I can pour it down the drain. **PWM**

*Bob Rozaieski
Swedesboro, New Jersey*

Go Online FOR MORE ...

Tricks-in-Action shows you how tricks work for real. To see how "Pitch Remover" works in our shop, go to popularwoodworking.com/tricks and watch the video.

Visit the new *Tricks of the Trade* page online:
► popularwoodworking.com/tricks

Tricks editor Kari Hultman writes about woodworking on her blog at:
► villagecarpenter.blogspot.com

To purchase a back issue of our best tricks of all time, visit:
► tinyurl.com/yj62644

All of our online products are available at:
► WoodworkersBookShop.com

Cash and prizes for your tricks and tips!

Each issue we publish useful woodworking tips from our readers. Next issue's winner receives a \$250 gift certificate from Lee Valley Tools, good for any item in the catalog or on the web site (leevalley.com). (The tools pictured below are for illustration only, and are not part of the prize.)

Runners-up each receive a check for \$50 to \$100. When submitting a trick, include your mailing address and phone number. If your trick is selected, an editor will need to contact you. All entries become the property of *Popular Woodworking Magazine*. Send your trick by e-mail to popwoodtricks@fwmedia.com, or mail it to Tricks of the Trade, *Popular Woodworking Magazine*, 4700 E. Galbraith Road, Cincinnati, OH 45236.



BY THE EDITORS

Rob Cosman Dovetail Saw

This saw is different in almost every way, from its handle to its teeth.

The new dovetail saw from craftsman Rob Cosman pushes the limits on saws that are designed to cut woodworking's signature joint. Cosman developed the saw after teaching thousands of woodworkers to cut dovetails and having one bright idea while talking with his wife in bed.

What's different about this saw? Everything. Cosman's saw is the heaviest and longest dovetail saw I've ever used. Tipping the scales at 1.16 lbs., the saw's weight comes from a heavy 1/4"-thick x 7/8"-wide brass back and 1"-thick Swanstone handle.

Swanstone is a solid-surface material like Corian, but it is reinforced with glass to be more durable. Cosman added weight to the saw's toe to make the tool start easily and cut smoothly. The weight from the Swanstone handle helps balance the tool.

The tote's shape is traditional, except for three indents cut into its grip to remind you to grasp it with three fingers – an improper four-finger grip is almost impossible.

Rob Cosman Dovetail Saw

Rob Cosman ■ robcosman.com
or 877-967-5966

Street price ■ \$295 (Canadian)

► **Go Online** to read Christopher Schwarz's blog entries on handsaws.

► tinyurl.com/yb2plne



Looks different – is different. The Rob Cosman dovetail saw uses a solid-surface handle, a thick brass back and an unusual tooth filing. We take the saw for a test drive.

The blade of the saw is also different. While the .02"-thick sawplate is typical, the saw has unusual rip teeth. The first 2" of the plate are filed with 23 points per inch (ppi) – this was the idea Cosman had in bed one night. The remainder of the blade is 16 ppi. The fine teeth are used for two or three short strokes to start your kerf. Then you switch to the aggressive teeth. The saw has a fine set – about .002" per side.

My personal dovetail saw is different in almost every way, so we purchased one of Cosman's saws and I built a small dovetailed chest with it to see if we could become friends.

The tote is the most shocking aspect of the tool, especially in the white Swanstone. Every visitor to our shop comments on it. The version with a dark handle, which Cosman sells as "ebony resin," looks more traditional, though it is flecked with some color.

The tote itself is comfortable. And I was surprised by how quickly the Swanstone warmed to my touch – it actually warmed up faster than my wooden saws. And the saw is indeed balanced, but it felt too heavy in my hand at first.

When I put the saw to work I initially

found the brass back to be a challenge. The tool would tend to tip left or right while cutting tails, which made my slope more pronounced than I planned. This isn't a big deal if you cut your tails first. And after a few joints, my problems with tipping disappeared and I was able to follow my line.

The fine starter teeth work well. This saw is perhaps the easiest-starting Western saw I've ever used. And it is fast – the extra weight turbocharges the tool. After one project (about 28 tails) the saw and I had made friends and I didn't notice its weight.

The tool itself is well-made – the tote has crisp lines and the brass back fits nicely into the tote. The teeth are sharp and properly formed.

Cosman ships the saw with a nice finger-jointed box and a short DVD that instructs you on how to use the tool and offers advice on how to practice sawing. If you are one of the thousands of woodworkers who cut dovetails using Cosman's time-tested techniques, this saw reinforces his methods and will make a fine addition to your tool chest. The saw is \$295 (in Canadian dollars).

— Christopher Schwarz

CONTINUED ON PAGE 18

Lie-Nielsen
TOOLWORKS®
INC.

HAND TOOL EVENTS™
NATIONWIDE.

ORDER DIRECT:

www.lie-nielsen.com

1-800-327-2520

NEW!

No. 49, ½" Tongue & Groove Plane
Made in the USA.

For more information, go to PWFREEINFO.COM.

WWW.PENMAKINGSUPPLIES.COM

Pen Kits, Pen Blanks,
Finishing Products,
Lathes, & More!




**ORDER
TOLL FREE
1-800-653-1930**

For more information, go to PWFREEINFO.COM.

Woodturning Tools &
Accessories

Free 42pg
Catalog!

- Lathes & Accessories
- Four Jaw Chucks
- Grinding Jigs
- Turning Tools & Handles
- Vacuum Chucking
- Faceplates
- Bowl Coring Systems
- Spur Centers
- Metal Spinning
- Revolving Centers



ONEWAY
MANUFACTURING

1-800-565-7288
www.oneway.ca

For more information, go to PWFREEINFO.COM.

Flat. Fast. Built to Last!

Don't waste woodworking time flattening, soaking and cleaning up the mess from conventional sharpening stones! DMT Diamond Whetstones stay precision flat, sharpen faster and will never break. Available in six micronized diamond crystal sizes: 120 micron for rough grind to 3 micron for final polish.

Dia-Sharp®
Superior Continuous Diamond



DMT

PRO
USA

THE LEADER IN DIAMOND SHARPENING™

800.666.4DMT www.dmtsharp.com

For more information, go to PWFREEINFO.COM.

**BUILD IT
TOUGH.**



High strength with a shorter clamp time along with no dyes for a natural finish makes Gorilla Wood Glue ideal for your woodworking and building projects.

FOR THE TOUGHEST JOBS ON PLANET EARTH®

GORILLATOUGH.COM

1-800-966-3458 Made in U.S.A.

© 2010 Gorilla Glue Company

For more information, go to PWFREEINFO.COM.

CONTINUED FROM PAGE 16

Festool's Five-in-one Drill-driver

Festool markets the new T 12 + 3 Lithium-ion cordless drill set as a five-in-one drill. The set includes an eccentric chuck, a 1/2" keyless drill chuck, a quick-change "Centrotec" chuck and a right-angle chuck (the fifth in the set is a depth-stop chuck; it's optional), but that's not all this drill is about.

At 9 1/4" tall and with a 7 1/2"-long body, this drill sits squarely in the compact category. It has a two-speed gearbox (0-450 and 0-1,500 rpm) and switches between gears with ease. It also has a drill/drive mode selector switch that,

when set in drill mode, overrides the clutch to provide the maximum power and torque.

When the T 12 + 3 drill is in driver mode, the clutch is activated and there are 25 torque settings from which to choose. The clutch is not the normal mechanical clutch. This tool has an electronic clutch that the company says is superior and more sophisticated than the standard fare.

Additionally, and this is a big difference in compact drills, the Festool drill has a brushless motor. Brushless motors have several advantages over brush-type motors, the most important of which are reduced noise and extended service life.

The kit includes the aforementioned chucks, two batteries and a charger, all packaged in a Festool Systainer. The batteries recharge in 70 minutes and the charger works with all Festool batteries, past and present.

This might be the only drill you need. How-



ever, it's a Festool and while that name says great-quality tools, it does require a larger cash outlay than most drills require.

— Glen D. Huey

Festool Five-in-one Drill

Festool ■ festoolusa.com or 888-337-8600

Street price ■ \$525

► **Go Online** to read our 12-volt, Lithium-ion powered drill-driver review.

► tinyurl.com/y8emkrm

Rockler's Answer to Clamp Storage

Rockler's mobile clamp rack, the Pack Rack Clamp & Storage System, is a sturdy and customizable rolling unit.

The shining feature of this rack is mobility. And Rockler did not skimp when it added the high-quality polyurethane casters.

Carriage bolts assemble the frame, so you'll need only one wrench to ratchet things tight. Plus, the square portion of the bolts assist in keeping the frame aligned during assembly.

Along the rack's steel A-frame are 13 mounting holes in which you position eight included steel rods for clamp hanging. With the rods in position, your clamps rest along multiple points, so when you roll the unit

around your shop, you'll never have to worry about a clamp falling off.

The rack kit comes with shelf hooks so you can add a center shelf for additional clamp storage. Plus, you can purchase accessories such as longer steel rods on which to hang additional clamps off the side.

In our shop we stocked the rack with more than 30 parallel-jaw clamps in varying sizes, and there's still space available. We also attached a portable dust collector to the side of our unit. With the additional weight of the dust collector and brimming with numerous clamps, this rack still glides across the floor.

This unit's mobility and sturdiness allow you to fully customize the system to fit your shop's needs.

Complete assembly instructions are included, but if you have problems, there's an expanded set of instructions with step-by-step photos at rockler.com.

If you're looking for a new clamp-storage solution, the Pack Rack Clamp & Storage System is a good choice. **PWM**

— Drew DePenning



Rockler Pack Rack Clamp & Storage System

Rockler ■ rockler.com or 800-279-4441

Street price ■ \$150

► **Go Online** for a shop-made solution to clamp storage.

► tinyurl.com/clamprack



Since 1979, we've been supplying furniture makers and craftsmen with unique wood turnings, table legs, kitchen island legs, sofa legs and more!



866.849.8876

www.osbornewood.com

For more information, go to PWFREEINFO.COM.

INFINITY CUTTING TOOLS **IMPROVED**

DEWALT DW735 PLANER
Replacement HSS Knives

- ✓ Lasts Longer
- ✓ Thicker
- ✓ Stronger

Item: **HSSK-041** **Only \$79.90**

infinitytools.com | 877-USA-BITS

For more information, go to PWFREEINFO.COM.

Gladstone TOOLS™

Mannys Woodworkers Place

ORDER ONLINE: 1-800-243-0713
www.gladstonetools.com
www.mannyswoodworkersplace.com

For more information, go to PWFREEINFO.COM.

PW1003

EAGLE
AMERICA

The World's Router Bit Source

- Over 2,000 Bits
- Over 5,000 Items
- FREE Color Catalog
- Web Only Offers

FESTOOL **PORTER-CABLE** **Kreg** **f Freud**

EagleAmerica.com / 800-872-2511

Special Offer FREE Shipping

to redeem visit:
www.EagleAmerica.com/PW1003

For more information, go to PWFREEINFO.COM.

Turn Any Shop Vacuum into a Cyclonic Super Vacuum!

"This thing is amazing!" - J.S. Brock

No More Clogged Filters!

The Original Dust Deputy

Dust In

Makes A Great Gift!

U.S. Patent #7,282,874 E.R. Pol. Pend.

Clean Air to Vac

99% of Dust Here

Oneida Air Systems

\$59.00 D.I.Y.
or
\$99.00
Complete Conversion Kit (Shown Here)

Made in the USA.

Complete Dust Collection Systems Available.
Dust Collection Since 1993.

Call Today for **FREE** Catalog!
1.800.732.4065

Order Online!
www.oneida-air.com

Retrofits to Any Shop Vacuum.
Shop Vacuum not included.

For more information, go to PWFREEINFO.COM.

✓Yes ✓Yes ✓Yes

✓Yes ✓Yes xNo

✓Yes ✓Yes ✓Yes

RA
ROCKAUTO.COM

ALL THE PARTS YOUR CAR WILL EVER NEED

GO TO WWW.ROCKAUTO.COM ROCKAUTO, LLC (EST. 1999)

For more information, go to PWFREEINFO.COM.


BY GEORGE R. WALKER

Making Sense of Forms

Train your eye to see the layers in a great design.

Early 20th-century filmmakers used time-lapse photography to dazzle audiences with never-before-seen images of flowers emerging and bursting into bloom. Critics with Victorian sensibilities objected that something so intimate should best be left hidden. Sometimes a well-designed piece of furniture can feel like it holds on to its secrets. We sense there are many hidden design lessons if we could only see them. A good place to start is to learn how to recognize and visualize forms.

A form is a combination of simple shapes that together make up a composition. A form is what catches your eye from a distance; it's the "bones," or what some refer to as the "lines of a piece." When I study a design I start by looking at it from across the room and take in the overall form. A Corinthian capital is a



Corinthian capital.
A few simple shapes combine to create this icon of Western design.



Eye-catching. The form of a piece is what usually captures your attention from across a room.


form. Underneath all those leaves and volutes is a simple vase shape, or you might imagine it as an inverted bell. Can you visualize that simple shape underneath all those leaves? Ancient legend holds that the form is inspired by a basket left at a graveside. An acanthus plant grew up around the basket providing the germ of an idea for this form.

Simple Shapes as Building Blocks

Many furniture forms are based on simple squares, circles, rectangles or, by extension, ovals. Those simple shapes become a form when divided up and organized into useful or decorative parts such as doors, drawers or open

spaces. A square can be extended horizontally or vertically to produce an infinite number of possible rectangles. However, artisans tend to favor a small handful of simple rectangles based on whole-number ratios. The graphic atop the next page shows the most common shapes. In the center is a square with a ratio of 1:1. Flanking it on both sides are rectangles with a ratio of 4:5. They continue marching out to the ends where we have 2:1 rectangles.

This little handful of simple rectangles found favor for several reasons. First, the simple ratios were thought to be linked to the ideal human form and music. For millennia, artists and sculptors used simple whole-number



Symmetrical rectangles. Each rectangle has a twin on the opposite side of the square.

ratios to proportion the human figure. Additionally, they are user-friendly and lend themselves to simple tools such as dividers, and require little or no math. Best of all, they are easy to visualize in your mind. A rectangle with a ratio of 1:2 is two squares; a rectangle with a ratio of 2:3 is a square and a half square. All these simple whole-number rectangles can be expressed in simple multiples or divisions of squares. Just close your eyes and try to visualize a rectangle made up of two squares. Can you picture it?


Many tall cabinets such as chests on chests, bookcases and highboys are built around a rectangle with a 1:2 vertical ratio. At the other end of the spectrum are long pieces such as sideboards, which often are built around a 1:2 horizontal rectangle. In between, you find desks, chests, dressers and even small document boxes composed out of simple rectangle ratios such as 2:3, 4:5, 3:5. This does not mean that all this work is confined to rigid, straight shapes. Overtop this skeleton you have many possibilities just as with that Corinthian capital. A simple shape can be the basis for a powerful creative form. Another advantage these simple shapes offer is a way to adapt a furniture design to your needs.

Practical Application


Many of the original sideboard designs are from the Federal era (circa 1790-1810) and are quite massive. Often the form is built around a 2:1 rectangle that is approximately 40" tall and 80" long. It's a comfortable height at which to set down a large, heavy tray of piping-hot food straight from the kitchen.

The drawing above is a typical example of the form, a piece made in Baltimore around 1810. You can see readily that the large 2:1 rectangle is subdivided into smaller rectangles, with a square in the center section.

But what if we don't have room or wall space for such a large piece? The smaller drawing above is a rough sketch I drew for a small sideboard based around a single square. To the untrained eye the square shape is not apparent because it's broken up by the open space



Simple elegance. This elegant form (a Baltimore sideboard) is a combination of simple shapes.



Elegance writ small. This smaller version of a sideboard also is composed of simple shapes.

below and the case above. Perhaps we want something in between these two. Just retain the height, but rough in a rectangle that's 2:3 or 3:5. This offers a good starting point to begin sketching in doors, drawers, etc.

Some may feel limited at the thought of building around a small number of simple shapes. It may help to think of them as primary shapes just like we have primary colors. Instead of restricting our creativity, they offer a framework to begin building upon. Once the form is roughed in we can add curvature to the case front or top. We also can change up the legs and frames making them organic, curved, turned or carved. Still, from across the room it will have those solid bones – a form that captures our eye and makes us want to step over for a closer look.



Natural inspiration. Forms can be seen in the unfolding springtime blossoms of the bluet.

Make it a practice when looking at furniture to visualize the simple shapes that make up the form. Try to pick out not only the overall shape that defines the envelope but also the smaller shapes that work together to make up the bones of the design. You'll be pleasantly surprised to see that the masterpiece you've admired can open up like a spring wildflower before your eyes. **PWM**

George is the author of the DVDs "Unlocking the Secrets of Traditional Design" and "Unlocking the Secrets of Design: Moldings" both from Lie-Nielsen Toolworks (lie-nielsen.com).

Go Online FOR MORE ...

To read the Design Matters blog:
► georgewalkerdesign.com

A Visit to George Walker's Shop:
► tinyurl.com/ydvomw7

'Unlocking the Secrets' DVD Review:
► tinyurl.com/lgxk8y

All of our online products are available at:
► WoodworkersBookShop.com

About This Column

If you have a thirst to hone your creative skills, Design Matters will dive into the basics of proportions, forms, contrast and composition to give you the skill to tackle furniture design challenges with confidence.



BY JEROME BIAS

Thomas Day

This antebellum free black man was the most successful cabinetmaker in North Carolina.

My introduction to Thomas Day came in 1998 on a shopping trip to High Point, N.C., for a bed. I stumbled across a reproduction of an antique piece that had soaring mahogany posts supporting a tester that authoritatively defined the space that the bed occupied. This effect was counterbalanced by a floating headboard. I was awestruck.

The description of the piece indicated that it was made by Thomas Day, a free black cabinetmaker from North Carolina who worked during the time of slavery and had the largest cabinetshop in the state. I was intrigued.



Life-changing inspiration. This reproduction bed, built by the author from recycled pine, was based on a piece by 19th-century Master Cabinetmaker Thomas Day.



Sitting pretty. Day built all forms of custom furniture. Here, we see a settee with rolled and carved arms.

A Touchstone in Black History

I had always dreamed of doing 18th-century woodworking, but I didn't know the trade was one in which African-Americans were traditionally involved. Later study revealed I was wrong, and Thomas Day's work serves as a case in point. My world expanded that day, though I didn't buy the bed. Instead, I made a copy of it — my first woodworking project — and I began to research the original craftsman.

Thomas Day was born near Petersburg, Va., around 1801. Both of his parents were free, and both of their families had been free for multiple generations. Thomas and his brother, John Day Jr., were educated by Quakers, and both of them apprenticed under their father, who was a master cabinetmaker.

Thomas Day's story can't be told without also looking at the life of his brother — also an accomplished cabinetmaker. However, as the racial climate of the country declined and the racist legal statutes aimed at free blacks became increasingly oppressive, John Day Jr. became disillusioned with the prospect of receiving fair treatment. He decided to leave the United States, a country that he dearly loved. Following his religious convictions, John Day became a Baptist, and went to Liberia as a Baptist missionary and eventually became the first chief justice of Liberia's supreme court.

Careful Positioning in Society

Thomas Day chose a quite different route. He sought security and safety for himself and his

family through his strength of character, creative genius and careful positioning of himself in white society. By 1827, he had a prosperous business in Milton, N.C., where he made and sold bespoke furniture, and offered ready-made pieces.

Day made a point of covering as much of the market as he could, and kept up with the latest styles. He produced work in Gothic revival, Louis XV and vernacular styles, among others. He made mahogany and walnut furniture that was coveted by the governor and members of



Southern charm. Day added one of his signature scrolled motifs to this ladies bureau that was made for the governor's wife.

elite society throughout the state. For them, he designed house interiors. To date, more than 80 interiors have been identified as Day's work, in large part due to his distinctive newel posts and mantels. But Day also worked in stained poplar, pine and oak for the lower end of the market, and he made coffins, then provided transportation to the graveyard as well.

By 1838, Day had 21 men working in his shop, including white master cabinetmakers, free blacks and slaves that he owned. In 1850, his shop made one-sixth of all the furniture built in North Carolina, which made him the most prolific cabinetmaker in the state. And by 1855, he had a credit rating of \$40,000.

To help alleviate the legal restrictions to his rights as a citizen, Day forged judicious relationships with white society. He specialized in providing the most fashionable furniture to the most powerful members of white society. He attended the Milton Presbyterian Church and made the pews for the church with the stipulation that he be allowed to sit with the white congregation. And most notably, Day owned slaves, which garnered him trust and acceptance from his white patrons.

Day's ownership of slaves is a thorny issue, and there is conflicting evidence about what he believed. We know that the slave labor in his shop enabled him to keep his prices competitive. We also know that Day was educated by Quakers who engaged in apprenticing slaves with the idea of their being eventually freed and prepared to earn a living. Were the slaves in Day's shop laborers, apprentices or master cabinetmakers? Were they allowed to buy their freedom? We simply don't know, but perhaps further research will provide answers.

To further muddy the picture, we know that Day sent his three children to what was considered a "flaming abolitionist" boarding school. And, scholars are now reviewing



A distinctive look. In addition to building furniture, Day built interior woodwork pieces for the homes of important clients. More than 80 examples of his interior work have been identified, in part due to his distinctive mantels.

evidence that Day attended an abolitionist meeting in Philadelphia – no small action. If he did and word of it reached Milton, Day's life, his family member's lives and their livelihood would have been in grave danger.

Day's efforts to provide a level of personal freedom for his family succeeded on some fronts. In 1830, he married Aquilla Wilson, who lived in Virginia. State laws barred free blacks from moving into North Carolina, but the citizens of Milton successfully petitioned the state legislature to allow her to move to Milton. In addition, Day was allowed to travel, both in the state and around the country, at will. His children lived outside of North Carolina for extended periods of time while they were in school. All of this was outside the bounds of the law.

A Sad Ending

Despite his personal and professional success, Day's business ended on a sad note. A national bank crisis in early 1857 caused one in three businesses to fail, and Day had trouble collecting on money he was owed – money he needed to pay off debt from a new steam engine he'd purchased for his business.

In addition, his health was failing, which made it impossible for him to keep up with the number of orders necessary to stay afloat. In 1859, his business was declared insolvent. Though his son was able to pay off the debt by 1864, we believe Day died in 1861, so he didn't live to see the business he'd built recover.

A Legacy in Wood

The works that Day left behind range from the mundane to the avant-garde. He took standard popular forms and patterns, and transformed

them with his own motifs. His work is made distinct by its undulating lines, flowing shapes and decisive use of negative space.

Some suggest that Day's creative genius was the result of his using woodworking as an outlet to express the isolation and frustration he felt living in the antebellum South. Others have suggested that it is his African heritage expressing itself. Still others say that until we further explore the African-American artistic aesthetic, we won't know. I suspect they are all correct.

An Education and Inspiration

A decade after my discovery of Day and his work, he's become an integral part of my life. I now interpret the maker and his work for the Thomas Day Education Project and various museums and historic sites.

I appreciate Day because he challenged many of my preconceptions and has caused me to stretch my knowledge base. Because of Day, my definition of what a cabinetmaker looks like has changed. Because of Day, my definition of "good furniture" has changed. Because of Day, I was inspired to follow my dream of doing period woodworking with a focus on Southern pieces.

The lives of every cabinetmaker whose furniture we copy are written all over their pieces. Pay attention to those stories; they have much to offer. And their stories just may help you revise your own. **PWM**

The exhibit "Behind The Veneer: Thomas Day, Master Cabinetmaker" will open May 22, 2010, at the North Carolina Museum of History in Raleigh, N.C. Concurrent with the exhibit opening will be the release of "Thomas Day: Master Craftsman and Free Man of Color," by Patricia Marshall and Jo Leimenstoll, a book that takes an in-depth look into 160 pieces of furniture and architectural woodwork produced by Thomas Day.

Jerome is a historic interpreter, furniture maker, dairy farmer, quilter and upholsterer who lives in Mebane, N.C.

Go Online FOR MORE ...

North Carolina Museum of History:

► tinyurl.com/yaz27c8

To read the Arts & Mysteries blog:

► blogs.popularwoodworking.com/blog3

"The Arts & Mysteries of Hand Tools" CD:

► tinyurl.com/ygdzfyq

Jerome Bias's web site:

► jeromebiasfurnituremaker.com

All of our online products are available at:

► WoodworkersBookShop.com



Simple elegance. This simple cradle by Day has none of the distinctive carving of much of his work, but the elegant lines and curves appeal.

BY CHRISTOPHER SCHWARZ

Skansen Bench

Based on a Swedish antique, this bench uses through-tenons made with just a jigsaw.

I've always liked things that are Swedish, impossibly overbuilt and yet somehow graceful. For example, my beloved Volvo 240DL, a certain foreign exchange student in high school and this bench from the Skansen living history museum in Stockholm.

This bench is from the Älvros Farmstead, a group of buildings from the 16th and 17th centuries that were moved to Skansen. I first spied this bench in the book "Making Swedish Country Furniture & Household Things" (Hartley & Marks). For this version I proportioned the parts so it could be built with dimensional pine—one 12'-long 2x12 and one 8'-long 2x8. Total cost: About \$22.

At first glance, this might not look like an "I Can Do That" project, with its laminated top and wedged through-tenons in the seat. But I assure you, it can be built with basic tools.

How the Joinery Works

The heart of the bench is the four through-tenons that connect the legs to the seat. The tenons are cut while you're shaping the legs. They don't have face shoulders, so they're cut easily with a jigsaw. The mortises are also easy. You just drill a hole for each mortise, then shape the mortise with a jigsaw.

Of course, it's the details that determine how easy all this will be, especially with the mortises. Let's begin there.

The seat is made of two 2x12s glued face to face. But it's best to cut the mortises before gluing up the seat plank—you'll get less deflection of your jigsaw's blade. Lay out the locations of



Jah, it's solid. Thanks to massive tenons and a thick seat, this bench will withstand both children and time.

the mortises on the two boards and drill a $\frac{3}{4}$ "-diameter hole at each mortise location.

With your jigsaw, square up the mortises. After experimenting with several blades, I got the best results from a Bosch T744D blade, a 7"-long blade designed for cutting wood rapidly. It is a shade thicker than typical blades and has deep gullets. This helped prevent the blade from deflecting.

The only downside to this blade is that it will tear up the surface of your wood. Set the jigsaw's orbital action to "0" and take your time.

When the jigsawing is complete, straighten up the mortises with a coarse rasp.

Don't glue up the seat yet—we'll do that after everything is dry-fit.

Get Those Legs in Shape

The legs are shaped with a jigsaw and a rasp. Lay out the pattern on one leg (you can download a SketchUp drawing of this bench from our web site). Then jigsaw the shape and clean up your cuts with a rasp and sandpaper. Use that leg as a template for the other three.



No mortiser required. With large through-tenons you can simply drill a starter hole for your jigsaw's blade then square things up. Don't rush the cut or the blade will deflect.



All in the jigsaw. The shape of and joinery on the legs is made entirely with a jigsaw. Follow close to the line and you won't have much cleanup work to do here.

After you have the four legs in shape, fit them to the mortises. Use a block plane to thin the faces of the tenons; use a rasp to thin the edges. Go for a tight fit, though the wedges will help fill little gaps. Fit the bottom seat plank over the tenons. Then fit the top seat plank on that.

Now you can glue up the seat plank using the tenons to keep the mortises aligned. Remove the top seat plank and coat the bottom seat plank with glue (avoid the tenons). Drive the top seat plank onto the tenons.

To clamp the two planks together, I recommend using 2"-long screws that you drive through the underside of the bench through clearance holes. Screws cinch the planks together without clamps. After the two planks are screwed together, knock the legs out of their tenons. After the glue dries, you can remove the screws if you're a cheapskate.

A Self-made Wedgie

Wedging the tenons is simple. You're going to wedge them diagonally, from corner to corner. This will expand each tenon in four directions. The first step is to cut a kerf in the tenons to receive the wedges. I used a handsaw. Any saw will do. Saw from the top to the shoulder of the tenon.

For the wedges, you can use builder's shims or make your own. I made mine from leftover oak. I split out the wedges using a pocketknife and a hammer. The wedges are $\frac{3}{16}$ " thick at the top, $2\frac{3}{4}$ " wide, $2\frac{1}{2}$ " long and taper to a point.

To assemble the bench, brush glue on the mortises and tenons and drive the legs home. Paint glue on the wedges and drive them into the kerfs in the tenons. Wait for the glue to dry, then trim the wedges.

To lighten the look of the top I chamfered




Cheap clamps. With the seat planks glued together, drive 2" screws through the underside to clamp things up. Place a screw wherever you see a gap between the planks.


all the edges with a block plane. The finish is a few coats of an oil/varnish blend. You could use paint – red is a traditional Swedish color.

When the bench was complete, I jumped up and down on it – it's solid. Heck, I think I could have parked my 240DL on it. **PWM**

Christopher is the editor of this magazine, the author of "Handplane Essentials" and likely in trouble with his wife for talking about Swedish exchange students.




ELEVATION



PROFILE

PLAN



1 grid square = 1"

LEG PATTERN

Skansen Bench

NO.	ITEM	DIMENSIONS (INCHES)			MATERIAL
		T	W	L	
2	Top slabs	1 1/2	11	72	Pine
4	Legs	1 1/2	7 1/4	20	Pine

Go Online FOR MORE ...

Download the "I Can Do That" manual:
popularwoodworking.com/icandothat

Visit Skansen's web site:
skansen.se

Download a SketchUp plan of the bench:
popularwoodworking.com/apr10

Build an "I Can Do That" step stool:
tinyurl.com/y968omr

Read a tutorial on leveling the feet:
tinyurl.com/yd4924y

All of our online products are available at:
WoodworkersBookShop.com

About This Column

Our "I Can Do That" column features projects that can be completed by any woodworker with a modest (but decent) kit of tools in less than two days of shop time, and using raw materials that are available at any home center. We offer a free online manual in PDF format that explains all the tools and



shows you how to perform the basic operations in a step-by-step format. Visit ICanDoThatExtras.com to download the free manual.

Shaker Cupboard: Rejuvenated

BY GLEN D. HUEY

A White Water Shaker stepback is sprinkled with water from the fountain of youth.

Shaker stepback cupboards aren't abundant. In fact, there are only a few examples in the many published books on Shaker furniture. Unless you have a sharp eye for Shaker furniture, or are excited about painted furniture with a heavily worn surface, I doubt you would give a second look to the original cupboard on which this project is based. However, the fact that the original is part of the White Water Shaker Village collection propels this piece, in my opinion, toward the top of Shaker cupboards. A reproduction of this cupboard is a must. And in the process, we can turn the clock back to see the cupboard in its earlier days.

Inspiration From the Original

The original Shaker stepback, with its missing crown moulding and other absent features, required detective work before construction began. As we move through the project, we'll examine some missing features and try to reach conclusions that bring this piece back to an earlier day.

The first question is: What about feet? The cupboard at White Water has a three-sided frame that rests on the floor. Was that the original design? Or were the feet worn away or removed?

Also, what happened to the crown moulding? It's obvious there was a moulding, but it is long since gone. What was the profile?

Other features to look at are the unique drawer construction and the use of a half-dovetail sliding joint to secure the shelves to the case sides—even with this complex but strong joint, the builder nailed in the shelves.



Shaker serenity. Inspired by an original cupboard at the White Water Shaker community, our revitalized Shaker stepback blends nicely into the surroundings of the North Family dwelling.

Face (Frame) Facts


Before we get to the detective work, we need to build the cases and face frames. The frames for both sections use mortise-and-tenon joints. Mill your parts to size according to the materials schedule, but leave an extra $\frac{1}{8}$ " in width on the stiles. After the frames are fit to the cases you'll use a router and flush-trim bit for a perfect fit.

Locate and mark the mortise locations for $\frac{1}{4}$ "-thick tenons. Wherever possible, each joint should have a $1\frac{1}{4}$ "-long tenon. With the face-frame material at $\frac{7}{8}$ " in thickness, a $\frac{5}{16}$ " face shoulder produces a centered tenon. An edge shoulder of a matching size ensures a stout joint.

There are two frame joints where the matching edge shoulder is not used: on the bottom rail of the lower section where the tenon would end up $\frac{3}{8}$ " wide, and on the bottom rail of the upper section where the tenon would be $\frac{5}{8}$ " in width.

As always, cut your mortises first then cut your tenons to fit the mortises. Set up and cut all the mortises on your face-frame parts. It's best to cut the mortise then reverse the position of the workpiece and make a second pass at each mortise. Yes, the resulting mortise may be wider than $\frac{1}{4}$ ", but the joint will be centered on the stock, and that's most important.

Cut your tenons using your favorite method, then test-fit all your joints. When your tenons fit snug and can be slid together



Work methodically. To assemble the face frames correctly, you'll need to work in a specific order. Plan the steps and have plenty of clamps handy.

with a little muscle, it's time to assemble the face frames. Work methodically through the assembly. Apply glue to both the mortises and the tenons to achieve the most strength. Clamp the frames and allow the glue to dry.

Freaky Dovetail Joints

Dovetails abound in the carcasses. Both sections have half-blind dovetailed corners and shelves attached with half-dovetailed sliding joints.

On the upper section the case top is dovetailed to the sides; on the lower section, the case bottom has the dovetails. The pins of the half-blind dovetails are positioned in the sides with the tails in the mating pieces. Also, there is a $\frac{3}{4}$ " difference in widths between the upper case sides and the top, and the lower case sides and the bottom. Those offsets capture the backboards.


The half-dovetail sliding joint is easy with two router setups. You can work with a single router, but you'll need to change the bits multiple times or position the fence in the exact same location each time.

The setups are this: One router has a $\frac{3}{4}$ "-diameter, 14° -dovetail bit coupled with a $\frac{51}{64}$ " outside-diameter template guide bushing. The second router has a $\frac{5}{8}$ "-diameter pattern bit with a top-mount bearing.

Begin by marking lines across the sides at both the top and bottom edges of the dados. Position and clamp a $\frac{3}{4}$ " fence at the top edge of a shelf location. Always work with the fence set to the left of the area to be routed. If these guidelines aren't followed, you can form the half-dovetail on the wrong edge.



Strong joinery. The bottom of the lower section is joined to the sides with half-blind dovetails, as is the top of the upper section.



Double-teamed. Two routers, two bits and a guide bushing take the guesswork out of creating the half-dovetailed sliding joints.



Missing features. The original cupboard, on which our piece is based, has lost its crown moulding. And no one is sure there were ever any feet to lift the cupboard base off the floor.

Begin with the dovetail router bit setup. Set the bit to cut $\frac{1}{2}$ " deep into the case side, then hold the guide bushing tight to your fence as you make a pass. The cut should be close to, but not beyond, the lower shelf layout line.

Grab your second router, set up with the bit tweaked to cut at the same depth, then make a second pass making sure to hold the bearing tight to your fence. This cut completes the socket. Move to the next shelf location and repeat the process.

Before moving on, cut the grooves in the side pieces for the backboards. The grooves are $\frac{3}{8}$ " in from the back edge of the case sides; each is $\frac{3}{8}$ " wide and $\frac{1}{2}$ " deep. A dado stack makes this quick work.

Jig Up the Slide


Now it's time to cut the mating shape on the horizontal shelves. To hoist these large panels onto your router table is quite a task. But with a simple shop-made jig, you won't need to. Instead of taking the panel to the router, you'll take the router to the work.

Build a jig to create the sliding half-dovetail with two straight pieces of $2\frac{1}{2}$ "-wide and $\frac{3}{4}$ "-thick scrap that are 24" long. Screw the pieces together to form a "T" with one leg of the top piece set at $\frac{7}{8}$ ".


For the jig to work, you'll have to size that top leg according to your router setup. This time use a $\frac{3}{4}$ " outside-diameter template guide bushing with the same dovetail router bit. (The matching diameters allow the router bit to cut where the bushing rubs.) Clamp the jig on a test piece, then make a pass to create the half-dovetail profile as shown below.

Check the test piece in a socket. If the test piece is too wide, take a light table saw cut off the working edge of the jig, make another test cut and check the fit. Continue to take light passes off the jig to sneak up on the correct fit.

If your test piece is too narrow to fill the half-dovetailed slot, you'll have to remove thickness from the bottom piece of the jig, or remove and replace the top piece at a new location. Once the fit is correct – the work-



UPPER FACE FRAME & CABINET DETAIL



LOWER FACE FRAME & CABINET DETAIL

piece slides into the slot without slop – the jig is ready to go.

Clamp the jig in position, then run the router bit to shape the profile on both ends of

each shelf. (Use the jig and clamps to pull out any warp in your shelves.)

Each shelf in the upper case receives two plate grooves on the top face (the lower section's shelf is not grooved). The grooves are 2" and $4\frac{1}{4}$ " from the back edge of the shelf and extend from end to end. Use a router and a core box router bit.

Build the Boxes and Peg the Frames


Assemble the boxes by swabbing glue in the sockets (and a small amount on the shelf ends), then slide the pieces together.

After the shelves are installed, butter the dovetail pins with glue, then tap those joints together.


When the glue is dry, fit the face frames to their boxes. It's important to align the middle rail of the lower section with the drawer sup-




Double duty. This shop-made jig not only dials in a perfect sliding dovetail, it allows you to pull any warp out of your shelves.



It's odd, but true. It's not often you find plate grooves behind blind doors. It's a bigger wonder as to why two different grooves were plowed. Maybe it's for plates and bowls?



A tight fit. The glue swells the wood and makes the joint fit more tightly than before, so light taps with your mallet might be needed.



port. A thin bead of glue secures the frame to the boxes. Position the frames, add clamps then allow the glue to dry.

Drive square pegs into the face frames. Doing this after the glue sets provides additional strength so there is less of a chance to split the frame pieces. To match the original cupboard, evenly space four pegs in each rail and outside stile.

Before adding the pegs, trim the stiles to the case with a flush-trim router bit with a bottom-mount bearing. The uppermost stile's peg is located behind the cove moulding. As is done on the original cupboard, don't forget to drive a couple nails into the shelves.

The detail work on the upper section face-frame stiles is router work. To create the design, make a plywood pattern of the curve – the pattern keeps the look consistent from side to side – then make the cut using a router with a pattern bit. Square the inside corner with a chisel.

"Why can you not see, in your mind, what I see so clearly in mine?"

— Walter Darr
Continental Airlines scheduling supervisor

Through-tenon Doors

Construction of the four doors is identical, so after you mill the parts to size, gather your stiles and mark them for $\frac{1}{4}$ "-thick tenons with $\frac{1}{2}$ " edge shoulders.

With through-mortises, work from both edges of your stile as you mortise so you don't blow out the exit edge. Transfer your layout lines to both edges of the stiles and make sure you work within those confines.

Work past the halfway point of each mortise, then flip the stile edge for edge to clear the mortise.

Most 10" table saws have a maximum $3\frac{1}{8}$ " depth of cut. The door stiles on this piece are

$3\frac{1}{4}$ " in width. Because the through-mortise joinery on the doors exceeds the maximum cut, it's best to install your dado stack and sharpen your shoulder plane or bullnose plane.

Set a dado stack to its widest cut, raise the blade to just less than $\frac{5}{16}$ ", position your fence to create a $3\frac{1}{4}$ "-long tenon, then make the passes needed to clean away the waste.


The door's flat panels fit into a $\frac{3}{8}$ "-deep x $\frac{1}{4}$ "-wide groove in the rails and stiles. Plow the grooves through the entire length of the stiles. (Doing so requires haunched tenons to fill in the small lengths of groove beyond the edge of the mortise. The haunches are formed with the dado stack as well.)

Fit each joint so the tenon fit is snug, but doesn't require a mallet to assemble.

Dry-assemble the frames, then measure the openings for the panels. Measure across the opening, then add $\frac{5}{8}$ " (this builds in $\frac{1}{8}$ " of space for panel movement). Mill the four panels to size. Finish-sand the panels and knock off



Work after the fact. You could complete the face frame stile detail before the frame is attached to the box, but there's added stability afterward. Here, a plywood pattern ensures a perfect match.



See right through it. The door mortises are best accomplished by working down from both edges of the stiles. And be sure to keep the slot centered for the best results.



It's an acceptable setup. Because this dado cut is not a through cut, it's OK to use your fence as a stop when using the miter gauge, too.



Take a break, old friend. I usually grab my Shinto rasp to fine-tune my tenon fit, but with the amount of work left to do, I found a bullnose plane did the work that much more quickly.



Make a preemptive strike. With #120-grit sandpaper, knock off the sharp edges around the panel area. This area is difficult to sand after the panels are in place, and the softened edges help age the cupboard's appearance.



Just for looks. Achieving a tight top-to-bottom fit of your tenons takes time and wastes time. The holding power of the joint is the flat-grain connection – and that's not found on the edge shoulders. A small wedge can tighten up the appearance.



It's traditional with a twist. Drawer construction for the cupboard is in typical 18th-century fashion, but the drawer backs are below the sides by a 1/4". Is this a boon or bust?



The keeper of guides. Small profiled pieces of wood hold the drawer guides from side-to-side movement while glue at the guide fronts and a few brads keep things tight to the dust board.

the sharp inside edges around the panel area before assembling the doors.

When ready, add a thin layer of glue to the tenons and in the mortises, then slip the joints together. Add clamps (keep clear of the through-tenons) and let the glue dry.

Chances are you'll have small top-to-bottom gaps in the tenon fit. If so, cut thin wedges milled to the same width as your mortise to fill them. This cleans up the look.

Fit and hang your doors.

A Drawer Build – D'oh!

I can't count the number of antique drawers I've studied, or the number of drawers I've built. I don't think I have ever seen drawers built as they are on the original White Water cupboard. The drawers use typical 18th-century construction methods, but the drawer backs are different – the backs are square at the top and bottom and are held a 1/4" below the top edge of the drawer sides. At first glance, this looks odd, but there is a nice benefit to it.

The cupboard drawers are flush fitting with minimal gaps between the drawer fronts and the case. If you build with tight reveals, and the wood expands, you have stuck drawers. Drawer sides, stepped down from the fronts, allow the drawers to function, but this says "less-than-perfect craftsmanship" to me.

If you step down the drawer back in relation to the sides, you can fit the drawer front tight to the opening and slightly taper the top edge of the sides from front to back, all without any interference from the drawer back. I like it.

Build and fit your drawers. To keep the drawers traveling straight, you need drawer guides. To locate the guides, hold the drawer in position and mark along its edge.

Installation of the guides is easy. Spread glue on the first 5" of the guides (cross-grain construction precludes fully gluing the guides), place the pieces tight to the back face of the face frame, then tack each in position with brads. Also, add a couple brads near the back of the guide to keep it tight to the dust panel until the glue dries. (Don't use screws; unlike nails, they won't move with the seasons.)

Restriction of side-to-side movement is another interesting detail found on the original cupboard. The furniture maker added small keepers cut from pieces of 1/2"-thick stock to both sides of each guide. Create a small bevel on the end of your board, crosscut the length to 3/4", then rip pieces to width. (These are small pieces. Use a zero-clearance insert and a push stick, or cut them with a handsaw.) I couldn't tell how the pieces were attached. I used glue and tacked the pieces with a 23-gauge pin.


Swept Off Its Feet

The feet on the original are a mystery. There is no known photo showing any feet. The three-sided frame that today sits on the floor has no

noticeable remnants of feet – no glue blocks or nail holes. In fact, nothing shows that feet were ever on this stepback. But the piece doesn't look right without something to stand on.

If you're a purist, skip the feet. If you look at the cupboard and think there's something missing, make the feet. Undecided? Make the feet separate and attach them with screws. If you change your mind, remove the feet.

Trace the foot pattern onto your stock, cut the profiles and sand the edges with a spindle sander. Arrange the feet into pairs. At the table saw, cut a 45° miter onto two sets of the pairs. Your miter gauge, with a short wooden fence attached, is the tool to use. Place the top of the foot (the long side) against the fence, then push the foot through the blade to bevel one half of your pair. To cut the opposing foot, reverse your miter gauge in the slot. Again, keep the top edge of the foot tight to the auxiliary fence, then push the piece through the blade while using a push stick to hold the stock tight to the tabletop and fence as shown below.



Works in reverse. If you flip the position of your miter gauge in the slot, you can guide one half of the foot pairing for its 45°-bevel cut. It's similar to using a panel-cutting sled.

Supplies

Horton Brasses Inc.
horton-brasses.com or 800-754-9127

4 ■ door catches
#SL-3

4 ■ solid brass butt hinge
#PB-409

Call for pricing.

Woodcraft
woodcraft.com or 800-225-1153

3 ■ Shaker knobs
#125433, \$7.50 (10 pack)

Prices correct at time of publication.

A 45° cut into a 45° angle forms a perfect slot for a spline to hold the pairs as one. Leave your table saw blade set at 45°, add an extension to your saw's fence and slide the fence into position. Make a cut into the bevel of each foot. Reposition the fence to make a second pass to

increase the slot width to match a piece of 1/4" plywood. Plywood is a great choice for splines because of its strength and stability.

Slip the front feet and splines together with glue. While the glue dries, dovetail the other profiled feet to the rear feet. Place the pins in

the shaped feet with the tails in the rear feet.

Each foot unit receives a plate that's set in a 3/8"-deep rabbet at the top edge. Make that cut at a router table using a rabbet bit. The operation leaves a rounded corner. Square the corners or round the plates to fit. Afterward, glue and nail the plates to the feet.

The base frame's top edge is profiled with a 3/8"-roundover bit set to a 1/4" depth of cut. The corners are mitered. I recommend a mitered half-lap. When complete, nail the frame to the case. The feet are then attached to the frame using screws through the top plates.

Tops, Mouldings and Backs

The lower section top is a simple plank of 3/4"-thick stock. Cut a stop-rabbet on the underside of the back edge where the backboards attach. Align the top's rabbet with the grooves in both case sides.

The crown moulding is designed from examples found on other Ohio Shaker pieces. The moulding is made using a table saw. Cut the cove while pushing the stock at an angle over the blade. (Raise the blade incrementally with each pass and make multiple passes.)



It takes two. Make two passes with your blade set at 45° to form the slots for the splines. Add a fence extension and use a push stick to guide your foot through the blade.



A simple alternative. One of the easiest ways to join feet to furniture is with a plate added to the top edge of your foot pairs. Screw the plates down then add a single block at the miter for extra support.

Shaker Cupboard

NO.	ITEM	DIMENSIONS (INCHES)			MATERIAL	COMMENTS
		T	W	L		
BASE						
☐	2	Sides	7/8	18	34 ¹ / ₄	Poplar
☐	1	Bottom	7/8	17 ¹ / ₄	48 ³ / ₈	Poplar Dovetailed to sides
☐	2	Shelves	7/8	17 ¹ / ₄	48 ³ / ₈	Poplar Sliding dovetail ends
☐	1	Top	7/8	20	50 ³ / ₄	Poplar
☐	1	Base frame front	5/8	3 ⁷ / ₈	49 ⁵ / ₈	Poplar Miter both ends
☐	2	Base frame ends	5/8	3 ⁷ / ₈	19 ¹ / ₈	Poplar Miter one end
☐	6	Drawer guides	5/8	1 ¹ / ₂	17	Poplar
☐	1	Back	1/2	48 ³ / ₈	34 ¹ / ₄	Poplar Tongue-and-groove
☐	6	Profiled feet	3/4	5 ¹ / ₂	7 ¹ / ₄	Poplar
☐	2	Rear feet	3/4	5 ¹ / ₂	3 ¹ / ₂	Poplar
☐	4	Foot plates	3/8	5	5	Oak
BASE FACE FRAME						
☐	2	Stiles	7/8	3 ⁷ / ₈	34 ¹ / ₄	Poplar
☐	1	Top rail	7/8	1 ⁵ / ₈	43 ⁷ / ₈	Poplar 1 ¹ / ₄ " TBE*
☐	1	Middle rail	7/8	1 ³ / ₄	43 ⁷ / ₈	Poplar 1 ¹ / ₄ " TBE
☐	1	Bottom rail	7/8	1	43 ⁷ / ₈	Poplar 1 ¹ / ₄ " TBE
☐	1	Vertical divider	7/8	4 ⁷ / ₈	27 ³ / ₈	Poplar 1" TBE
☐	2	Drawer dividers	7/8	1 ¹ / ₂	7 ¹ / ₈	Poplar 1 ¹ / ₄ " TBE
BASE DOOR PARTS						
☐	4	Stiles	7/8	3 ¹ / ₄	25 ¹ / ₄	Poplar
☐	2	Top rails	7/8	3 ¹ / ₄	18 ¹ / ₄	Poplar Through-tenons
☐	2	Bottom rails	7/8	3 ¹ / ₂	18 ¹ / ₄	Poplar Through-tenons
☐	2	Panels	1/4	12 ³ / ₈	19 ¹ / ₈	Poplar
BASE DRAWER BOXES						
☐	2	Outside fronts	7/8	13 ³ / ₄	17	Poplar
☐	1	Center front	7/8	10 ⁵ / ₈	17	Poplar
TOP						
☐	2	Sides	7/8	9 ¹ / ₈	44 ¹ / ₂	Poplar
☐	1	Top	7/8	8 ³ / ₈	47 ³ / ₈	Poplar Dovetailed to sides
☐	3	Shelves	7/8	8 ³ / ₈	47 ³ / ₈	Poplar Sliding dovetail ends
☐	1	Back	1/2	47 ³ / ₈	44 ¹ / ₂	Poplar Tongue-and-groove
☐	1	Crown front	3/4	3	55	Poplar
☐	1	Crown end	3/4	3	24	Poplar
TOP FACE FRAME						
☐	2	Stiles	7/8	3 ⁷ / ₈	44 ¹ / ₂	Poplar
☐	1	Top rail	7/8	5 ¹ / ₂	42 ⁷ / ₈	Poplar 1 ¹ / ₄ " TBE
☐	1	Bottom rail	7/8	1 ¹ / ₄	42 ⁷ / ₈	Poplar 1 ¹ / ₄ " TBE
☐	1	Vertical divider	7/8	4 ¹ / ₈	33 ⁷ / ₈	Poplar 1" TBE
TOP DOOR PARTS						
☐	4	Stiles	7/8	3 ¹ / ₄	31 ⁷ / ₈	Poplar
☐	4	Rails	7/8	3 ¹ / ₄	18 ¹ / ₈	Poplar Through-tenons
☐	2	Panels	1/4	12 ¹ / ₄	26	Poplar

* TBE = tenon both ends



Something different. The treatment of the backboards on the Shaker cupboard is unusual. The thin boards have tongue-and-groove joinery and the end boards are beveled into dados in the case sides. To be true to the original, not one of the top section's backboards is rectangular.

The remaining cuts are made with the blade angled at 45° and the fence maneuvered to appropriate positions.

Miter the moulding at the corners and fit it in position. Use brads to attach the pieces and make sure to add glue to the short grain of the miters for a better hold.

The backboards on the original cupboard are unusual. Not only is the thickness 1/2" (rather than the usual 5/8"), the pieces are

tongue-and-grooved together. The joint is thin and fragile until installed.

Additionally, the upper section's back is comprised of non-rectangular pieces. It is an interesting assembly, but one that is difficult to copy without increasing the workload.

An Updated Finish

The finish schedule for the cupboard is involved, but easy to replicate. Sand the piece



A correct time and location. It's best to attach the top after dye and shellac, but just before adding the paint to the cupboard.

to #180-grit. Dye the piece with a water-based cherry aniline dye. A couple coats of 1 1/2-pound shellac, sanded between coats with #400-grit sandpaper, allow the top coat of acrylic latex paint to be manipulated. Apply the paint, then rub through the paint at appropriate areas to simulate age. My mantra for aging paint is "less is best." Overdoing it is easy.

It's obvious that we've pulled our Shaker Cupboard back to an earlier day in its history. But the big question is: Did the detective work pay dividends? The feet are of a Shaker design and accurately scaled for this size cupboard. The moulding is in balance with the new base and the overall design is proportionally pleasing. Job done. There's no way you could walk past this cupboard without giving it a look-see. **PWM**

Glen is a senior editor of Popular Woodworking Magazine, a published author, and teaches woodworking classes and seminars. Contact him at 513-531-2690 x11293 or glen.huey@fwmedia.com.

White Water: A Lesser-known Shaker Village

White Water is one of four Ohio villages founded between 1787 and 1824 by the United Society of Believers in Christ's Second Appearing – also known as "Shakers" due to their spirited movements during religious meetings. The village is 22 miles west-northwest of Cincinnati and is the only substantially intact Ohio village.

White Water was established in 1822 when a group of Shakers traveled from Lebanon, Ohio, to share their religion with area settlers. The first brick building, and the only extant brick Shaker meeting house (shown in the photo), was constructed in 1827, followed by dwelling, smoke and milk houses, barns, workshops and other buildings – 22 structures in all.

The community prospered with the sale of seeds, fruit, wheat and livestock as well as brooms made from broom corn grown at the village. After the Civil War, the village population diminished as Shaker religious ways lost appeal. Handmade goods fell out of favor and the seed market declined.

After a fire destroyed the largest dwelling house in 1907 followed by the Shaker



school closing, the parent ministry in Canterbury, N.H., sold the property and the final two Shakers moved away.

Today, the Friends of White Water Shaker Village (FWWSV), along with the Hamilton County Park District, have developed preservation, conservation and restoration strategies. They know the importance of the village, and work to restore and reopen the community as part of our American cultural heritage. (For information about, or to become a member of FWWSV, visit whitewaterivillage.org.) — GH

Go Online FOR MORE ...

Watch a video on making cove moulding on the table saw:

► tinyurl.com/y89lhvf

Read Glen's blog entry on making the unique backboard found on the original stepback cupboard:

► tinyurl.com/y9egbwe

Read more about the White Water Shaker Village:

► tinyurl.com/ya74s53

Take a video tour of White Water:

► tinyurl.com/shakertour

Get the "Complete Shaker Collection" CD:

► tinyurl.com/yktug3n

All of our online products are available at:

► WoodworkersBookShop.com

Clark & Williams, Plane Makers

BY CHRISTOPHER SCHWARZ

In an Arkansas basement, this somewhat unusual three-man company turns out extraordinary wooden handplanes.

The married couple wanted a custom gazebo. So Larry Williams, a successful carpenter, fetched his camera and was getting ready to photograph gazebos around town to show his clients. Right outside his door, Williams took a wrong step, slipped on an ice patch and became a full-time toolmaker.

Williams had broken an arm. To be more precise, he had ruined his arm and needed surgery and bone grafts. With one slip, his carpentry career disappeared.

"No one needs a one-armed carpenter," Williams says. "God I love carpentry. The kind of work I got to do . . ." His voice trails off.

Today Williams and his business partners, Bill Clark and Don McConnell, run Clark & Williams planemakers in Eureka Springs, Ark. This three-man business is one of the few in the Western world that makes traditional wooden-bodied planes.

The company uses modern and traditional tools to make planes that represent, in their eyes, the pinnacle of tool development—18th-century British moulding, bench and joinery planes. Planes of this era look simple—some woodworking authors have described tools of this period as "primitive." Yet once you see these planes through the eyes of their makers, later handplanes look and feel awkward.

The problem here is that even with modern woodworking and metalworking machines, building these tools is time-consuming. All the important details are made by hand. So Clark & Williams has an immense backlog,



Built for builders. Clark & Williams planes might appear simple, but they are actually extraordinarily refined tools that require machinery, hand tools and incredible skill to build.

How long? Williams won't even take a guess.

"We're always adding steps," Williams says. "Any time we think we've figured out how to make McDonald's wages at this, we add extra steps to the process."

This problem weighs heavy on Williams,


who has survived two serious health problems during the last two years. There is concern hanging in the air of this cozy basement shop in Arkansas that health problems, which launched the company into full-time production, could also be the end of it.



No small taper. Here you can see the bevel and the tang of two unfinished irons for snipes bills planes. The irons start thicker at the bevel and taper $\frac{1}{16}$ " along their length. That's a lot of metal work.



A steady hand. The swooping gouge cuts on the shoulders of the moulding planes require sharp tools and skill.



Mortises for wedges. "We've been careful not to design our tools around our machines."

— Larry Williams

After Disaster, Floats

Clark & Williams was born as a side gig of Williams and Clark, who were partners in a finishing subcontracting firm. The two had been using hand tools on the job for years, but they wanted to be able to make small amounts of custom or reproduction moulding.

Williams says they realized that hand planes would be the best way to do that. The problem was that Clark and Williams couldn't find planes that were in good enough shape to use, so they decided to make the tools.

That led to the second problem: They needed planemaker's floats.

These fascinating, useful and rare tools are a cross between a rasp and a saw. They cut wood aggressively, true the surface and leave a nice finish behind. Floats are key to making many parts of wooden planes, including the bed for the iron.

While vintage floats used by joiners showed up for sale occasionally, floats for the plane-making trade were rare. So in 1996 Williams and Clark bought the machinery to make floats; they helped pay for these machines by offering the floats for sale on the "oldtools" Internet discussion group. That led them to making 18th-century style planes and unlocking a key secret to handplanes without chip-breakers: a high cutting pitch solves most of the problems with tear-out.

For a while, they were splitting their time between finish carpentry and toolmaking. Clark built the bench planes (jointer, try, fore and smoothing planes) and Williams made the moulding planes (hollows and rounds plus complex moulders).

Then Williams broke his arm in 2000, ending his carpentry career and beginning his life as a full-time toolmaker.

Since day one, simply figuring out how to make these tools has taken an immense amount of thought and labor.

"Basically, we've had to re-create an entire industry," McConnell says. "In the 19th century, there were beech suppliers and (companies) who made the right tapered irons. When we started, tapered irons weren't even available. So we've had to make the tools to make the tools."

Unlike modern plane irons, many 18th-century irons tapered in thickness, which is key to their performance. So Clark & Williams had to figure out how to do this using metal milling machines. Then they had to heat-treat their own cutters as well.

Even getting the right wood is a constant fight. They visit small custom sawmills all

over the country to find beech that is thick enough to make their planes; they never glue up thinner stock to make their plane bodies. While beech is an important tree in Europe, it isn't prized in the United States by sawmills – it moves a lot in service when it is flat-sawn. So the three guys find themselves scrambling for the $\frac{9}{4}$ stock they need for moulding planes, the $\frac{16}{4}$ for bench planes and the $\frac{4}{4}$ for plane totes.

In fact, almost all their components are a struggle. For joinery planes with depth stops, Williams has to make them from scratch on a metal milling machine using a set of complex fixtures he built. So they make every single part of their planes, with the exception of a single cut nail that fastens the tote to the body of some of the company's bench planes.



Clark & Williams (and McConnell). Bill Clark with one of his jack planes, Don McConnell with a pair of snipes bills and Larry Williams with a try plane.

A Shop of All Trades

As a result, the main shop for Clark & Williams is an unusual combination of woodworking machinery, all forms of milling machines (including a metal lathe), heat-treating ovens and nice European workbenches.

Adding to the atmosphere is a large wood-burning stove. Several times during the day Williams steps outside the shop to split some wood and feed the stove. With a bundle of wood under his arm, Williams enters the shop in the company's woodworking area.

This room would look like home to any furniture maker. There's a vintage Powermatic 66 table saw, a large Grizzly band saw, an older Makita floor model planer, a sander,



Machines help the hands. Here the Grizzly wood mill is milling out the hole for a depth stop on a moving fillister plane. While machines handle some of the operations, about 80 percent of the work is by hand.

drill press and small Craftsman band saw. Here they break down the beech into usable stock, usually 24" lengths, then they reduce those to 11"-long billets, which become the 10"-long planes. They also cut the shoulders, grips and some chamfers on the planes using the table saw.

From there the billets pass into the next room, which houses a Bridgeport-like milling machine, the metal lathe, some grinding equipment and a Grizzly wood mill. The wood mill is a favorite of Williams, who has developed a whole rolling cart of ingenious fixtures that hold the parts in position.

Today Williams is working on some moving fillister planes and is sinking the mortise for the wedge on the wood mill. From there the billets will go to the adjacent bench area where things will get cleaned up with floats and planes and sandpaper.

"Eighty percent of the work is with hand tools at the bench," Williams says. "We tweak them until we're happy."

Meanwhile, work begins on the irons of the planes. These come into the shop as $\frac{1}{8}$ " x $2\frac{1}{2}$ " bars of oil-hardened steel. The steel is cut to shape on the band saw then tapered on a metal mill – the irons have to taper $\frac{1}{16}$ " along their length. Then the irons are hardened.

After that it's back and forth to the stations around the shop to prepare the planes for finish. Some operations, such as cutting them to final length and planing the tops, don't happen until the end so that the work is as crisp as possible.



The woodshop. Williams is a big fan of his vintage Powermatic 66 and its simple fence. He never switched to the popular Biesemeyer system.



The Clark & Williams legacy. "If I drop dead tomorrow I'll have left a good legacy. I can look back at our books and see the names of the people I sent planes to. Those people now have a capability that I only dreamed of when I was a carpenter. That's pretty neat." — Larry Williams

Each plane is tuned and sharpened so it is ready to work right out of the box. You read that right. Clark & Williams are one of the very few makers who hone their tools so that your first swipe with the tool is an amazing one.

As you can imagine, that is a lot of work. And if you're wondering how long it takes to make a typical half set of hollows and rounds, you can keep on wondering.

"The honest answer is: We don't know how long it takes to make a set," Williams says.

"The truth," McConnell adds, "is that we really don't want to know."

Unusual Company

If you're in business yourself, you're probably wondering how a company like Clark & Williams can survive with such a huge backlog, an incredible amount of handwork and a constant struggle just to get raw materials.

Wait, it gets crazier.

I've heard Williams gently discourage customers from ordering tools at times. The company doesn't advertise, seek publicity or actively try to expand its work force. But the most amazing thing is that in 2007, the company basically gave away all its trade secrets in a series of two DVDs produced by Lie-Nielsen Toolworks, a friendly competitor.

In the DVD set, titled "Making Traditional Side Escapement Planes," Williams shows



Where to begin? “When I became a furniture maker, I decided I wanted to go back and start at the beginning, 18th-century furniture. It turned out to be a good instinct. It was a very good foundation.” — Don McConnell

every step to making the company’s moulding planes using simple machines and tools. And in a follow-up video released in 2009, “Sharpening Profiled Hand Tools,” Williams shows anyone how to sharpen the contoured irons—shortening the learning curve for both users and competitors.

“Sometimes we run into people who have watched the video and made some planes,” Williams says. “They’re real hesitant to say they’re thinking of making them to sell. They don’t know that we’d like to pat them on the back and buy them a drink. We put this information out to be used. We’d be thrilled to see others get into it.”

That, right now, is one of the unusual goals of Clark & Williams—to train people to compete against them in the marketplace. In part to make it easier for people to compete, Clark & Williams raised its prices significantly in the fall of 2009 and is planning future videos on making and using planes that they will give away free on the Internet.

They hope that the DVDs will encourage people like Matt Bickford to make planes to sell.

Bickford, a derivatives trader in Connecticut, bought the DVD and has made three half-sets of hollows and rounds in cherry.

“This is certainly a project that any hobbyist can do,” Bickford says. “It is one of the

most thorough DVDs—it was the only source I needed.” The only part of the construction process that concerned him was heat-treating the irons, but even that was straightforward.

“The irons are certainly holding an edge,” he says.

Bickford has traded away his extra sets to fellow craftsmen and—in the back of his mind—says he’s considering making tools for sale some day. But first he wants to get some feedback from craftsmen now using his tools.

In the fall of 2009, Bickford showed one of his planes to Williams during the Woodworking in America conference held in Valley Forge, Pa.

“Matt did a fine job,” Williams says.

“I felt bad,” Bickford says. “I felt like I was plagiarizing Larry’s work.”

The Learning Curve

The other major challenge facing Clark & Williams is training its customers to actually use the tools. While barrels of ink have been spilled on teaching people to use garden-variety bench planes, chisels and other basic hand tools, there is little written about moulding planes that is useful.

This lack of information hasn’t stopped some craftsmen from diving headfirst into the world of moulding planes. Chicago furniture maker Jeff Miller owns a half-set of hollows and rounds and uses them in his work, which is decidedly contemporary.

The first time he used them, Miller says he was making a fancy Roman-style chair that had ornate arms, for a Catholic church.

“The arms had a rolled-over detail that you couldn’t rout,” he says. “These planes were perfect.”



Their mark. Though McConnell is deeply involved in the production of the moulding planes, the company opted to keep its original name. “I wish Don’s name were stamped on each plane,” Williams says.



Planing planes.

McConnell finishes up a set of hollows and rounds at his bench last fall.

Dressing the beech right before finishing is what gives the tools their crisp appearance.

Clark & Williams Planes at Colonial Williamsburg

For most woodworkers, the Anthony Hay Shop at Colonial Williamsburg is the Tabernacle of Hand Work in the United States. The reconstructed cabinet shop in Virginia embodies the methods and style of work that were typical in the Tidewater area of the state in the mid-18th century.

The interpreters who work in the small but neat space use period-appropriate tools and techniques to build furniture and harpsichords. And on their benches and in their toolboxes are 125 planes from Clark & Williams.

Mack Headley Jr., the master and supervisor at the shop, says they first became aware of Clark & Williams through a friend of the shop.

At the time the Hay shop was using mostly 19th-century moulding planes. After receiving a donation, the shop purchased one full set of hollow and round planes – 36 planes in sizes from 1/16" up to 1 1/2". After working with that set, Headley says they purchased a second full set of the planes. While most craftsmen of the period would have had only a half set of the tools, Headley says they purchased full sets in case they wanted to alter the curvature of any of the tools – that would allow them to have one unmodified set at hand.

In addition to the hollows and rounds, Headley says the shop also has snipes bills and complex moulders, such as ogees, astragals and beading planes.

Because the shop makes only short runs of mouldings, they work mostly using hollows and rounds, which are more flexible than complex moulders, but can be slower to use.

The shop also has 14 rabbet planes, two toothing planes, a compass plane and four tongue-and-groove planes from Clark & Williams.

Several years ago there was an effort at Williamsburg to make bench planes for the shop. The blacksmith made blades. Other artisans made the bodies. But there were still some holes in the collection that needed to be filled in, so Williamsburg purchased four bench planes from Clark & Williams.

Though the Hay shop is in the United States and the Clark & Williams planes are decidedly British in appearance, Headley says the tools are appropriate for the shop and time period – toolmaking on this continent was still in its infancy so many wood-working tools were imported. Read more about the Hay shop at history.org. — CS



Reclaiming a lost art. McConnell explains the inner workings of historic moulding plane profiles to students in a planemaking class at Kelly Mehler's School of Woodworking.

In fact, Miller wants to develop a series of contemporary details using the hollows and rounds for his chairs and table edges.

"They are so useful for shaping and give you so much control," he says. "You might have this router bit and that router bit, but that's so

limiting. These tools free you up to do work that is difficult to (cut with a) machine."

However, Miller's confidence might be the exception. Many Clark & Williams customers are looking to make traditional mouldings and are looking for good step-by-step instruction.



On making planes. "It's fun seeing them come to life, setting them up and sharpening them."

— Don McConnell



Here, take this secret. Williams shows students at Kelly Mehler's School of Woodworking how to make a hollow and a round plane during a 2008 class.

But you won't find that in modern woodworking magazines or books. Even finding a class in moulding planes can be a challenge.

And so the guys at Clark & Williams also spend hours poring over nearly forgotten books to recreate the lost techniques for making mouldings efficiently. Before joining Clark & Williams in 2005, McConnell was already one of the country's leading authorities on pre-industrial woodworking. Not only is he a professional hand-tool furniture maker and gifted carver, McConnell has also spent his adult life digging into the history of steel, measurement systems and early tool development.

And now his research is guided by his day job as a plane maker. McConnell has always shared his knowledge freely on the Internet, and now he also is hosting DVDs produced by Lie-Nielsen that show woodworkers how to unlock their tools to make mouldings that

"Things men have made with wakened hands, and put soft life into are awake through years with transferred touch and go on glowing for long years. And for this reason, some old things are lovely warm still with the life of forgotten men who made them."

— D.H. Lawrence (1885 – 1930)
English writer

no electric router could easily accomplish.

So six days a week McConnell and Williams meet at the shop, which is in the basement of the house where McConnell lives (Clark, the third guy in the company, works from his shop at home). They start at 9 a.m., talking history, working and drinking the discolored water that Williams calls coffee.

They finish at 5 p.m. or so and go home to answer e-mails, troll the Internet a bit and read, read, read.

"This," McConnell says, "is our lives."

All this hard work has earned them recognition. In 2006, Williams was named a Living Treasure by the Arkansas Arts Council. Various shops at Colonial Williamsburg own and use many of the company's planes. And the men are in high demand from woodworking schools all over the country to teach.

But in talking to them, it's clear that what drives them are the chunks of beech and steel they fashion each day. Each plane is like a wooden jewel. It withstands the closest scrutiny. Even the freehand cuts made with a gouge on the shoulders of each plane are perfect.

This display of bravado would be remarkable for any craftsman, but it's especially so for Williams, who has survived cancer and a heart attack and still doesn't have the full use of the arm he ruined. Yet he is still as steady and sure as a young man at the bench.

With a plane, chisel or brace in his hand, it's clear that Williams is simply driven and possessed to build the set of moulding planes he always wanted when he was that carpenter working on amazing jobs, carving linenfold panels from English oak.

And by his own measure, he's just about made it there.

"There is very little in this world I'd be willing to steal," Williams says, looking at a half-set of hollows and rounds that McConnell is finishing up. "Fifteen years ago if I had seen a set of planes like this, I would have been willing to steal it. That's really scary that I would be willing to say that. But it's true."

McConnell looks down at the planes and, in his own way, agrees.

"My test of a set of planes that I've made is whether I secretly wish I could keep it," he says. "That's when I know they're ready to be shipped." **PWM**

Christopher is the editor of this magazine and the author of the books "Handplane Essentials" and "Workbenches: From Design & Theory to Construction & Use."



A new plane maker. One of the students at Kelly Mehler's School of Woodworking takes one of his moulding planes for a spin. One of the goals of Clark & Williams is to teach the art to budding plane makers.

Go Online FOR MORE ...

Read all our blog entries on planes:

► tinyurl.com/ybslux7

Read our review of Williams's first DVD:

► tinyurl.com/ydc78dc

Read our review of McConnell's first DVD:

► tinyurl.com/ydyawva

Visit D.L. Barrett & Sons, plane makers:

► dlbarrettandsons.com

We recommend "Handplane Essentials."

► WoodworkersBookShop.com

All of our online products are available at:

► WoodworkersBookShop.com

Supplies

Clark & Williams
planemaker.com or 479-981-1313

Lie-Nielsen Toolworks
lie-nielsen.com or 800-327-2520

How Tables Work

BY ROBERT W. LANG

Numerous shapes, forms and functions share a common set of issues.

A good furniture maker is part artist and part engineer. An overemphasis on either side of this equation leads to furniture that is ugly, impractical or both. Tables are especially vulnerable in this regard. Tables serve many purposes and are simpler than cabinets or chairs. But this simplicity calls for a thorough knowledge of how wood works when in the form of a large flat surface and an underlying structure.


Regardless of style, there are many mistakes lying in wait to spoil the plans of the would-be table maker. Whether you are new to the craft and getting ready to make your first occasional table or are more experienced and aiming to build a showpiece for your dining room, there are many aspects of table design that you need to consider.

Shape and Size

The design process begins with establishing practical parameters. A dining table needs to accommodate a certain number of people on a regular basis, and more on special occasions. An end table provides space for a lamp and a beverage, and an entry table may hold a vase, the mail or your keys.

In addition to being the right size for its use, a table must also fit in the available space. Seating 12 for Thanksgiving dinner is a worthy goal, but not at the expense of daily navigation through the dining room.

At this early stage of the process, a scale drawing of the room or a 3D model in SketchUp will allow you to consider alternatives. Changing your mind at this stage is much easier than it is after you start cutting wood.



Form follows function. Tables of different sizes, made for different uses, share a common set of engineering problems.


If you find it difficult to visualize things on paper or on the computer screen, you can mock up sizes and shapes with cardboard. Put your idea together with packing tape, place it in the room and live with it for a day or two. You don't want to invest the effort to build the real thing only to hear, "I didn't realize it would be like that" from someone you love when you're done.

Consider also how shapes play a role. Rectangles are easy shapes to make, but sharp corners are painful reminders of too much table in too little space. Rounded shapes are more adaptable if you need to squeeze in an extra diner or two, but will be more demanding to build. Clipping square corners will protect


your hips or shins if you need to make the most of a tight space.

For dining tables, a simple ratio of human body to perimeter space rarely works. Consider the available space at corners or across the table, and how that affects the table's function. The drawings below give some examples, and an article adapted from my book "Drafting & Design for Woodworkers" (Popular Woodworking Books), gives many more (see "Go Online" at the end of the story).

Perfect the plan first, then work on establishing the proper height for the structural elements. Standard heights have evolved over the years for the distance from floor to tabletop for different types of tables. You may want to




How many for dinner? A rule of thumb for seating is to allow 24"-30" per person around the perimeter of the table. But you also must consider the shape and overall size of the table. Extra space is needed at each corner, and while a narrow table may accommodate two settings across from each other, there may not be room for serving dishes in between. There is no substitute for a scaled layout. More examples are online at popularwoodworking.com/apr10.




Sofa or Entry Tables
28"-42" high
12"-18" deep
30"-48" wide


End or Lamp Tables
16"-20" high
18"-24" deep
24"-42" wide



Coffee or Cocktail Tables
16"-20" high
18"-24" deep
24"-42" wide



Standard is a range. This range of sizes for occasional tables is only a guideline; there are no laws in furniture design.



Space available for apron is limited. Apron height of 2"-3" is typical.

Typical dining table is 29"-30" above floor.

Typical chair seat is 16"-18" above floor.

Balance the need to support end of table with clearance for feet. 10"-12" minimum, 16"-18" ideal.

Tight squeeze. Dining tables and desks don't leave much room for experimentation. If in doubt, pull up a chair and grab a yardstick.

vary the height to suit your needs, but consider the consequences. Restaurants often provide tables an odd height to make people uncomfortable so they won't linger.


Desks and dining tables must also be able to accommodate a chair, and the person on the chair, with enough room between the table and wall to get in and out. Compare what you are considering to existing designs, and spend a few minutes with a yardstick, a folding chair and a card table and you'll find out if the dimensions you're considering will work in real life.

Start on Top

With the overall parameters of size and shape established, stylistic and structural details are next in line. Here is where the balance between structure and style is most important. As you develop your plan, consider the forces that will be working against you. Considerations one and two are movement of the top, and leverage on the ends of the legs.

A solid-wood top will move across the grain as the seasons change. Moisture (or the lack of it) in the air will migrate to (or from) the top and it will change in width. The number of variables involved makes predicting how much change will take place a guessing game, but it will happen. This is a force that you can't control, but you can design around it.

In most table designs, the top and the base are individual units that work together. The connection between the two must be strong, with some provision for the top to shrink and swell. Cabinetmaker's buttons and figure-8 fasteners are time-tested solutions. If someone




Irresistible force. Wood movement can't be stopped, but it can be accommodated. When attaching a top to a base, use fasteners that will slide or swivel.

suggests a method to you that includes the phrase, "that will keep it from moving," be aware that you are listening to a fool.


Wood movement can't be controlled, but it can be directed. In a dining table you can screw the top to the base in the center and use sliding fasteners on the perimeter to let the top move equally toward each long edge. On a desk, you can use a solid connection at the front edge to maintain appearances and force the results of the movement to the back.

In most tables, the wood grain will be in line with the longest dimension of the table. If you want an attractive table, use the widest material you can find and arrange the individual boards for the most attractive appearance. Historically, tables were made this way without suffering any dire results.

The common advice to use narrow strips and to alternate the direction of growth rings may have some merit if you're operating a large




Go with the flow. Attach the top to the base structure with a method that allows the top to expand and contract with fluctuations in humidity.



No advantage to ugly. If you want an attractive top, use the widest boards available and arrange them for appearance (top). Gluing tops from many thin strips with alternating end grain is often presented as good technique. In reality, it is more work, with more opportunities for failure—and it makes an ugly top (bottom).

Glue the central mortise and peg the outer mortises to accommodate the cross-grain construction.



Looks good, what do they do? Breadboard ends might help keep a top from warping; they also might keep elephants away. If you use them, take care to attach them solidly.

factory, using suspect material and a finish that will take the life out of the wood. If you're carefully making one table at a time, this procedure will lead you to do more work than necessary to produce an ugly table.

Use the best material you can find for the top. It will be the prominent visual feature of your table, and bad decisions during construction will haunt you forever. I make tops first so I can pick the best material from what I have available, and I usually spend more time finding the right pieces to put together than I spend in actual fabrication.

Match the color and grain patterns, and

arrange the boards for appearance. You can overcome surfacing problems by adjusting tools and techniques, but you won't be able to change ugly. Let the wood acclimate to your shop and carefully mill each piece as flat and as straight as you can. Establish a flat surface for gluing to minimize the work you need to do on the assembled top.


Breadboard ends look nice, but their ability to keep a top flat is overstated. You won't be able to straighten out a large warped piece of wood with a skinny straight one. In addition to attaching the breadboard to the top with a tongue and groove, add three or five tenons. The tenon in the center is the only one that should be glued. Allow room for movement in the outer mortises, and use pegs to hold the joint tight. Get used to the fact that the only time you will see the end of the breadboard flush with the edge of the top will be the day you make it.

A Sound Structure

The most common type of support structure is four legs connected by aprons. This design has been used for centuries, but there are weak points. As long as a table is sitting still, skinny legs and aprons are fine. Put some pressure on the bottom of the leg, however (think of dragging a heavy table or kicking a leg as you pass by), and there is enough leverage to break apart the joints or the wood around them.


Mortise-and-tenon joints offer the strongest connection, but two aprons intersecting a leg at a right angle introduce complications, especially if the legs are narrow. Rules based on making a framed panel won't apply for the size and location of the tenons.

Size the elements of the joints so that plenty of material remains around the mortises. Tenons don't have to be centered on an apron's




Force applied to the end of a typical table leg generates leverage on the joints above.


The force may be against you. Table legs make excellent levers if there is no supporting structure near the bottom end.



Rails and stretchers counteract leverage, but interfere with legroom.




With narrow legs, space for mortises is limited. Tenons are mitered to allow for additional length, not to fit each other at the ends.




Wider legs allow tenons to be longer without interference. Taper legs below aprons to make them appear lighter.

Two joints, one space. Narrow legs leave little room for joinery. Mitering the ends increases the length of the tenons; there should be a gap between them where they meet.




Mortises too close to the edge will weaken the leg. Size the components of joints based on the amount of material left in place, not the amount removed.

Size and location matter. How much material is left around a joint is just as important as the size of the joint. Don't put strong tenons in weak legs.






Tenons don't have to be centered. Moving them away from the face of the aprons will leave more material in the leg.

Justifiable bias. Moving tenons to the back face of a rail is one method to avoid a weak area around a tenon.



Braces across corners provide additional strength with thin legs and aprons. Metal brackets are available that can simplify this joint.

This has your back. No one that matters will ever look behind the legs and under the top. Add a wood or metal brace behind the corner if you need to.



Many ways to make a connection. Look for a way to secure the legs without interfering with your feet.

thickness; they can be offset if need be. The longer the tenon the better, and mitering the ends of tenons that would otherwise intersect gains additional length.

Dominos, dowels and biscuits are easy alternatives for mortises and tenons, but won't be as strong or last as long. Of the three, Dominos are the most durable alternative as they most closely approximate a mortise-and-tenon joint. Biscuits should be used in pairs to maximize the meat of the joint. Dowels may seem strong enough in the short term, but over time either the dowels or the holes for them will move out of round and the joints will fail.

A brace at a 45° angle between the aprons and behind the leg will not be seen and will add support to smaller pieces. These braces can be made of wood as seen in the drawing on the previous page at bottom right, and held in place with screws or other joinery. There are also a variety of metal brackets available that serve the same purpose.

Even the best joinery won't eliminate the effects of leverage. The addition of rails and stretchers near the bottom of the legs will form a stronger base, but the trade-off is in both appearance and in use. More structure equals a heavier appearance and interferes with legroom.

On a desk or worktable, rails and stretchers may not be a problem, but in dining tables this can be an issue. Horizontal parts near the floor make inviting footrests and are areas where wear will quickly show.

Connecting rails can be like aprons running from leg to leg, or they can connect pairs of legs. These rails are then connected to each other by a stretcher running the length of the table. A third method is to join the legs from corner to corner, with the cross pieces joined to each other in the center.

The best joint to use is a mortise-and-tenon, but there are alternatives. A single dovetail

is effective for rails that join legs at the top of the leg. This allows the rail to be thin, and the wedge shape of the dovetail resists the outward movement of the legs. Sliding dovetails are traditionally used on small stands to join legs to a central pedestal.

On a Pedestal

There are alternatives to placing a leg on each corner. Tables that are square or circular can be supported by legs attached to a central post. Keep the footprint as large as is practical to prevent the table from tipping if weight is placed on one end. Imagine the ends of the feet to be vertical legs to get an idea of how they will act in their supporting role.

"You can use an eraser on the drafting table or a sledge hammer on the construction site."


— Frank Lloyd Wright (1867 - 1959)
American architect, interior designer & educator

In small pedestal tables, such as the iconic Shaker candlestand, the legs attach to the pedestal with sliding dovetails. In commercially made dining tables, the typical connection is with hanger bolts in the ends of the feet, held firm with nuts on the inside of a hollow post.


At the top of a pedestal table, a plate wider than the column is used as an intermediate connection for the top. With small tables the connection to the column can be a permanent joint. For larger tables, it's better to use screws or hanger bolts, down to the column and up to the tabletop.

To make a dining table extend, leave a few inches of space between the base and the top for an extension-slide mechanism. In most extension tables, the grain direction is rotated 90° to run across the table. This avoids making an end-to-end match where the two halves join. A side-to-side match will be less obvious when the table is closed.

While you could make your own slides, buying manufactured ones has advantages.



Put it on a pedestal. A central column with three or four feet is often a good solution in a limited space.




Opportunity to over-think. In factory-made tables, legs bolt on to a hollow pedestal. Small pedestals often connect the legs to the post with sliding dovetails.

There is a lot of engineering and fitting involved in making a slide that will work predictably for an extensive period of time.

Two types of slides are available: one for pedestal tables and one for tables with legs. The type for pedestal tables includes a gear mechanism that equalizes the movement from the center outward. The two types are also crowned in opposite directions to compensate for sagging as the table is opened. Equalized slides raise slightly at each end in the open position, and the other raises slightly in the center. When the leaves are in place, the surface will be level.

Get the hardware (or at least the actual sizes) first and engineer the table around it, with the appropriate space between the base and the top. Attach the slides with screws to the top and to the structure below. If your extension design incorporates an apron, attach the apron to the top. The joint in the apron will likely open as the top moves seasonally. A small piece of trim to cover the gap, attached to one apron only, is a common fix.

The aggregate width of the leaves should be a couple inches less than the opening range of the slides. Short dowels with dome-shaped ends will fit the leaves to each other, and to the tabletop.



On the beam. Trestle tables are another alternative to four legs. Trestles provide a strong structure with a small amount of wood.

On the Beam

Feet can also be placed laterally, and connected by posts and beams to make a trestle table. This time-tested alternative to four legs can simplify joinery and make maximum use of minimal amounts of material. Trestle tables are essentially a series of connected I-beams.


Each end has an obvious "I" shape, but looking down on the structure in plan view reveals that the two ends connected by central rails also form an "I." The top in this scheme often plays a structural role, connecting the outer ends of the upper beams, thus keeping the post-and-beam assemblies at each end from twisting or racking.

Hybrid structures are often seen, and are a good creative outlet. You can have a trestle form at the base and conventional aprons at the top. Whatever the form, keep an eye on the structural elements. You want the table to be strong and attractive, and you don't want wood movement of the top causing problems.


Structural elements will have an impact on the appearance of the table. Elements associated with specific styles can look odd if placed inappropriately. The proportions of the elements will also impact the overall proportions and appearance of the final design. Tapers, bevels and curves can make parts appear smaller or thinner than they really are.

The last illustration shows an unfortunate, but common combination of design mistakes. For a design to look good, it has to make sense, and ignoring hundreds of years of techniques isn't wise. Learn the basics and build on a firm foundation – then get creative. **PWM**

Bob is senior editor of this magazine, and the author of "Drafting & Design for Woodworkers" and several other books. Visit his web site, craftmanplans.com.



Appearance can be deceiving. Proportions of individual components have an impact on the overall perception of a design. These two tables are the same size, shape and basic structure, but make wholly different design statements.



Beginner's bad luck. Table design isn't always intuitive. The drawing above shows several mistakes that beginning table builders tend to make.

Go Online FOR MORE ...

3D models of the tables in the opening illustration are available for free download at:

► popularwoodworking.com/sketchup

For an article excerpt from "Drafting and Design for Woodworkers" on dining table shapes and sizes, visit:

► tinyurl.com/ybhanum

For a catalog of manufactured solid wood table legs and kits, visit:

► tablelegs.com

To purchase the book "Drafting & Design for Woodworkers", visit:

► tinyurl.com/ybb2vxq

All of our online products are available at:

► WoodworkersBookShop.com

A Good Example


If you've never made a table before, or if you just need to exercise your table-building muscles, this small Shaker side table, featured in Issue 2 of *Woodworking Magazine* (Autumn 2004), is a good practice piece. The proportions are excellent, the joinery is sound and it won't require a large investment in materials or time. When you're done you will have an attractive end table or nightstand.

The top is 18" square, and connects to the frame with screws in oversized holes in the upper drawer guides. If you choose not to include the drawer, simply repeat the joints from the back aprons at the front and attach the top to the top edge of the aprons.



Starting with a good example is also a good way to practice developing your own designs. One secret to becoming a good designer is to study many different existing forms and experiment with them. Design is a skill that can be learned through practice; it isn't a gift that some of us have and some of us don't.

A SketchUp model of this table is available as a free download at popularwoodworking.com/sketchup. If you have SketchUp installed on your computer, you can download the model and view it in three dimensions to see how it goes together, or you can use the model as a starting point for designing a similar table of a different size.



—RL



BACK LEG JOINT DETAILS



FRONT LEG JOINT DETAILS



SHAKER TABLE ELEVATION

The William & Mary Style

BY CHARLES BENDER

This period ushered in a radical shift in furniture design and construction.

If you ask most people what they know about period furniture, many will shrug and say something like, “Oh, you mean that Colonial-style furniture.” Most woodworkers tend to gravitate to Queen Anne, Chippendale, Federal or Arts & Crafts pieces. Sure, those names represent different styles of furniture but, until you really begin to study them, you may not realize that the periods flow from one into another. As you study the different styles you begin to see how each period builds on the one before it. And as you move backward through the periods, studying the design and construction changes that took place, you’ll eventually come to the one style that kicked off a furniture revolution: William & Mary.

Prior to the William & Mary period (in this country, at least) most furniture was boxy, massive and simply decorated. Chests were simply boxes that sat on the ground or were on stump legs that were an integral part of the construction of the box. Frame-and-panel construction was rampant in this early form of furniture. Decoration was in the form of applied bulbous half turnings or shallow relief carving. To top it all off, much of the furniture was made from that most plentiful of woods, oak.

When William of Orange and Mary II were welcomed into England in 1688 from Holland, they brought with them lots of Dutch craftsmen. They also brought with them a new sensibility in furniture design. In general, furniture became a bit lighter in feel. The ornamentation began to change from the low-relief carving and applied half turnings to turned structural elements, pierced carvings and caning. The choice of primary wood began to shift from

oak to a wood that already had a deep, rich, dark color: walnut.

For you fans of Jacobean furniture, I’m not disparaging pieces from that period. I have a healthy respect for them. I’ve even been known to make one from time to time. But even the most devout fan of Jacobean furniture has to

admit that the pieces made during the William & Mary period shifted design emphasis from a stiff, ecclesiastical design architecture to one that was much more inviting and gracious.

William & Mary furniture is identifiable by its bun feet, symmetry in design, the use of bold mouldings with architectural propor-



Enduring design. The high chest, or highboy, was a form introduced during the William & Mary period that has retained its appeal to this day.

tioning and chairs with canted backs. One of the period's greatest contributions to English furniture was the highboy. In this country, the form held favor long after it had faded in England. If we look at the design changes in chairs, tables and case pieces during this period, we can easily see how William & Mary furniture took major steps away from the Jacobean style and ran headlong toward the Queen Anne.

The United States began life as a British colony, so naturally we took our decorating cues from the mother country. And though we may hate to admit it, we looked to England even after the American Revolution to find out how our homes should look.

Why do we now favor Queen Anne and Chippendale? Perhaps because the furniture of those two periods was the furniture of our Founding Fathers. And, while we took cues from England, the furniture from both periods had a distinctly American flair. It deviated from its English counterparts in so many ways that it's sometimes difficult to associate the two in the same context.

So why does William & Mary furniture get ignored by most folks these days? Frankly, the furniture was long out of style by the time of the American Revolution. And, although we added our own flair to the style, it still had a very distinct "English" look to it.

By 1695, the official "starting" date for the William & Mary period, we were no longer a group of ragtag settlers. We had established "civilized" colonies populated with craftsmen who were eager for new settlers to come and buy wares. Because most of the settlers were coming from England and other parts of Europe, they wanted to own things that were familiar to them, yet they wanted to distinguish themselves as Americans.

The presence of a growing number of professional craftsmen changed both the design and construction of furniture in a great number of ways during this period. One such change was drawer construction. We began the period with the side-hung drawers left over from earlier days and moved rapidly toward the paneled bottoms and bottom runners of the Queen Anne period.

Seating Pieces

If we begin by looking at how seating designs changed in America from the Jacobean to the William & Mary period, we can see some radical things happening. While the joint stool remained popular throughout the Colonial period, chairs saw the greatest changes. Chairs from the Jacobean (or Pilgrim) period primar-



Change in runners. In the Jacobean period, drawers were usually on side-hung runners (left). In the William & Mary period, runners slipped beneath the drawers.

ily fell into two groups: turner chairs and joiner chairs. The turner chairs had rush or splint seats and were typically of ladder-back construction. They tended to be rather straight-backed in nature. Most Shaker chairs emulate the turner chairs of this period.

Jacobean joiner chairs were of frame-and-panel construction with plank seats. They, too, tended to be rather straight-backed in nature. With the shift to the William & Mary design sense, we see the joiners' chair backs become canted for comfort. The backs were at a distinct angle to the seats. We also begin to see how

the chairs shifted from having parts that were cut out to emulate turnings to incorporating turnings into the frame-and-panel construction. The back construction changed in that the panels began to lift off the seat, giving the chair a lighter appearance. Once the back rail lifted off the seat, chair backs began to shift from frame-and-panel construction to slatted backs with carved crest rails. This also led to frame construction with the use of caning and leather for the seats and backs of chairs.

The turners' chairs of the William & Mary period also saw shifts in design and construc-



Curved back. As the William & Mary period progressed, chairs began to change in design. Here you can see the beginnings of the Queen Anne period with the reversing curve of the back. These chairs were mass-produced in Boston and shipped throughout the colonies due to their popular design.



Comfortable and showy. The wing chair (or easy chair) became popular in the William & Mary period. With settlements and trade routes firmly established, the wealthy had access to imported fabrics, which could be shown off on this type of chair.

tion techniques. We begin to see canted backs on them as well. This meant cutting the rear legs out of a larger plank of wood, then offset turning them to create the decoration for the chair. We can see a shift from the ladder-back style to frame construction with slatted, caned and upholstered backs. We even see fully upholstered easy chairs come into vogue. Comfort was being firmly ushered into the world of chairs.

The design aspect of William & Mary chairs also deserves some consideration. For the first time, chairs became something more than a stool with a back (and possibly arms). Chairs began to take on more than merely a function. They began to become visually pleasing, and to make a statement about the owner's decorating taste. In essence, chairs became, for the very first time, works of functional art.

Casework Pieces

If we look at case furniture, we see the same radical changes occurring. Instead of utilitarian boxes that sat on the floor or ground (depending on whether your home had a

“Design is everything! Without good design, the greatest craftsmanship is wasted. Not all great museum pieces are of the best craftsmanship. It was design that made them a treasure.”

— Wally Kunkel (a.k.a. Mr. Sawdust)
from “How to Master the Radial Saw”

floor or not), we began to see chests gracefully suspended in the air by sinuous legs. We also began to see the use of highly figured and sometimes exotic woods, and veneers being used as “decoration” instead of relying on turned or low-relief carved elements.

Another area of refinement in case furniture was the growing use of brass hardware. This brass hardware wasn't merely a utilitarian addition. Pulls and escutcheons were made in decorative forms or had pictorial chasing; that added interest to the overall piece. These

brasses were set against the background of polished wood. Again, for the first time, hardware became more than a functional method of opening and closing doors and drawers. It became an integral part of the design of the piece of furniture. It added to the artwork's function.

Quintessential William & Mary

As noted earlier, the biggest contribution to furniture design from the William & Mary period is the highboy, or high chest. If you've ever looked at a Philadelphia Chippendale or a New England Queen Anne highboy and thought, “There's a masterful balance of joinery and ornamentation” (c'mon, I think that stuff all the time), you have William & Mary to thank. If not for them, the highboy might never have been introduced into our vernacular. And it all began with those crazy bun feet.

When builders began to raise chests off the ground, the first method was to extend the corner posts of the frame-and-panel construction to create a space between the floor and the box. It wasn't long before the turners got hold of the design and began adding Dutch-influenced bun feet to chests. Why can't you make something both beautiful and functional? The stuff in the chest really needed to be up off the dirt floor, and those stump feet are fairly plain. So, why not add a bit of style and flash? (That's 17th-century “bling,” for you younger readers.)

From there, it didn't take long to stretch those bun feet into legs. Adding legs to support the chest gave the piece a much lighter look while adding practicality. A chest on legs made it easier to get into the drawers. It also put the chest squarely in your line of sight, making it the perfect showcase for those polished, figured veneers and shiny brass hardware. Again, William & Mary added form to function.

Additionally, there was a clear shift in construction methods. High chests, or highboys, were essentially dovetailed boxes set on legs. Prior to this period, chests were primarily of frame-and-panel construction. By shifting to the dovetailed box method of construction, larger flat surfaces were created that facilitated the use of the figured veneers.

Table Design

Tables also saw a radical change in function and design. Prior to the William & Mary period, tables tended to be four legs with stretchers and aprons, and a fixed top. During the William & Mary period we saw a shift to adaptable furniture. Tables began to have moving parts. The

A drop of style. Hardware became more of a decorative element during this period. With the growing popularity of lace in clothing, brasses often were pierced and chased to mimic the interlacing designs.



Fancy feet. Feet became decorative elements during the William & Mary period. Instead of being merely part of the side panel construction, turned ball or bun feet added a new element of design.



Smaller appeal. With the advent of the high chest, or highboy, dressing tables also came into fashion.



Room for more. Gateleg tables became the rage because they could be closed into a much smaller piece. This allowed the table to be placed against the wall leaving the room open for other uses.

collapsible table was introduced, and the gateleg began yet another design revolution.

Until late in the 18th century, rooms in houses tended to be multi-functional. In the earliest homes a table of fixed size was often an obstruction. By adding the design features of a swing leg and drop leaves to tables, we could finally fold a table up to a small enough size that it was out of the way. Even with the leaves in the down position, one could still use the table. You could work or entertain on the center section. If you had more work or more company, you could extend one or both leaves. This was a design innovation that would change the furniture world as we knew it.

Another addition to the design culture of the late 17th and early 18th centuries is the dressing table, sometimes referred to as a low-boy. It's hard to tell whether this form should be discussed as a piece of case furniture or as a table. Clearly, they were in use as tables yet they relate to highboys, or high chests. They were not overly useful as storage pieces, nor were they intended to be used as work or entertaining tables. Their size was perfect for storing one's personal effects and giving just enough workspace for applying wigs and makeup. Constructed using the same methods as the highboys, dressing tables were usually smaller versions of the base of the matching high chest. Design and decoration usually followed that of the highboy.

Enduring Influence

With all these radical design and construction innovations, is it any wonder Americans were

reluctant to give them up easily? If we look at the highboys and lowboys built by the Goddards and Townsends in Newport during the latter part of the 18th century, we see the same construction techniques are held over from the William & Mary period. These masterpieces of American furniture are constructed using the same techniques as their predecessors – dovetailed boxes atop legs. While the construction methodology changed in most of the country during the Queen Anne period to the now familiar mortise-and-tenon construction, in Newport they saw fit to continue the earlier method.

We see the gateleg table shift and change throughout the Queen Anne and Chippendale periods, becoming even lighter in appearance and incorporating the new design elements of the cabriole leg. Chairs also continued their change in construction and design, first by adding the cyma, or reversing curve, to the shape of the back then eventually adding the same shape to the seat.

Over time, the William & Mary penchant for pierced and carved crest rails would find its way into the pierced and carved splats of Chippendale-period chairs. The bun foot on chests would eventually be replaced with the bracket foot. But without that first bun foot, we might never have known the graceful curve of the ogee foot.

Throughout furniture history, styles and construction methods have built upon everything that came before. Chippendale built upon the foundation of Queen Anne by expanding the Chinese and French influ-

ences in design and construction. Hepplewhite and Shaker furniture shifted to a less ornate sensibility. Sheraton and the Neo-Classical furniture makers hearkened back to the Chippendale period with a nod to Egyptian, Roman and Greek architecture. Stickley and the Greenes took their cues from the pre-Queen Anne days.

So the next time you're wandering in an antique shop or your favorite museum, take a moment to look over that piece of William & Mary furniture. Even if you're not a fan, you might just begin to appreciate that the "Glorious Revolution" that began in 1688 had more influence on your favorite furniture style than you may have imagined. **PWM**

Charles is a period furniture maker and the lead instructor at The Acanthus Workshop. To learn more about his furniture and the school, visit acanthus.com.

Go Online FOR MORE ...

Read the author's article about secret drawers:

► tinyurl.com/y8jd6r8

Watch this free online video, Federal-style Cuffbanding:

► tinyurl.com/yed7yht

Period project plans in the book 'Building 18th-century American Furniture':

► tinyurl.com/yejbxfm

All of our online products are available at:

► WoodworkersBookShop.com

Sunken Treasure

BY KARI HULTMAN

How to buy mahogany that 18th-century furniture masterpieces (and dreams) are made of.

Remember when Honduran mahogany (*Swietenia macrophylla*) was the most fashionable wood used in fine furniture, had 40 to 60 growth rings per inch, and was readily available in 20"-wide boards?

If you were an 18th-century woodworker you would.

That was the norm back then, but things are different now. Honduran mahogany is protected (as is *Swietenia mahagoni* – known as West Indian or Cuban mahogany, the “original” mahogany) due to harvesting to near extinction by the 20th century. Wide boards are difficult to find, and 25 growth rings per inch is considered dense.

But thanks to a few frogmen and entrepreneurs, we can turn back the clock a couple hundred years and work with some of this legendary timber. To understand how this is possible, we have to start in 1638.



Bottom feeders. Divers in Belize pull from the bottom of a river one of the thousands of logs that has been waiting to be harvested.



Up from the bank. Tractors pull the waterlogged logs up from the riverbank where workers await with eager chainsaws.

Early Discovery

In that year, shipwrecked British sailors-turned-loggers (known as Baymen) began harvesting timbers in Belize and exporting lumber to Europe. By 1724, mahogany was being put to use by cabinetmakers in England, and by 1771 it became the primary source of income for the country of Belize. The rich, dark, reddish-brown, durable, rot-resistant, dense wood with superior workability so enamored 18th- and 19th-century fine furniture makers, that forests were significantly diminished in a matter of 200 years—this after surviving two millennia of Mayan inhabitants and yearly hurricanes.

Mahogany was first logged in northern Belize, where harvesting was limited to the nearby rivers and streams that served as the principal transportation routes. After 1800, oxen were imported to do the heavy transporting, and logging advanced farther south along the rivers, but not inland. Railroads, tractors, roads and heavy logging equipment in the early part of the 20th century made inland cutting possible.

Traditionally, trees were cut above the roots and logs were bucked—the process of sawing a felled tree into sections—by two men using 8' saws. Timbers were then loaded onto wagons or dragged to wharfs where they were stored along the shoreline until the rivers had swelled enough to float the logs. The felled logs were collected in “booms” (river bends where iron chains were drawn across the river), then released when a ship arrived for loading.

Lost Lumber

Historical records indicate that as much as 50 percent of the estimated 1.5 billion board feet of timber never reached its destination, having become waterlogged and sufficiently heavy to sink to the bottom of rivers. That's 750 million board feet! What a waste of a precious

“If you have to cut a tree down for it, it's worth doing your best.”

—Guy Clark (1941-)
songwriter and country musician

commodity, never to be worked by furniture makers and luthiers.

But what if you could get your hands on some of that long-forgotten Honduran mahogany – the same wood that was used by 18th- and 19th-century cabinetmakers, the logs from primeval rain forests? What if your reproduction period furniture that you so painstakingly replicate in every detail, down to the joinery and hardware, could even more closely resemble the original? What if your musical instruments could emit the soft, warm tones that can come from old-growth hardwood? What if a company of divers, wood experts and businessmen was willing to retrieve the sunken treasure that was lost to loggers 100-200 years ago and make it available to you?

You're about to find out.

Greener Logs Limited set up operations in Belize in 2007 and has been salvaging exotic tropical hardwood from rivers, creeks and lakes in Belize and other parts of Central America ever since. Divers connect ropes to the logs that are then lifted and towed by boats back to the banks where a tractor or log skidder pulls the logs onto dry land.

Greener Lumber LLC (573-685-2301 or info@greenerlumber.com), established in July 2009 and located in central Missouri, is working with the recovery team of Greener Logs Ltd. to bring the wood to the United States for drying and distribution. The lumber is sliced from logs, then dried in vacuum kilns at River City Hardwoods in Muscatine, Iowa. Drying takes about 10 to 14 days to reach 8-percent moisture content with a few additional days to stabilize – no small feat considering the



From rivers to riches. An estimated 750 million board feet of lumber is waiting at the bottom of rivers. Companies are now hauling it up and bringing it to market.

wood starts with a nearly 60-percent moisture reading.

At first the stock was cut into mostly 4/4 thickness, but some 6/6, 8/4 and 12/4 boards were available. That all changed once production was in full swing. As the supply increased, Greener Lumber began cutting all manner of thicknesses. Boards measuring 10' to 14' long and 10" to 20" wide are in stock, but wider boards are available with the importation of larger-diameter logs, some as large as 5½'. With 200 years worth of sunken logs, divers will uncover layers of subsequently more ancient timber that's older, denser and

wider. Within the next two years, the company expects to find some of the legendary 80-100 growth rings per inch.

So what's the price of 200-year-old wood? Straight-grained lumber is \$25 per board foot for 4/4 stock, and the price grows in increments of \$2.50 per board foot with each ¼" of added thickness. Figured stock, such as fiddleback mahogany is available at \$45 per board foot while a quantity of "plum pudding" material is available at \$30 per board foot.

To ensure satisfied customers, Greener Logs Lumber photographs each piece and lists the pieces on its web site. Patrons are able



Cut down to size. The long logs are cut down into lengths that can be easily transported out of the country for cutting and drying.



Yeah, that's wide enough. Need some 20"-wide boards? No problem. Suddenly, one-board tops look possible.

to buy rough-sawn material in lengths that equal widths. For example, if a board were 20" in width, the minimum purchase would be 20" of length or 2.8 board feet. Of course, longer lengths are OK, too. And credit cards are accepted.

Not Just Mahogany

Other species are being discovered along with Honduran mahogany. Bullet tree is a wood that is virtually unknown in the United States and has stunning figure and color, along with exceptional hardness and strength. It makes great turning projects and dent-resistant table-tops. Sapodilla, another salvaged wood, has wonderful interlocked grain, and is the color of dark chocolate with reddish ribbons running through it. Another species, Santa Maria, is a dense and straight-grained wood, the color of dark pecan.

Caches of cocobolo and Honduran rosewood have also been discovered. "You just never know what you're going to get when you start bringing logs to the surface," says Rich Petty, the owner of Greener Lumber. And like opening a real treasure chest, once the logs are sawn, some jaw-dropping figure is revealed such as fiddleback mahogany, which is gold to woodworkers.

As if finding this ancient and exotic lumber isn't enough good fortune, there are also environmental benefits. Salvaging logs is a viable alternative to cutting young timber. Once the supply of recoverable wood has been



Flaming red. The deep red color of this mahogany is unlike the modern stuff. How does it finish? Beautifully. Hint: You'll find out in our next issue.

exhausted – while present forests have been able to catch up in size and density to their majestic ancestors – effective management for sustainable forestry in the tropical regions of Central America can be developed. The trees can be harvested systematically so that a source for wide, dense mahogany will be available for future generations of woodworkers.

Working With Old-growth Lumber

So, how does this recently discovered treasure compare to new-growth mahogany? Senior Editor Glen D. Huey and Editor Christopher Schwarz spent some time in the shop working with it – Glen with power tools and Chris with hand tools.

"From a power-tool perspective, this material handles like most other good-quality mahogany lumber when it comes to milling and material preparation," Huey says. But he did notice a pungent odor arose as the material passed through the saw and sander. According to Huey, the smell is similar to a marsh at low tide or a freshly plowed pasture.

When he applied aniline dye, boiled linseed oil and shellac, however, he found a few differences.

As Glen wiped the workpiece with a wet cloth to raise the grain, he noticed the #180-grit sanding dust was a bit redder than what he was used to. It was almost bloody in appearance. The biggest difference was that the grain



Other good woods. Take a look at this recently slabbed sapodilla log. Other exotic species are mixed in with the mahogany.



Squared and ready. Even with the rough surface left by the chainsaws, these mahogany logs inspire a hearty lust.

was raised only the tiniest bit, even though the piece was highly figured.

As the dye was added, there was minimal soaking in, but the dye colored the piece just as it should.

Next up was the linseed oil. This was amazing. After five minutes, there were no dry spots. Normally, you'll see spots where the oil soaks in and you have to spread the oil a couple times to keep everything wet. The oil sat on top of the wood like a bar-top finish.

This lumber has such tight growth rings that the wood is nowhere near as porous as the woods we usually work today. It is possible to reduce the number of topcoats used in a normal finish schedule. What does that mean to most woodworkers? Probably not much, except for an easier, smoother finish with less sanding and rubbing.

Hand Tool Workability

According to Schwarz, the old mahogany is incredibly dense, but it cuts relatively easily with hand tools. "The problem came when I was trying to get a good finished surface on the curly stuff. You can really see why 18th-century craftsmen developed high-angle planes. One really wild board I worked just laughed at my efforts to plane it with a 45°-pitch tool. Only when I got above a 60° effective pitch did I start to get a surface that I like. And even then, there was still some tearing."

Aside from giving new-growth mahogany a chance to mature and having access to wider boards, is there a good reason why woodworkers should buy the old-growth mahogany over the new stuff?

"It looks like nothing else I've worked," Schwarz says. "The grain is intense and complex. Modern mahogany looks like a stringy,

misshapen weed compared to this stuff. I'm not a wood hoarder at all. My lumber racks are always bare. But this stuff inflames my latent lignum lust."

So there you have it: the same lumber our forefathers used, environmental benefits, supply for future woodworkers, smoother finish and exotic lumber-lust ignited. What more could you ask for from a treasure trove like this? **PWM**

Kari is a woodworker, graphic designer and runs the blog The Village Carpenter at villagecarpenter.blogspot.com.



Dang that's dense. After 30 minutes covered with oil, very little soaked into the mahogany. And the next morning? Nope. This stuff is dense.

Off to you. With the logs cut into manageable chunks, they are loaded into containers to head off to the mills and kilns north.



Coming in June: Killer Wood



Of course, the first question running through your head should be: "Sounds cool. But how does the wood look?"

You can find out in the next issue. Senior Editor Glen D. Huey is building an 18th-century Philadelphia lowboy using some of the wood from Greener Lumber. The lowboy features trifold feet, an unusual corner detail on the top and drawer slips in the interior. The wood he picked out for the top and drawer fronts is highly figured.

"It's what we call 'screaming' mahogany," Glen says. "It's a technical term."

If you don't want to wait until June to own this lowboy, which is 29" high, 19" deep and 33" wide, you can pick up the original at H.L. Chalfant Antiques in West Chester, Pa. Price: \$40,000.

— Christopher Schwarz

PHOTO COURTESY OF HL CHALFANT ANTIQUES, WEST CHESTER, PA

► Go Online FOR MORE ...

Read Glen Huey's original story on this:
► tinyurl.com/yzhmr7c

Read about the vacuum-drying process:
► tinyurl.com/yao3mbb

Get ideas for mahogany furniture to build from Glen D. Huey's new book:
► tinyurl.com/ydq9otc

Read about logs reclaimed from the Great Lakes:
► tinyurl.com/ybr2sgt

Visit Greener Lumber's web site:
► www.greenerlumber.com

All of our online products are available at:
► WoodworkersBookShop.com

BY BOB FLEXNER

An Array of Lacquers

Many finishes are known by this one name.

In common speech and among those in the professional finishing trade, the term “lacquer” usually refers to nitrocellulose lacquer. But there are many other finishes that go by that name.

When referring to one of these, it’s best to use a modifying word, or words, to distinguish it from nitrocellulose.

These other lacquers include water-white lacquer, urethane-modified lacquer, vinyl lacquer, brushing lacquer, CAB-acrylic lacquer, crackle lacquer, pre-catalyzed lacquer, post-catalyzed lacquer, padding lacquer, water-based (or waterborne) lacquer and Oriental (Japan or Chinese) lacquer.

Here’s an explanation of these lacquers, all of which, except padding and Oriental lacquer, are available in various sheens ranging from gloss to flat.

Nitrocellulose Lacquer

Nitrocellulose is the first modern lacquer. It was used as a plastic as early as the late 19th century (for example: movie film and brush handles). After World War I it came into wide use as a finish.

The impetus was the growth of the automobile industry and the large stocks of gunpowder (cellulose nitrate) left over from the war.

The automobile industry had been using varnish, which dries very slowly, to finish cars. The introduction of fast-drying, pigmented nitrocellulose lacquer removed the bottleneck at the finishing stage of production.

By 1930 most furniture manufacturers had shifted to lacquer from shellac.



Color. When poured into glass jars, it’s easy to see the different colors of lacquers. On the left is nitrocellulose, which is made with fairly orange modifying resins. In the middle is water-white lacquer, which is made with fairly colorless modifying resins. The color that exists is supplied mostly by the nitrocellulose. On the right is CAB-acrylic lacquer, which is totally colorless.

Nitrocellulose lacquer is made with cellulose nitrate and a modifying resin (usually alkyd or maleic) that improves build, flexibility and adhesion. An oil-like plasticizer (modified castor oil was used originally) is added for further flexibility.

The raw ingredients are dissolved in lacquer thinner, which is unique among finish solvents because it is composed of half-a-dozen or more individual solvents that evaporate at different rates. The manufacturer controls

the drying speed of the lacquer by its choice of solvents.

The most unique characteristic provided by lacquer thinner is resistance to runs and sags on vertical surfaces. The individual solvents are chosen to evaporate quickly one after another immediately after the lacquer is propelled from the spray gun – so that by the time the finish settles on the surface it is already beginning to thicken.

No other finish solvent or thinner provides this characteristic.

Closely Related Lacquers

Water-white, urethane-modified, vinyl and brushing lacquers are all made with cellulose nitrate and are closely related to nitrocellulose lacquer.

Water-white lacquer is made with a lighter-colored modifying resin, usually more expensive coconut alkyd or acrylic. So this lacquer yellows less and costs more.

Urethane-modified lacquer uses urethane alkyd to add a little more heat, scratch and alcohol resistance. This lacquer isn’t widely available or used.

Vinyl lacquer is made with a modifying vinyl resin to improve adhesion and water resistance. This finish doesn’t harden as well as other lacquers, but it performs well under




Spraying. Because lacquer thinner is made up of individual solvents that evaporate at different rates, it’s possible to spray heavy coats of any finish thinned with lacquer thinner onto a vertical surface with no chance of runs or sags. This is one reason finishers love spraying lacquer.

CONTINUED ON PAGE 56

PHOTOS BY THE AUTHOR


GET SHARP AND STAY SHARP!



Working with dull tools can not only be difficult, it can also be dangerous. Just like with a kitchen knife, the sharper the better. And working with a sharp tool is a real pleasure.


In *The Perfect Edge*, tool maker and sharpening expert Ron Hock shows how to achieve that elusive sharp edge on a variety of woodshop and household tools from chisels to axes to scissors. He covers all of the different sharpening methods so you can either use your existing set-up, or determine what other methods best suit your needs and budget.

ALSO AVAILABLE...



Made By Hand
\$29.99

ISBN 978-1-55870-895-2



Tool School
\$29.99

ISBN 978-1-55870-851-8



\$29.99

Hardcover

ISBN 978-1-55870-858-7 • #Z2676

This book and other great Popular Woodworking books are available at your local book retailer. They can also be found online at www.woodworkersbookshop.com, Amazon.com, or BarnesAndNoble.com. Or call 1-800-258-0929 to order.



POPULAR
WOODWORKING
BOOKS
an imprint of F+W Media, Inc.

catalyzed finishes, so it is usually sold as “vinyl sealer.”

Brushing lacquer is nitrocellulose lacquer made with slower evaporating lacquer-thinner solvents. The finish dries slowly enough to be brushed, but the non-sagging characteristic common with spray lacquers is lost.

CAB-acrylic Lacquer

Cellulose/acetate/butryrate and acrylic resins dissolve in lacquer thinner and are considerably more expensive than cellulose nitrate. But they are non-yellowing, so they are used to make a totally colorless lacquer.


The usual reason for choosing CAB-acrylic is to finish light-colored woods such as maple, or to finish over white pickling stain.

Crackle Lacquer

Crackle lacquer is nitrocellulose lacquer made with more pigment than there is finish to bind all the pigment particles together. As the finish dries and shrinks, it cracks and separates, revealing the layer below.

To create this finish, apply a coat of colored nitrocellulose lacquer and follow with a different-colored crackle lacquer. You can control the size of the cracks and the “islands” in between by varying the amount of thinner, and the speed and spray distance of the gun, as well as the amount of finish that’s sprayed on the piece—but no more than one coat.

Because the crackle layer is crumbly, you should always apply a clear coat on top.



Crackle. Crackle lacquer contains more pigment than the lacquer can bind together. So when the finish dries and shrinks, it cracks and separates to reveal the layer below. You can create very interesting and attractive effects by varying the amount of thinner, the speed you move the spray gun and the distance you hold the gun from the surface.



Brushing. By dissolving lacquer finish in slower evaporating lacquer-thinner solvents, manufacturers make a lacquer that dries slowly enough to be brushed. But the slow drying cancels out the benefit of reduced runs and sags on vertical surfaces. So on these you need to stretch the finish out with your brush so the build isn’t too thick.

Pre- and Post-catalyzed Lacquers

Catalyzed lacquer is made with only a small percentage of cellulose nitrate. The bulk of the finish is another resin entirely—melamine or urea formaldehyde. These resins are combined with alkyd resin to cure very hard and scratch-resistant when an acid catalyst is added.

The cellulose nitrate is added to make the finish more user-friendly. Without it, the product is called conversion or catalyzed varnish.

The defining difference between pre- and post-catalyzed lacquer is that the manufacturer adds the catalyst to the pre-; you add it to the post-. Pre-catalyzed lacquer is therefore more user friendly, but it often cures more slowly and has a shelf life of six months to a year or two.

Padding Lacquer

Padding lacquer is not lacquer at all but shellac thinned in solvents that dissolve lacquer. The name causes a lot of confusion.

When furniture manufacturers shifted from shellac to lacquer in the 1920s, they found that touching up nicks and rubs using shellac and the French polishing method wasn’t as successful as it had been when shellac was the finish. Shellac dissolved in alcohol doesn’t bite as well into a lacquer finish.

So manufacturers added some lacquer solvents to shellac and changed the name to padding lacquer to distinguish the product.

Water-based Lacquer

Water-based finish is entirely different from any of the lacquers discussed above. It’s related more closely to latex paint and white and yel-

low glue. Unfortunately, some manufacturers insist on calling their water-based finishes lacquer (or varnish or polyurethane), which creates confusion among consumers.

A water-based finish is an emulsion of acrylic and sometimes acrylic/polyurethane resin. The finish dries initially by water evaporation and then forms a hard film when the droplets of emulsified resin stick together as the very slow solvent evaporates.

Besides the water raising the grain of the wood and slowing the drying, the most important difference between water-based finishes and true lacquers is in application. Water-based finishes don’t contain lacquer thinner so they run and sag easily on vertical surfaces.

Oriental Lacquer

The original lacquer is a natural resin harvested from trees in east Asia, primarily Japan and China. So this lacquer is commonly called Japan or Chinese lacquer. It is totally unrelated to any of the lacquers discussed above.

When exposed to very high humidity, Oriental lacquer crosslinks to form a hard, durable film. The natural reddish color is often enhanced with pigments.

Oriental lacquer has been used since before recorded history. Beginning in the 15th century, furniture and other objects with this highly decorative finish were imported to Europe, and European craftsmen tried with varying degrees of success to imitate it with the resins they had available. Their efforts are often called “japanning.” **PWM**

Bob is author of “Understanding Wood Finishing” and contributing editor to Popular Woodworking Magazine.

Go Online FOR MORE ...

Visit the “Flexner on Finishing” archive:
popularwoodworking.com/finishing

Apply an authentic arts & crafts finish:
tinyurl.com/yeep345

Get ‘Finishes that Pop’ DVD by Glen D. Huey:
tinyurl.com/y98yjsw

Add ‘age’ to walnut like a pro:
tinyurl.com/y98pa76

All of our online products are available at:
WoodworkersBookShop.com

Woodworker's Supply

If you are in a woodworking business... this could be the most valuable tool in your office™.

Please call 1-800-321-9841 for your 800 page catalog. Mention code pw10

FREE to woodworking businesses.

visit us at pro.woodworker.com/pw10

For more information, go to PWFREEINFO.COM.

EIP INC

With over 30 years of experience in producing lumber dryers you can count on EIP's dependability and simplicity.

Mention this ad to receive **10% OFF** your total purchase **OR FREE Shipping** Valid until 4/30/2010

Ebac Industrial Products Inc
700 Thimble Shoals Blvd, Suite 109, Newport News, VA 23606-2575
Tel 757 873 6800 Fax 757 873 3632
Toll Free 1-800-433-9011 www.ebacusa.com

For more information, go to PWFREEINFO.COM.

WHITECHAPEL LTD

Over 4000 fine hardware essentials

315 PAGE COLOR CATALOG \$5.00
1-307-739-9478 whitechapel-ltd.com

For more information, go to PWFREEINFO.COM.

STEVE WALL LUMBER CO.
Quality Hardwoods and Woodworking machinery For The Craftsman and Educational Institutions

Ash	4/4	Select	\$2.60		\$94.00
Basswood	4/4	Select	\$1.95		\$80.00
Birch	4/4	Select	\$3.55		\$108.00
Butternut	4/4	1C	\$2.95		\$88.00
Cherry	4/4	Select	\$4.90		\$117.00
Hickory - Pecan	4/4	Select	\$3.00		\$100.00
Mahogany (Genuine)	4/4	Select	\$4.70		\$112.00
Maple (Hard)	4/4	Select	\$3.45		\$108.00
Maple (Soft)	4/4	Select	\$2.50		\$88.00
Poplar	4/4	Select	\$1.80		\$78.00
Red Oak	4/4	Select	\$2.70		\$96.00
Walnut	4/4	Select	\$4.90		\$115.00
White Oak	4/4	Select	\$2.70		\$96.00
Cedar (Aromatic Red)	4/4	1C+Btr.	\$1.80		\$78.00
Cypress	4/4	Select	\$2.60		\$90.00
White Pine	4/4	F.G.	\$1.25		\$70.00
Yellow Pine	4/4	Clear	\$2.30		\$82.00

UPS Specials

SEE OUR CATALOG ON THE WEB!

Below prices are for 100' quantities of kilndried rough lumber sold by the Bd. Ft. FOB Mayodan, NC. Call for quantity discounts. Other sizes and grades available.

Below prices are 20 bd. ft. bundles of clear kilndried lumber 3"-10" wide • 3'-5' long (Random widths & lengths) Surfaced 2 sides or rough. Delivered UPS prepaid in the Continental U.S.

OLIVER MACHINERY DEALER
HARDWOOD PLYWOOD
CUSTOM RAISED PANEL DOORS
CUSTOM PLANK HRDWD FLOORING
THIN CRAFTWOOD
EXOTIC LUMBER

STEVE H. WALL LUMBER CO.
BOX 287
MAYODAN, N.C. 27027
336-427-0637
1-800-633-4062
FAX 336-427-7588
Email: wood@walllumber.com
Website: www.walllumber.com

Send \$1.00 For Lumber Catalog
Prices Subject to Change Without Notice

For more information, go to PWFREEINFO.COM.

ROUTER BOSS
Multi-Purpose Routing Jig

An amazingly versatile tool for routing wood

NEW

- Innovative design
- Routes any wood joint
- Power feeds the wood
- Breakout free climb cuts
- Angle/compound angle cuts
- Digital display of cut location
- Simple & quick operation
- Affordable

The Craftsman Gallery

Call 866.966.3728
www.chipsfly.com

Why Settle for Special Function Jigs?

For more information, go to PWFREEINFO.COM.

Popular Woodworking's
Woodworker's BookShop

Visit
Popular Woodworking Magazine's
WoodworkersBookShop.com

EVERYDAY LOW PRICES
on woodworking books, DVDs, plans, videos and more!

WWW.RADARCARVE.NET
Wood Carving Duplicators

- Furniture
- Gunstocks
- Millwork
- Decoys
- Musical Instruments

Incredibly accurate

Thousands of Uses 505-948-0571

For more information, go to PWFREEINFO.COM.

NEW INVENTION!

SPRING BOLT™
The Improved Wood Rail & Newell Post Fastener

FOR RAILING JOINTS & POST ATTACHMENTS

Quickest, Easiest & Most Cost Effective

Three reasons to qualify **SPRING BOLT** as the best!
When it comes to attachment hardware you want to be "concealed". Meet the **Spring Bolt!** A paddle bit, square drive and drill are the only tools you need to "Get it Done".

- Satisfy the architect, engineer, designer, customer and **YOU**
- No wood plugs or putty to detract from the finished product
- Has passed commercial load tests

Test result copies available upon request.
Patent pending.


ROCK LOCK FASTENING SYSTEMS, INC.
877-577-BOLT | www.spring-bolt.com

For more information, go to PWFREEINFO.COM.

WOODWORKER'S MARKETPLACE

Lumber • Veneer • Turning Stock

Your Source for Wood



WOODWORKERS Source

www.101woods.com
800.423.2450

VISA M.C. AMERICAN EXPRESS

For more information, go to PWFREEINFO.COM.

Best selection on the web!

- Hardwood Lumber
- Mouldings
- Flooring
- Plywoods
- Veneers



Moulding Catalog
DOWNLOAD
IT FREE

M.L. CONDON COMPANY Inc.

www.condonlumber.net
250 Ferris Avenue, White Plains, NY 10603
Phone: (914) 946-4111 • Fax: (914) 946-3779
email: mlc@mlcondon.com

For more information, go to PWFREEINFO.COM.

The **BEALL** Wizard

Raises the art of pen turning to a new level

THE BEALL TOOL CO.

541 Swans Road N.E. Newark Ohio Dept. FW
1-800-331-4718 www.bealltool.com

For more information, go to PWFREEINFO.COM.

Looking for wood?

VISIT **woodfinder**



It's fast, easy and FREE!
www.woodfinder.com
No computer? Call toll-free 1-877-933-4637

Blue Spruce Toolworks

Hand tools for your finest work



2009 BEST NEW TOOLS Woodworking

www.BlueSpruceToolworks.com

For more information, go to PWFREEINFO.COM.

Mortise Pal™

PRECISION MORTISING JIG

WWW.MORTISEPAL.COM
TEL: 619-459-7951
4580 ALVARADO CANYON RD. STE. E, SAN DIEGO, CA 92120

For more information, go to PWFREEINFO.COM.

BEST DOVETAILS

It's the truth.

Order your Keller Dovetail System now!
(800) 995-2456

Made in the USA since 1976 • DVD/Video \$8.95 + \$2 p/h

www.bestdovetails.com

For more information, go to PWFREEINFO.COM.

Old English Academy of Fine Woodworking

Michael J. Gray Master

Hands on Instruction for Groups & Individuals
Weekend Classes Year Round
P.O. Box 772 Selmer, TN 38375
www.oefce.com
Learn the Fundamentals of Woodworking from an Old World Master



For more information, go to PWFREEINFO.COM.

ROUTERBITS.COM

Serving Woodworkers Since 1997



Order on-line at
www.routerbits.com

Over 800 Whiteside Router Bits

For more information, go to PWFREEINFO.COM.

LOGS TO LUMBER

MAKE LUMBER YOUR OWN & SAVE MONEY



8 Sawmill Models Available

Wood-Mizer
800.553.0182
www.SawBoards.com

2 YEAR WARRANTY

© 2010

For more information, go to PWFREEINFO.COM.

superbrightleds.com

Light up your finished projects with Linear Lighting from superbrightleds.com



Easy Integration - Low Profile - Long Life - Low Power Draw
All LED Products Available for Purchase Online
Super Bright LEDs Inc. St. Louis, Missouri - USA superbrightleds.com

For more information, go to PWFREEINFO.COM.

Philadelphia Furniture Workshop

Hands-On Instruction; All Levels
Mario Rodriguez, Artist in Residence
www.philadelphiafurnitureworkshop.com
215-849-5174



For more information, go to PWFREEINFO.COM.

CraftsmanStudio.com

Fine Tools - Fair Prices - Fast Shipping



Free Shipping on orders over \$75 (Lower 48 States)

Featuring Lie-Nielsen Tools Made in USA
4848 Ronson Ct • Ste L • San Diego, CA 888-500-9093

For more information, go to PWFREEINFO.COM.

CRAFTSMAN PLANS

Authentic Reproduction PLANS BOOKS HARDWARE



Measured & Drawn by Robert W. Lang
author of "Shop Drawings for Craftsman Furniture"
www.craftsmanplans.com

WOODWORKER'S MARKETPLACE

CLASSIFIED

Books

WE HAVE A WIDE VARIETY of woodworking books – from small projects, to home improvement, to enhancing your woodworking skills, and more! To see our full line of books, please visit our web site at WoodworkersBookShop.com!

Finishing Supplies & Equipment

SPRAY-ON SUEDE Line boxes easily. Free brochure with sample. DonJer, 13142 Murphy Road, Winnebago, IL 61088; 800-336-6537; www.donjer.com.

BLOXYGEN SAVES LEFTOVER FINISHES - Just Spray, Seal and Store. www.bloxygen.com or (805) 542-9219.

Hand Tools

DI LEGNO WOODSHOP SUPPLY Quality woodworking hand tools at an affordable price. www.dlws.com or 1-877-208-4298.

Power Tools

FEIN TOOLS YOU'RE JUST ONE CLICK AWAY from the Fein Tools that you can't do without - MultiMaster Tools - Sanders - Routers - Grinder - Vacuums and more, plus all Accessories and Parts. <http://www.waltertool.com> or 800-356-6926.

Schools/Instruction

JOHN C. CAMPBELL FOLK SCHOOL, Brasstown, NC. Courses for all skill levels. Weeklong and weekend classes year-round, taught by nationally known instructors. Friendly, supportive environment. Comfortable, on-campus housing. Delicious meals served three times a day. www.folkschool.org. 800/365-5724.

THE ACANTHUS WORKSHOP, LLC Traditional woodworking education with lead instructor, Charles Bender, using conventional hand tools and modern machinery. Call 610-970-5862 or visit www.acanthus.com.

TRAIN AS A PROFESSIONAL WOODWORKER on our intensive, 30-week cabinet making course. Visit www.chippendaleschool.com today!

The School at Annapolis Woodworks, Davidsonville, MD. Turning, Carving, Furniture Making, etc. Weeklong and Weekend classes for all skill levels. www.annapoliswoodworks.com 301-922-0649

Seat Weaving Supplies

CHAIR CANE & SPLINT, Shaker tape, fiber & natural rush. Complete line of basketweaving supplies. Royalwood Ltd., 517-WW Woodville Rd, Mansfield, OH 44907. 800-526-1630. www.royalwoodltd.com.

Wood & Veneers

WWW.WALNUTWOODS.NET Black Walnut Burl Veneer, lumber, turning stock, gunstocks. Buck-eye Burl slabs. Call 559-277-8456, Newton Woods, Fresno, CA

EXTRA-FINE APPALACHIAN WALNUT, cherry, oak, others. Air-dried minimum 15 years. Wide, thick, figured. Will ship. stonesriverhardwoods.com 615-563-2831.

Classified rate is \$6.00 per word, 15-word minimum. Order must be accompanied by payment; ads are non-commissionable. Send to: Popular Woodworking Magazine, 4700 E. Galbraith Rd., Cincinnati, OH 45236 or Don Schroder, d.schroder@verizon.net. Phone: 610-821-4425, Fax: 610-821-7884.

ADVERTISER'S INDEX

	PAGE #	WEB ADDRESS
Acanthus Workshop	59	acanthus.com
Apollo Sprayers Int'l.	11	hvlp.com
Beall Tool Company	58	bealltool.com
Bloxygen	59	bloxygen.com
Blue Spruce Toolworks	58	bluesprucetoolworks.com
Chippendale School	59	chippendale.co.uk
Craftsman Gallery	57	thecraftsmangallery.com
Craftsman Plans	58	craftsmanplans.com
Craftsman Studio	58	craftsmanstudio.com
Di Legno Woodshop Supply	59	dlws.com
DMT	17	dmtsharp.com
DonJer Products	59	donjer.com
Eagle America	19	eagleamerica.com
EBAC Industrial Products	57	ebacusa.com
Forrest Mfg.	13	forrestblades.com
Franklin International	5	titebond.com
Freud America	Cvr 3	freudtools.com
Gorilla Glue	17	gorillaglue.com
GreX USA	9	grexusa.com
Grizzly Industrial	Cvr 2, 1	grizzly.com
Hartville Tool	13	hartvilletool.com
Infinity Tools	19	infinitytools.com
John Campbell Folk School	59	folkschool.org
K.E. Hardware	11	kehardware.com
Keller & Company	58	kellerdovetail.com
Kutzall Tools	11	kutzalltools.com
Lee Valley	2	leevalley.com
Lie-Nielsen Toolworks	17	lie-nielsen.com
M.L. Condon	58	condonlumber.net
Manny's Woodworker's Place	19	mannyswoodworkersplace.com

	PAGE #	WEB ADDRESS
Marc Adams School	13	marcadams.com
Mortise Pal	58	mortisepal.com
Newton Woods	59	walnutwoods.net
Old English Furniture & Cabinet Co.	58	oefcc.com
Oneida Air Systems	19	oneida-air.com
Oneway	17	oneway.on.ca
Osborne Wood Products	19	osbornewood.com
Philadelphia Furniture Workshop	58	philadelphiafurnitureworkshop.com
Popular Woodworking Books	55	popularwoodworking.com
RadarCarve	57	radarcarve.net
Rock Auto	19	rockauto.com
Rock Lock Fasteners	57	spring-bolt.com
Routerbits.com	58	routerbits.com
Royalwood Ltd.	59	royalwoodltd.com
School of Annapolis Woodworks	59	annapoliswoodworks.com
Shopbot	13	shopbottools.com
Steebar	17	steebar.com
Stones River Hardwoods	59	stonesriverhardwoods.com
Super Bright LEDs	58	superbrightleds.com
Tools for Working Wood	13	toolsforworkingwood.com
Wall Lumber	57	walllumber.com
Walter Tool	59	waltertool.com
Whitechapel Ltd.	57	whitechapel-ltd.com
Woodcraft	9, Cvr 4	woodcraft.com
Woodfinder	58	woodfinder.com
Woodline USA	7	woodline.com
Wood-Mizer	58	woodmizer.com
Woodpeckers	9	woodpeck.com
Woodworker's Source	58	woodworkerssource.com
Woodworker's Supply	57	woodworker.com

G L O S S A R Y

Woodworking's lexicon can be overwhelming for beginners. The following is a list of terms used in this issue that may be unfamiliar to you.

bun foot (n)

Instead of a plinth or bracket base, some case-work sits on roundish blocks of wood that can be in a variety of shapes, from acorns to squashed spheres.

button (n)

An L-shaped bit of wood that fastens a tabletop to its base. The tongue of the button fits into a mortise or groove in the table's apron. The remainder of the button is screwed to the underside of the tabletop. Buttons are positioned to keep the tabletop secure but allow for seasonal swells.

crest rail (n)

The topmost rail of a chair.

cyma (n)

An "S"-shaped curve used as a moulding profile, sometimes also called an "ogee." When the shape looks like a proper capital "S" (in profile), it's a cyma curve. Turn the "S" upside down and it's a "cyma reversa" or "reverse ogee."

escutcheon (n)

A small metal plate or band of furniture hardware that can define or surround a hole. Typical examples define a keyhole or surround a door knob.






figure-8 fastener (n)

A small piece of 8-shaped metallic hardware used for attaching tabletops to their aprons. One of the holes through the 8 is screwed to the underside of the tabletop. The other hole through the 8 sits in a notch in the apron (or leg) and is screwed to the table's base. Like buttons, these fasteners allow for seasonal wood movement.

frame-and-panel construction (n)

A way of controlling wood movement by surrounding a wide panel of solid wood by a joined framework of vertical pieces (called stiles) and horizontal ones (called rails). The panels float in grooves in the framework without glue.

gateleg table (n)

A table with a pivoting leg to support a hinged top leaf that, when not in use, can hang vertically to reduce the table's footprint.

joint stool (n)

Ubiquitous in Renaissance households, this four-legged stool is characterized by turned legs that are often splayed for stability and connected by stretchers. The name reflects the form's makers – joint stools were made by joiners rather than turners, who were precluded by guild rules from making mortise-and-tenon joints.

moulding plane (n)

A type of handplane – typically with a wooden body – used to make decorative mouldings. Typical examples include hollows and rounds, which create convex and concave segments of a circle; and complex moulders, which cut one profile only, such as an ogee.

planemaker's float (n)

A cutting tool that consists of a flat piece of steel that has triangular teeth cut into one face or edge. These teeth work much like a saw or

rasp and are used for truing surfaces when making planes. They are also used in joinery, typically for cleaning out mortises.

snipes bills (n)

A pair of wooden planes that works with the moulding planes to produce shapes. The snipes bills can sink a small depression in the work (using only a gauge line for guidance) that then clears a path for other moulding planes to follow.

"Words are only postage stamps delivering the object for you to unwrap."

— George Bernard Shaw (1856 - 1950)
Irish playwright, 1925 Nobel Prize for Literature

wood acclimation (n)

Wood readily exchanges moisture with water vapor in the surrounding atmosphere. In high relative humidity, wood will swell; in low relative humidity, it will shrink. To avoid problems, relative humidity of 25-55 percent is recommended. Allow stock to acclimate to your shop before using it, but bear in mind that your shop environment may not match the environment for which the piece is destined. **PWM**

Go Online FOR MORE ...

For access to our online Glossary:

► popularwoodworking.com/glossary

More on joint stools:

► pfollansbee.wordpress.com

Purchase planemaker's floats:

► lie-nielsen.com

This \$10,000 WORKSHOP could be yours!

POPULAR
Woodworking's

All Star WORKSHOP GIVEAWAY

2009-2010

ENTER ONLINE TODAY!

Enter for your chance to **WIN A COMPLETE SHOP** that features all you see here.

ENTRY DEADLINE: Midnight, Eastern Standard Time, May 31, 2010



Bar Clamp Assort.
with Mobile Rack
BTB30A



4-Piece "H" Style
Pipe Clamp Set
BPC-H34



K Body® REVO™
Framing Kit
KRK2450



K Body® REVO™
Extender Kit
KRX2450



24x4" Light Duty
Step-Over Clamps
LMU2.004



50" Table Saw
Deluxe XACTA 3HP, LT



17" Drill Press
JDP-17DX



15" Planer
JWP-15DX



6" Jointer
JJ-6HHD



Jet 1-1/2-hp
dust collector
DC-1100



10" Sliding
Compound Miter Saw
JMS-10SCMS



14" Band Saw
JWBS-14DX

Complete prizes and contest rules are also available at www.popwood.com/winshop

www.popwood.com/winshop

POPULAR WOODWORKING'S "ALL-STAR WORKSHOP GIVEAWAY" SWEEPSTAKES These are only abbreviated rules. The "All-Star Workshop Giveaway" Sweepstakes is subject to Official Rules available during promotion period (9/18/09 - 5/31/10) at www.popwood.com/winshop. See Official Rules for complete entry details and prize descriptions. NO PURCHASE OR SUBSCRIPTION NECESSARY TO ENTER OR WIN. Must be legal resident of the U.S. or Canada (excluding Quebec) who has reached the age of majority in the participant's jurisdiction of residence to enter. One Grand Prize—Woodworker's Home Workshop valued at US \$10,000. Odds of winning depend on number of entries. Void in Quebec and where prohibited. Sponsor: F+W Media, Inc., 4700 E. Galbraith Road, Cincinnati, OH 45236 USA.

The **All-Star Workshop Giveaway** is sponsored by:

JET

BESSEY

POPULAR
Woodworking

SHARPEN YOUR SKILLS AT THIS SPECIAL EVENT!

WOODWORKING In America

2010



The Ultimate Skill-Building Weekend

SAVE
THE
DATE


October
1 to 3, 2010

CINCINNATI, OHIO

WWW.WOODWORKINGINAMERICA.COM

BROUGHT TO YOU BY

POPULAR
Woodworking
MAGAZINE



QUANTITIES
ARE LIMITED
**ORDER
TODAY!**

Woodworking Magazine — The Book

Get your hands on **Woodworking Magazine** — now in book form!

We're pleased to offer the first seven issues of *Woodworking Magazine* in book form — 252 pages and the only place you'll find the sold-out issues in print form.

Woodworking Magazine, a sister publication of *Popular Woodworking*, teaches the fundamental knowledge necessary for good craftsmanship. In each issue, we challenge woodworking's conventional wisdom to find the techniques, materials and tools that work best.

This book is the perfect way to ensure your collection lasts for years to come.

Order your copy today at
woodworking-magazine.com/books

WOODWORKING
MAGAZINE

1000s of Woodworking Resources – Just a Click Away!

WoodworkingNow

Thousands of Articles, Plans & Techniques On-Demand

WoodworkingNow is your one-stop source for exclusive projects and techniques for woodworkers of all skill levels. Simply choose your desired articles and projects from a comprehensive menu, preview your selections, then purchase – all within a few clicks! In minutes, you'll have printable PDFs you can take to the shop or keep for future use.

The collage features a central image of a dark wood tea table with a teapot and a cup. To the right is a screenshot of the WoodworkingNow website, which lists various project series such as 'sharpening essentials', 'table saw essentials', 'router essentials', 'i can do that projects', 'shaker furniture projects', 'arts & crafts furniture projects', 'shelving & storage projects', 'shop projects', and '18th century period furniture projects'. Below the website screenshot are several woodworking plans and articles, including a detailed plan for a 'Tea Table' with dimensions and a list of parts.

woodworkingnow.popularwoodworking.com

WoodworkingNow is a property of F+W Media, Inc.

BY ROY UNDERHILL

'Put Yer Ass Into It'

A boring task turns into a history lesson.

One day in Williamsburg, a message reached me at the carpenter's yard that the cabinet shop was shorthanded and needed help. I figured it was some high-end task like dovetailing a chest or shaving cabriole legs, so I dropped my adze and headed to the cabinet shop across the creek.

I eased into the visitor-crowded shop and waited for a couple of Japanese honeymooners to get their photograph. Along the wall, I spied the work ahead—a great stack of heavy walnut spindle blanks, waiting by the lathe.

Well, I'm a pretty good turner, so I happily worked my way through the visitors toward the rack of polished gouges. Then I noticed that David, one of the shop's journeymen, was already at the lathe, nodding toward the great wheel that drove it.

Oh, fair enough, I thought. I stepped over the rope, set my hands on the drive handle of the 6'-diameter wheel and began to crank. Slowly I worked it up to speed. The first 10 minutes were fine. I watched the leather drive belt pour from the top of the wheel over my head, run along the wall to the headstock pulley, and then rush back toward my feet. I counted the spindles in the stack. I watched the faint drift of brown shavings feathering to the floor.

I was craning my neck to see if there was any water in a mug on the windowsill when I felt a rap on my shoulder. I turned around to see a visitor ducking under the rope barrier. This was easy for him, because he was a little guy, old as my dad, but moving fast. I tried to form the words explaining that the ropes were for his protection, but I got only as far as



taking in air before he pushed me away and grabbed the crank of the great wheel.

"Outta the way, kid," he said in some New York accent. "Here's d'way ya do it!"

I reached to direct him back across the rope into visitor world, but the room was transforming. I pulled back. Gone was the clattering roll of the wheel and the lazy cut of the turning. The great wheel was flying, and the floor was humming at a high-energy harmonic. David struggled to hang on to the gouge as a ribbon of sheared walnut hosed over his shoulder.

"Dat's how ya do it kid; ya gotta put yer ass into it!" he shouted.

I knew this couldn't last, but he kept it up, grinning and shaking his head, never flagging. He was still grinning as I reached out to him again. He grabbed me first and now had me turning the wheel as he ducked back under the rope. He stood there grinning.

"Dat's it! Just put yer ass into it!"

I had no idea what he meant, but I then felt the belt slacken as David parted off the finished walnut spindle. I let the wheel slow.

"Never thought I'd do that again!" the guy said.

"What ...?" was all I got out.

"I was in the ball turret of a B-17 durin' the war. Two-six-two got us and next thing I know I'm in a parachute. I wake up with some

Austrian farmer pokin' me with his pitchfork. Marches me to his farm and puts me to work. For six months, 'til the end of the war, I'm turning this wheel for this farmer." He rapped my shoulder hard in the way only old guys know. "The one thing I learned was, ya gotta put yer ass into it."

As he faded back into the shuffling stream, I tried to re-establish boundaries by cranking up my historical interpretation. "The great wheel you see here . . ." Across the room I saw his head poke around to listen. I stopped short. Here's this guy—one minute he's flying along, next minute a jet shoots him down, next minute he's cranking a great wheel on some Alpine farm in a scene out of the Middle Ages . . .

And I'm trying to teach him history. **PWM**

Roy is the host of the PBS show "The Woodwright's Shop," and author of many books, including "The Woodwright's Guide: Working Wood with Edge & Wedge" (UNC Press) from which this story is excerpted.

Go Online FOR MORE ...

Read about our visit to Roy's school:

► <http://tinyurl.com/y89hvx0>

Roy contemplates the axe:

► <http://tinyurl.com/ydg3dpj>

How Do You Create Endless Cabinet Door Making Possibilities?



Profile Shown:
Round Over
(#99-760)



Patented design allows for multiple rail & stile project combinations



With Freud's New Premier Adjustable Rail & Stile System

Now with Freud's new, patented Premier Adjustable Rail and Stile router bit system, you are able to build any style of cabinet door in a wide range of door thicknesses and sizes! This extremely easy-to-use solution gives you unlimited creative freedom, and solves the long-standing limitations of existing frame and panel door construction.

This one of a kind solution allows you to create extended tenons for extra door joint strength, adjust groove width for different panel thicknesses and choose from a variety of material thicknesses for your stiles and rails (5/8" to 1-1/4"). Optional add-on cutters increase your bits' capabilities even more, allowing you to create glass panel and double sided profile doors.

Four profiles are available; **Round Over** (#99-760), **Ogee** (#99-761), **Round Over Bead** (#99-763), and **Bevel** (#99-764).



Standard stub tenons in regular 3/4" stock

Extended tenons for strong joints in larger doors

Glass & screen panel capability

Double Sided Profiles in thick stock




freud[®]
Precisely the best.



To find more information, please go to:

www.freudtools.com/PremierRailandStile

Others



VS



Freud's New Premier Rail & Stile System

To sign up for Freud's e-mail newsletter or to find a dealer near you visit: www.freudtools.com

Red router bits are a registered trademark of Freud America, Inc. (US) 1-800-472-7307

WOODCRAFT[®]

For A Free Catalog Or To Find Your Local Woodcraft Store, Visit woodcraft.com Or Call 800-225-1153.

Quickly achieve an expert finish - with no brush marks - with the Spray Station 5000 high volume, low pressure (HVLP) sprayer. Designed for woodworkers and DIY enthusiasts, this professional unit is fitted with a powerful two-stage turbine that supplies the gun with constant airflow, allowing the material to be distributed evenly despite varying viscosities.

Earlex HVLP Spray Station Pro Features:

- Adjustable Aircap Creates Different Spray Patterns While Maintaining Minimal Overspray
- Ideal For Use In The Workshop Or Home
- Lightweight Unit Has A Long Carry Handle For Easy Mobility And Provides Storage For The Gun, 13' Air Hose And 5½' Power Cord
- Metal Spray Gun Is Compatible With Nearly All Finishing Materials
- 1 Quart Teflon Coated Paint Pot Is Easy To Clean

Includes:

- 2.0 mm And 1.5 mm Stainless Steel Needles And Fluid Tips
- Viscosity Cup
- Spray Gun Cleaning Kit
- Detailed Instructions



147650

10PW04P

QUALITY WOODWORKING TOOLS • SUPPLIES • ADVICE[®]

For more information, go to PWFREEINFO.COM.