

|                                 |          |
|---------------------------------|----------|
| Ratings                         | 111      |
| Semiconductor                   | 111, V24 |
| Silicon Controlled              | 100      |
| Reflected Power                 | 568      |
| Reflectometer                   | 516      |
| Reflector (Antenna)             | 609      |
| Refraction                      | 558      |
| Regeneration                    | 257      |
| Regenerative Detectors          | 241      |
| Regenerative Feedback           | 69       |
| Regulators, IC                  | 123      |
| Regulators, On-Card             | 124      |
| Regulators, Solid-State         | 123      |
| Regulator Tubes, Gaseous        | 120, V19 |
| Reinartz, John                  | 8        |
| Remote Base, Fm                 | 436      |
| Repeater Circuits               | 437      |
| Repeaters, Fm                   | 435      |
| Repeater, Fm                    | 459      |
| Resistance                      | 18       |
| Resistance Coupling             | 66, 386  |
| Resistance, Equivalent Noise    | 236      |
| Resistance, Parallel and Series | 20       |
| Resistance, Plate               | 64       |
| Resistance, Radiation           | 591      |
| Resistors                       | 19       |
| Bleeder                         | 14       |
| Cathode                         | 73       |
| Color Code                      | 553      |
| Grid                            | 66       |
| Plate                           | 66       |
| Screen Dropping                 | 74       |
| Transistor Logic (RTL)          | 99       |
| At Radio Frequencies            | 522      |
| Resonance Curve                 | 42, 236  |
| Resonant Frequency              | 41       |
| Resonance in Parallel Circuits  | 42       |
| Resonance in Series Circuits    | 41       |
| Resonances, Natural             | 53       |
| Resonance, Power Supply         | 116      |
| Resonant Line                   | 54, 571  |
| Resonators, Cavity              | 56       |
| Resonators, Helical             | 293      |
| Ripple Frequency, Power Supply  | 114      |
| Route Manager (RM)              | 658      |

## S

|                        |             |
|------------------------|-------------|
| Scam                   | 467         |
| Scfm                   | 467         |
| SCM                    | 658         |
| SCR                    | 100         |
| S Meters               | 255         |
| S-Meter Circuits       | 256         |
| SSTV                   | 458, 466    |
| SWR                    | 570         |
| SWR Measurement        | 516         |
| Safety                 | 642         |
| Satellites (Amateur)   | 474         |
| Saturated-Diode Keying | 460         |
| Saturation Point       | 62          |
| Scaler                 | 426         |
| Scatter (Propagation)  | 563         |
| Schmitt Trigger (ST)   | 97          |
| Schnell, Fred          | 8           |
| Screen-Grid Modulation | 373         |
| Screen-Grid Tubes      | 71          |
| Screen Voltage         | 150         |
| Secondary Circuit      | 45          |
| Secondary Coil         | 37          |
| Secondary Emission     | 71          |
| Selective Fading       | 560         |
| Selectivity            | 42, 47, 235 |
| Selectivity, Improving | 256         |
| Selectivity, Rf        | 293         |

|  |          |
|--|----------|
| Semiconductor Bibliography             | 104      |
| Semiconductor Devices                  | 79, V24  |
| Semiconductor Symbol List              | V26      |
| Sensitivity                            | 235      |
| Series Circuits, Resonance in          | 41       |
| Series Feed                            | 52       |
| Series Resistance                      | 20       |
| Section Communications Manager (SCM)   | 658      |
| Sharp-Cutoff Tubes                     | 72       |
| Shielding, TVI                         | 492      |
| Shields                                | 54       |
| Short-Circuit Current Transfer Ratio   | 86       |
| Shorting Stick                         | 642      |
| Shot-Effect Noise                      | 236      |
| Shunt, Meter                           | 507      |
| Sideband, Lower                        | 58       |
| Sidebands                              | 368      |
| Sideband Transmitter, Testing          | 399      |
| Sideband, Upper                        | 58       |
| Signal-Strength Indicators             | 255      |
| Signal-to-Image Ratio                  | 244      |
| Signal-to-Noise Ratio                  | 290      |
| Silicon Controlled Rectifier           | 100      |
| Simplex                                | 436      |
| Single Shot (SS)                       | 97       |
| Single Sideband Construction:          |          |
| Solid-State Transceiver for 160 Meters | 414      |
| Single Sideband, Filter Method         | 379, 382 |
| Single Sideband for the Radio Amateur  | 379      |
| Single Sideband, Phasing Method        | 379      |
| Single Sideband Phone Reception        | 268      |
| Single-Sideband Transmission           | 379      |
| Single-Signal Effect                   | 256      |
| Single-Signal Reception                | 257      |
| Skin Effect                            | 19       |
| Skip Distance                          | 559      |
| Skip Zone                              | 559      |
| Skirt Selectivity                      | 236      |
| Sky Wave                               | 558      |
| Slow-Scan Television                   | 466      |
| Soldering                              | 548      |
| Solid-State Devices                    | 79       |
| Solar Phenomena                        | 559      |
| Space Charge                           | 61       |
| Space Communications                   | 474      |
| Space Wave                             | 558      |
| Spacing Wave                           | 352      |
| Spark Plug Noise                       | 320      |
| Specialized Communications Systems     | 458      |
| Spectrum, Frequency                    | 17       |
| Speech Amplifier                       | 385      |
| Speech Clipping                        | 391      |
| Speech Processing                      | 391, 424 |
| Speech Processor, Audio                | 394      |
| Sporadic-E Ionization                  | 561      |
| Spurious Response (Chart)              | 245      |
| Squelch Circuits                       | 267      |
| Stability                              | 235      |
| Stability, Receiver                    | 235, 237 |
| Stability, Rf Amplifiers               | 290      |
| Staggered Tuning                       | 47       |
| Standard Frequencies and Time Signals  | 540      |
| Standards, Slow Scan                   | 467      |
| Standing Waves                         | 568      |
| Start-Stop (RTTY)                      | 459      |
| Static Regulation, Power Supply        | 114      |
| Station Assembly                       | 639-645  |
| Station Operating                      | 646-663  |
| Stop-Band Filter                       | 49       |
| Strip-Line Filters                     | 500      |
| Subcarrier A-m                         | 467      |
| Subcarrier Fm                          | 467      |
| Sunspot Cycle                          | 560      |
| Superheterodyne Receiver               | 243      |

|                                     |          |
|-------------------------------------|----------|
| Superregenerative Detectors         | 241      |
| Superregenerative Receiver          | 297      |
| Suppressor Grid                     | 71       |
| Surface Wave                        | 558      |
| Surge Impedance                     | 567      |
| Sweep, Linear                       | 523      |
| Swinging Chokes                     | 116      |
| Switch                              | 19       |
| Switching, Diode                    | 139      |
| Symbols, Bipolar Transistors        | 104, V26 |
| Symbols, Field-Effect Transistors   | 104      |
| Symbols, Logic                      | 96       |
| Symbols, Schematic                  | 4        |
| Synchronous Vibrator Power Supplies | 332      |

## T

|   |          |
|---|----------|
| T-Match                                       | 578, 611 |
| T-Notch Filter                                | 259      |
| TE Propagation                                | 562      |
| T-R Switch                                    | 357      |
| TRF Receiver                                  | 237      |
| TTL   | 99       |
| TVI   | 485      |
| TVI, Vhf                                      | 204      |
| TWT   | 78       |
| Tank Circuit Design (Vhf)                     | 201      |
| Tank Coils                                    | 165      |
| Tank Q  | 156      |
| Tape Printer                                  | 459      |
| Technician License                            | 10       |
| Telefax Transceiver                           | 472      |
| Telephone Interference                        | 488      |
| Teletypewriter Code                           | 459      |
| Television, Amateur                           | 461      |
| Television, Color                             | 505      |
| Television Interference                       | 489      |
| Television, Slow-Scan                         | 466      |
| Television, Uhf                               | 504      |
| Television, Vhf                               | 489      |
| Temperature Compensation                      | 140      |
| Tertiary Winding                              | 251      |
| Test Equipment and Measurements               | 506      |
| Test Equipment Construction                   |          |
| Marker Generator for 100, 50,<br>and 25 kHz   | 525      |
| Two-Tone Audio-Test Generator                 | 527      |
| Dip Meters for the Hf-Vhf-Uhf Range           | 529      |
| Absorption Frequency Meter for<br>1.6-300 MHz | 531      |
| Tester for FET and Bipolar Transistors        | 533      |
| Rf Impedance Bridge for Coax Lines            | 536      |
| Low-Power RF Wattmeter                        | 539      |
| Heterodyne Deviation Meter                    | 541      |
| Tetrode Transmitting Tubes                    | V22      |
| Thermal-Agitation Noise                       | 236      |
| Thermal Runaway                               | 86, 88   |
| Thermionic Emission                           | 61       |
| Thermistors                                   | 89       |
| Thermocouple Meter                            | 512      |
| Thoriated Tungsten Cathode                    | 62       |
| Time Constant                                 | 29-31    |
| Time Signals                                  | 540      |
| Tone Burst, Fm                                | 439      |
| Tools   | 543      |
| Tone Beep Keyer for Repeaters                 | 444      |
| Toroidal Inductors                            | 58       |
| "Touch-Tone"                                  | 440      |
| Tower, Tilt-Over                              | 620      |
| Tracking, Receiver                            | 262      |
| Transadmittance                               | 92       |
| Transatlantics                                | 8        |
| Transceiver, Portable for 144 MHz             | 342      |
| Transceiver, Telefax                          | 472      |

|   |            |
|---|------------|
| Transceivers, Single Sideband                       | 397        |
| Transconductance                                    | 64         |
| Transequatorial Propagation                         | 562        |
| Transformers  | 37, 58     |
| Construction  | 39         |
| Coupling  | 66, 387    |
| Iron-Core   | 37         |
| Constant-Voltage                                    | 107        |
| Diode   | 251        |
| Filament  | 108        |
| I-f   | 251        |
| I-f Interstage                                      | 251        |
| Lead, Color Code for                                | 554        |
| Linear  | 576        |
| Plate   | 108        |
| Quarter-Wave  | 576        |
| Rewinding   | 109        |
| Triple-Tuned  | 251        |
| Transient Problems, Diode                           | 113        |
| Transistors:  |            |
| Arrays (IC)   | 93, 95, 96 |
| Balanced Emitter                                    | 84         |
| Characteristic Curves                               | 85, 92     |
| Characteristics                                     | 84         |
| Cooling   | 152        |
| Current Sink  | 93         |
| Field Effect (FET)                                  | 91         |
| Low-Frequency Parasitics                            | 164        |
| Multipliers   | 146        |
| Overlay   | 84         |
| Parameters  | 86         |
| Power Supplies                                      | 332-336    |
| Ratings   | 151, V24   |
| Testers   | 533, 534   |
| Unijunction   | 100        |
| Transistor-Transistor Logic (TTL)                   | 99         |
| Transition Region                                   | 83         |
| Transmatches  | 625        |
| Transmatch Construction                             |            |
| For Balanced or Unbalanced Lines                    | 583        |
| For QRP Rigs  | 350        |
| For 50 and 144 MHz                                  | 635        |
| Simple Coupler for Balanced Lines                   | 586        |
| Unimatch  | 587        |
| Transmission Lines                                  | 567, 624   |
| Transmission Lines, Losses                          | 574        |
| Transmitter Construction, Hf                        |            |
| A 10-Watt Package for 160 Meters                    | 166        |
| A 75- to 120-Watt Cw Transmitter                    | 172        |
| A High-Output Transistor VFO                        | 175        |
| A 6-Band Transmitter for Cw                         | 179        |
| Conduction-Cooled Two-Kilowatt Amplifier            | 186        |
| A One-Kilowatt Amplifier<br>Using a 3-500Z          | 190        |
| Low-Power SSB/CW Transmitter<br>for 80 or 20 Meters | 409        |
| Two-Kilowatt Amplifier Using<br>an 8877             | 194        |
| Two-Kilowatt Amplifier for 144 MHz                  | 222        |
| A Solid-State Linear Amplifier                      | 196        |
| Ultra Portable Cw Station for<br>40 Meters          | 347        |
| 160-Meter Amplifier                                 | 184        |
| Solid-State Transceiver for 160 Meters              | 414        |
| Transmitter Construction, Vhf                       |            |
| 500-Watt Fm and Cw Transmitter<br>for 220 MHz       | 212        |
| Varactor Tripler for 432 MHz                        | 217        |
| Grounded-Grid 50-MHz Amplifier                      | 219        |
| Kilowatt Amplifier for 144 MHz                      | 222        |
| Resonant Cavity Amplifier for 432 MHz               | 226        |
| Grounded-Grid Amplifier for 1296 MHz                | 828        |
| 500-Watt Amplifier for 432 MHz                      | 232        |

|   |         |
|---|---------|
| A Two-Band Solid State Transmitter      | 169     |
| A Solid-State FM Transmitter for 146MHz | 447     |
| Transmitter Distributer                 | 459     |
| Transmitter Power Output                | 153     |
| Transverse Electric Mode (TE)           | 55      |
| Transverse Magnetic Mode (TM)           | 55      |
| Transverter                             | 199     |
| Transverter Construction                |         |
| 50-MHz                                  | 204     |
| Two Meter                               | 208     |
| Transverter for 1.8 MHz                 | 405     |
| "Trap" Antenna                          | 596     |
| Trapezoidal Pattern                     | 375     |
| Trapping (Propagation)                  | 563     |
| Traps, Harmonic                         | 492     |
| Traps, Parallel-Tuned                   | 263     |
| Traps, Series-Tuned                     | 263     |
| Traveling Wave Tube                     | 78      |
| Triacs                                  | 100     |
| Trimmer Capacitor                       | 242     |
| Triode Transmitting Tubes               | V20     |
| Triodes                                 | 63      |
| Tripler                                 | 136     |
| Tropospheric Bending                    | 563     |
| Tropospheric Propagation                | 561     |
| Tropospheric Waves                      | 558     |
| Tube Element                            | 61      |
| Tube Ratings                            | 149, V1 |
| Tube, Uhf and Microwave                 | 77      |
| Tubes, Screen Grid                      | 71      |
| Tubing, Aluminum                        | 618     |
| Tune-Plate-Tune-Grid-Circuit            | 75      |
| Tuned-Radio-Frequency Receiver (TRF)    | 237     |
| Tuning Rate                             | 242     |
| Tuning, Receiver                        | 242     |
| Turns Ratio                             | 37      |
| Turnstile Antenna                       | 328-330 |
| Twin-T Audio Oscillator                 | 522     |
| Two-Tone Test                           | 402,527 |
| Two-Wire, Half-Wave Antenna             | 592     |

## U

|                                    |     |
|------------------------------------|-----|
| UJT                                | 100 |
| Uhf Circuits                       | 54  |
| Uhf Television                     | 504 |
| <i>Understanding Amateur Radio</i> | 13  |
| Unijunction Transistor             | 100 |
| Units, Electrical                  | 17  |
| Up Channel, Fm                     | 436 |
| Upper Sideband                     | 58  |

## V

|                                  |         |
|----------------------------------|---------|
| Var                              | 35      |
| VCO                              | 143     |
| VFO Circuits                     | 139,141 |
| Vhf and Uhf Antennas             | 623     |
| Vhf and Uhf Receiving Techniques | 290     |
| Vhf and Uhf Transmitting         | 199     |
| Vhf Parasitic Oscillation        | 163     |
| Vhf Television                   | 489     |
| Vhf TVI                          | 204     |
| VOM                              | 506     |
| VOX                              | 398,477 |
| VOX, Transistorized              | 403     |
| VR Tubes                         | V19,120 |
| VTVM                             | 510     |
| Vacuum-Tube Principles           | 61      |
| Vacuum-Tube Voltmeter (VTVM)     | 510     |
| Vacuum Tubes and Semiconductors  | V1      |
| Varactor                         | 81      |
| Varactor Multiplier (Vhf)        | 200     |
| Variable- $\mu$ Tubes            | 72      |
| Variable Capacitor               | 24      |

|                                     |             |
|-------------------------------------|-------------|
| Variable-Frequency Oscillators      | 136,139,200 |
| "Variac"                            | 40          |
| Varicap                             | 81          |
| Vault; Fm                           | 436         |
| Vertical Angle of Maximum Radiation | 588         |
| Vertical Antennas                   | 600         |
| Vertical Deflection                 | 523         |
| Vertically Polarized                | 557         |
| Vibrator Power Supplies             | 331         |
| Vertical Height                     | 558         |
| Voice Operating Procedure           | 649         |
| Volt                                | 17          |
| Volt-Ampere Rating                  | 109         |
| Volt-Ampere-Reactive (Var)          | 35          |
| Volt-Ohm-Milliammeter (VOM)         | 506         |
| Voltage:                            |             |
| Amplification Ratio                 | 65          |
| Amplifier                           | 67          |
| Breakdown                           | 24          |
| Controlled Oscillator (VCO)         | 143         |
| Dividers                            | 126         |
| Doublers                            | 118         |
| Drop                                | 21          |
| Dropping                            | 119         |
| Exciting                            | 67          |
| Gain                                | 66          |
| Plate                               | 150         |
| Quadruplers                         | 118         |
| Regulation, Power Supply            | 114,122     |
| Screen                              | 150         |
| Stabilization                       | 81,120      |
| Triplers                            | 118         |
| Voltage-Controlled Oscillator       | 143         |
| Voltage Loop                        | 569         |
| Voltage Node                        | 569         |
| Voltage Regulation, Electronic      | 122         |
| Voltmeter                           | 507         |
| Volume Compression                  | 391         |

## W

|                             |         |
|-----------------------------|---------|
| WWV                         | 540     |
| WWVH                        | 540     |
| W1AW                        | 10,659  |
| Watt                        | 22      |
| Watt-Hour                   | 23      |
| Wattmeter, Low-Power RF     | 539     |
| Watt-Second                 | 23      |
| Wave Angle                  | 559     |
| Wave Envelope               | 374     |
| Wave-Envelope Patterns      | 392,401 |
| Wave Forms                  | 17      |
| Wave Front                  | 557     |
| Wave Guides                 | 55      |
| Wave Guide Dimensions       | 56      |
| Wave Propagation            | 559     |
| Wavelength                  | 17      |
| Wheatstone Bridge           | 509     |
| Wheel and Tire Static       | 321     |
| Whistle On, Fm              | 439     |
| Wire, Color Code for Hookup | 555     |
| Wire Table, Copper          | 556     |
| Wiring                      | 549,642 |

## XYZ

|                       |        |
|-----------------------|--------|
| X (Reactance)         | 32     |
| Yagi Antenna          | 623    |
| Yagis, Short and Long | 627    |
| Yagis, Stacking       | 627    |
| Z (Impedance)         | 35     |
| Zener Diodes          | 80,121 |
| Zero-Bias Tubes       | 68     |

